

TREK USA

COMPOSITE
RACE



Selle Italia Turbo saddle
and American Classic light
alloy seat post.

Carbon-fiber double-butted
composite tubing with
aluminum rear triangle.

Shimano Dura Ace
componentry featuring new
7400 aero brake system.

32 spoke Dura Ace
and Matrix™
wheel system.

2500
COMPOSITE

Trek's foremost example of how to combine materials, technical wizardry, and craftsmanship into the finest racing bike anywhere. Trek's own carbon-fiber

main triangle and Matrix™ aluminum tubing formulation creates a totally uncompromising bond of strength, responsiveness, and comfort. So ad-

vanced, all we could add is this—Matrix Iso aerodynamic wheels and the new Shimano Dura Ace 14 speed S.I.S. group with aero levers. Weight: 18.9 lbs.

Colors: Graphite & polished aluminum (shown).

ALUMINUM
RACE

Matrix™ Iso tubular 32 spoke rims
with Wolber Neo-Pro 260
gm. tires.

Trek Matrix™ frameset.

Cinelli #64 giro alloy
handlebars and 1-A
forged alloy stem.

Shimano Dura Ace
component group with
S.I.S. shifting.

2000
ALUMINUM

Since its debut, the Trek 2000 has established itself as the finest example of aluminum racing bike technology in the marketplace. Ridden by Ameri-

ca's best, this exotic set of mid-size aluminum alloy tubes and internal investment-cast lugs is equipped with the only component group sophisticated

enough to match—Shimano Dura Ace. Naturally, with the finest 32-hole Matrix Iso™ aero tubular wheels. Weight: 19.5 pounds.

Colors: Ecu (bicycle shown).
White to red fade.



ALUMINUM
RACE/TRIATHLON



Matrix™ Iso-C clincher
32 spoke wheels and
new CD-4 125 psi tires.

Trek Matrix™ frameset.

Shimano Santé component
group with 14-speed
S.I.S. index shifting.

Blackburn Pro Cage
and matching
Trek bottle.

1500
ALUMINUM

This superbly-detailed racing machine utilizes the same unique design, materials, and construction as Trek models 1200 and 2000, but with

Shimano's newest Santé derailleur group providing sure and light-touch S.I.S. shifting precision across all 14 speeds. There's a Biopace™ crankset.

Super-rigid Matrix Iso-C clincher wheels. And Vetta Moser Aero leather saddle from which to take it all in. Weight: 20.9 pounds.

Colors: Yellow (bicycle shown).
Black to pewter fade.

ALUMINUM
RACE/TRIATHLON

Shimano sealed 32 hole hubs
with stainless spokes and
Matrix™ Titan rims.

Trek Matrix™
aluminum alloy frame tubing.

Suntour new Sprint 9000
componentry with Accu-
shift power indexing.

Black anodized Dia Compe
Royal Compe 400 brakes
with matching levers.

1200
ALUMINUM

Another innovative aluminum design, bonding Trek Matrix™ aluminum into a responsive, yet resilient geometry. Component group is Suntour's top-

quality Sprint 9000, with Accushift indexing for perfect gear engagement under pressure. Right at hand there are Dia Compe Royal Compe

aero brakes. With Matrix Titan wheels and Matrix™ CD-4 tires. All the performance of an elite racing machine. Weight: 20.9 pounds.

Colors: Orange to red fade (bicycle shown).
Race blue.



ALUMINUM
RACE/TRIATHLON



Trek TX bonded midsize aluminum tubing and internal investment castings.

Alpha II forged brakeset with fast response aero levers.

32 spoke Matrix™ Titan-S wheel system with Matrix™ CD-3 tires.

Suntour Cyclone 7000 group with Accushift power indexing.

1000
ALUMINUM

At 21 pounds, this Trek packs a unique combination of stiffness, response, and comfort into its bonded TX™ frame. Built with the same fanatical care as

our other aluminum models, this Trek comes equipped with Suntour's equally advanced New Cyclone 7000 component group, including their indexed

Accushift™ gearing and Alpha II forged brakeset with aero levers. And lightweight Matrix wheels to match. Weight: 21.1 pounds.

Colors: Race red (bicycle shown).
Grey metallic to black fade.

REYNOLDS 531
RACE/TRIATHLON

Vetta suede
aero saddle.

Reynolds 531 tubing with
Trek investment castings.

Shimano 600EX
aerodynamic anodized
componentry.

Matrix™ Titan-C hard anodized
32 spoke wheels and
CD-4 125 psi tires.

560EX
PRO SERIES

The same purebred Reynolds 531 racing geometry frame as our standard Model 560, but with an upgrade to Shimano's heralded 600EX S.I.S.

componentry—anodized for a durable and outstanding finish. Not to mention a pair of highly-responsive Matrix wheels with Matrix's new 125 psi clinchers

fitted on. The top choice of triathletes and racers quickly advancing in their category. Weight: 23.2 pounds.

Colors: Ecrú (bicycle shown).
Grey metallic to black fade.



REYNOLDS 531
RACE/TRIATHLON



Reynolds 531 tubing with
Trek investment castings.

Matrix™ Titan sealed bearing
32 spoke wheels and
CD-3 115 psi tires.

Shimano new 105 group
with S.I.S. rear derailleur.

Linear-response caliper brakes
for more precise modulation.

560
PRO SERIES

The first in Trek's line of dedicated racing bikes, this machine transforms Reynolds 531 tubing and Trek investment castings into a tightly-respon-

sive short-wheelbase frame. The performance soars higher with Shimano's new 105 component group, complete with S.I.S. shifting, Biopace crankset,

and linear response brake system. Matrix Titan wheelset and Matrix rubber complete this exciting package. Weight: 23.2 pounds.

Colors: Aqua (bicycle shown),
Orange to red fade.

REYNOLDS 531
SPORT/TOURING



Blackburn braze-on
rear rack.

Longer touring geometry
Reynolds 531 tubing with
Trek investment castings.

Wide-range 18-speed
shifting with Shimano
New Deore S.I.S.

Biopace
50/44/28 triple
crankset with
sealed bottom
bracket.

520
CIRRUS

A classic Trek touring bike composed of Reynolds 531 tubing and Trek's unique set of investment-cast lugs, dropouts, and shells. Equipped for the

long haul with new Shimano Deore wide-range S.I.S. index shifting of all 18 speeds, a Biopace™ 50/44/28 triple crankset, and powerful Deore

cantilever brakes. A Blackburn rear rack and multiple braze-ons will suit the needs of the touring cyclist. Weight: 24.9 pounds.

Colors: Cumulus grey (bicycle shown),
Burgundy to slate fade.

REYNOLDS 531
SPORT/TOURING



400T
ELANCE

Featuring a Reynolds 531 sport frame for responsive handling with components geared for longer tours. 18 evenly-spaced gears are controlled by

Shimano's new Deore wide-range derailleurs with S.I.S. shifting. New S.R. Ova-Tech crankset enhances pedalling efficiency. Black-anodized

Matrix Titan wheels built around sealed hubs are also standard equipment on this versatile machine. Weight: 23.6 pounds.

Colors: Dark blue metallic (bicycle shown).
Red to black fade.

REYNOLDS 531
SPORT/TOURING

Matrix™ Titan—S 700C
black anodized wheels and
new CD-2 100 psi tires.

Reynolds 531 tubing with
Trek investment castings.

Shimano light-action
derailleurs with S.I.S.
index shifting.

Shimano Z-brake system
with quick-release
and wheel guides.

400D
ELANCE

Built of Reynolds 531 and Trek investment-cast lugs using a combination of advanced robotic technology and precision silver brazing. Extremely

reliable Shimano light-action derailleurs with the convenience of their S.I.S. shifting mechanism. Brakes are Shimano's "Z" system. Add a

pair of superb Matrix™ wheels with matching Matrix tires and you've got a top-quality bike that's ready for some serious riding. Weight: 23.4 pounds.

Colors: Red to black fade (bicycle shown).
Dark blue metallic.





REYNOLDS 531
SPORT/TOURING

Reynolds 531 tubing with
Trek investment castings.

Sealed bearing headset,
crankset, and hubs.

Suntour Alpha drivetrain
with new index shifting.

Suntour's
efficient new
"Z" chain.

330
ELANCE

A Reynolds 531 frame crafted to perfection using our own precise investment-cast fittings. Features the new Suntour "Alpha 5000" index control

transmission for shifts that are right on center every time. Also includes the new Dia Compe Alpha brakeset with hooded levers. Sealed bearing systems

throughout. And Vetta's Ultra anatomic saddle atop micro-adjusting seatpost for comfort from the very first mile. Weight: 23.9 pounds.

Colors: Bright red (bicycle shown),
Grey.

ALUMINUM
ALL-TERRAIN

New Deore XT group with
XT freehub and Araya
RM-20 anodized rims.

Shimano Deore XT
quick-release seatpost

Matrix™ special ATB
aluminum alloy tubing with
precision investment castings.

Quick release axles,
front and rear.

8000XT
ALUMINUM

The same revolutionary all-terrain frameset as our Model 8000, but this time decked out in the hottest component group this side of Kilimanjaro.


Shimano's Deore XT setup includes the newest version of their S.I.S. indexed thumb shifters, Biopace 48/38/28 triple crankset, new freehub/freewheel

system, and chainstay-mounted U-brake. All riding on Araya RM-20 black-anodized wheels and Quad tires. Geronimo! Weight: 27.1 lbs.

Colors: Race Red (bicycle shown).
Camouflage.



ALUMINUM
ALL-TERRAIN



Araya RM-20 rims
with Quad 26" x 1.9" tires.

Matrix™ ATB aluminum alloy tubing
and Trek investment castings.

ALUMINUM

Quick release axles,
front and rear.

Shift cable guide
convertible to road levers
for touring use.

Shimano Biopace
triple crankset with
sealed bearing
mechanism.

Shimano New
Deore componentry
with chainstay-mounted
"U" brake.

8000
ALUMINUM

Trek aluminum performance comes to the all-terrain for the first time. What can you expect? Increased lateral rigidity and plenty of shock absorption

in a superlight, superstrong frame built with a special set of investment castings. Shimano New Deore componentry, featuring S.I.S. index shifting

and their new "U" brake. And SR's latest forged single-clamp stem and bars. 18 speeds of upward mobility. Weight: 27.3 pounds.

Colors: White to blue fade (bicycle shown).
Race red.

CHROME MOLY
SPORT/FITNESS



Quick-release seatpost
skewer and Vetta Maxi
suede saddle.

Shimano New Deore
derailleurs with S.I.S. thumb-
shifters and "U" brake.

Sealed bearings
throughout.

Shimano Biopace
triple crankset.

850
ANTELOPE

Mountain-top performance from a durably-crafted set of double-butted oversize chrome-moly tubes and beefy ATB unicrown forks. Lightweight,

yet loaded with quality components like Shimano's special New Deore off-road group, including S.I.S. thumb shifters, Biopace 48/38/28 cranks for

stomping, and chainstay-mounted U-brake for stopping. And Araya's RM-20 alloy rims to shoulder the load. Weight: 28.1 pounds.

Colors: Red to black fade (bicycle shown),
Dark blue metallic.



CHROME MOLY
ALL-TERRAIN

Shimano component group with S.I.S. shifters and AT cantilever brakes.

Chrome-moly oversize double-butted frame with unicrown fork.

SR sealed hubs and Araya 7XN rims with Trek 26 x 2" knobby tires.

830 ANTELOPE

A bike for those who love the dirt, but still like to act civilized once in a while. A full chrome-moly double-butted frame and unicrown-style fork is the

backbone for Shimano's tough componentry. Including new S.I.S. thumb shifters that shift effortlessly. S.R. Oval-Tech triple crankset for torquing up the

grades, cantilever brakes for coming down them. Bearings are sealed against the grit throughout. Weight: 28.9 pounds.

Colors: Grey metallic to black fade (shown).
Bright red.

CHROME MOLY
ALL-TERRAIN/SPORT



Viscount anatomic
ATB saddle on Delta
microadjusting seat post.

Oversize chrome-moly ATB tubeset
with forged vertical dropouts.

Nimble 26 x 1.5" wheels.

800
ANTELOPE


Suntour new
Alpha long-cage
derailleur with indexed thumb-shifting.

The new age of ATB is here, with a machine that performs as well on-the-road as it does in the all-terrain. Features our oversize chrome-moly frame

design that's responsive yet stable. With Suntour's new Alpha Accushift to handle all 15 speeds with ease. A reliable sealed SR crankset. And nim-

ble yet sturdy wheels equipped with Trek knobby tires. Step-through mixte frame also available. Weight: 29.3 pounds.

Colors: Yellow (bicycle shown).
Slate metallic.



Frame geometry.

Frame size	Seat tube length	Seat tube angle	Head tube angle	Top tube angle	Chain stay length	Fork offset	Drop	Wheel base
A	B	C	D	E	F	G	H	

Models 2500, 2000, 1500, 1200 and 1000.

A	B	C	D	E	F	G	H
50cm 48.4	73.5	73.0	53.0	41.5	4.2	7.2	96.8
52cm 50.4	73.5	73.0	53.0	41.5	4.2	7.2	96.8
54cm 52.4	73.5	73.5	55.0	41.5	4.2	7.2	98.3
56cm 54.4	73.5	73.5	55.0	41.5	4.2	7.2	98.3
58cm 56.4	73.5	73.5	56.5	41.5	4.2	7.2	100.3
60cm 58.4	73.5	73.5	56.5	41.5	4.2	7.2	100.3

Models 560EX and 560.

A	B	C	D	E	F	G	H
19" 47.5	73.5	72	53.6	41.5	4.2	7.2	97.7
21" 52.1	73.5	72	55.0	41.5	4.2	7.2	99.1
22.5" 55.9	73.5	73	56.0	41.5	4.2	7.2	100.4
24" 59.6	73.5	73	57.5	41.5	4.2	7.2	100.9
25.5" 63.5	73.5	73	58.5	41.5	4.2	7.2	101.8

Model 520.

A	B	C	D	E	F	G	H
19" 47.5	73.5	72	53.6	45.5	5.2	6.5	102.7
21" 52.1	73.5	72	55.0	45.5	5.2	6.5	104.3
22.5" 55.9	73.5	73	56.0	45.5	5.2	6.5	105.0
24" 59.6	73.5	73	57.5	45.5	5.2	6.5	106.6
25.5" 63.5	73.5	73	58.5	45.5	5.2	6.5	107.6

Models 500, 400T, 400D, and 330.*

A	B	C	D	E	F	G	H
18" 44.0	76.0	71	49.5	42.5	4.5	7.2	99.0
19" 47.5	73.5	72	53.6	42.5	4.5	7.2	99.4
21" 52.1	73.5	72	55.0	42.5	4.5	7.2	101.1
22.5" 55.9	73.5	73	56.0	42.5	4.5	7.2	102.0
24" 59.6	73.5	73	57.5	42.5	4.5	7.2	103.4
25.5" 63.5	73.5	73	58.5	42.5	4.5	7.2	105.0

*Model 330 not available in 18"
All dimensions are in centimeters, unless otherwise stated.
Models 8000XT and 8000.

A	B	C	D	E	F	G	H
18" 41.7	75.9	76.0	56.5	41.3	5.1	3.8	106.8
20" 49.2	72.2	71.3	57.8	41.3	5.1	3.1	108.1
22" 54.3	73.5	71.5	57.5	41.3	5.1	2.5	109.4

A	B	C	D	E	F	G	H
16.5" 40.5	70	70	55.0	44.5	5.1	3.8	105.2
18" 47.0	73	70	55.7	44.5	5.1	4.1	103.8
18" 45.7	70	70	57.7	44.5	5.1	3.8	106.1
20" 50.8	71	70	58.2	44.5	5.1	3.8	107.6
22" 55.9	72	70	58.2	44.5	5.1	3.8	109.2

All dimensions are in centimeters, unless otherwise stated.
*Ladies Model 800 only.

COMPOSITE

MODEL: 2500

SERIES: Composite.
COLORS: Natural & Polished.
SIZES: 52cm, 56cm, 58cm & 60cm.

FRAME & FORK PARTS. Main Tubes: Matrix Graphite-Epoxy Double-Butted Composite. Stays: Matrix Tapered Aluminum Alloy. Headlug: Trek Aluminum Alloy. Seat Lug: Trek Aluminum Alloy. B.B. Shell: Trek Aluminum Alloy. Dropouts: Trek Investment Cast. Fork: Aluminum Alloy. Headset: Hatta Alloy Sealed. Special Add-Ons: Internal Top Tube Guides, Bottle Mounts, Pump Peg, Shift Lever Bosses, Chain Hanger & Ft. Derailleur Mount.

COMPONENT PARTS. Crankset: Shimano Dura Ace Forged Alloy 53/42. Ft. Derailleur: Shimano Dura Ace FD-7400. Rear Derailleur: Shimano Dura Ace RD-7401 for S.I.S. Shift Levers: Shimano Dura Ace SL-7401 w/S.I.S. 7 Speed Indexing. Brakeset: Shimano Dura

Ace 7400 w/Dura Ace New Aero Levers. Freewheel: Shimano Dura Ace MF-7401 12-21T, 7 Speed. Chain: Sedisport Silver. Hubset: Shimano Dura Ace 32 Hole Forged QR. Spokes: Stainless Steel. Rims: Matrix ISO Hard Anodized Alloy. Tires: Wolber Neo-Pro 260G Tubular. Pedals: Shimano Dura Ace 7400 Aero. Handlebars: Cinelli #64 Giro Alloy 40cm. Stem: Cinelli 1-A Forged Alloy. Seat Post: American Classic Light Alloy. Saddle: Sella Italia Turbo. Accessories: Shimano Dura Ace Clips & Straps, Blackburn Cage & Bottle. Weight: 18.9 lbs.

ALUMINUM

MODEL: 2000

SERIES: Aluminum.
COLORS: Ecu w/Burgundy Decals, White/Red Fade w/Red Decals.
SIZES: 50cm, 52cm, 54cm, 56cm, 58cm & 60cm.

FRAME & FORK PARTS. Main Tubes: Matrix Aluminum Alloy. Stays: Matrix Tapered Aluminum Alloy. Headlug: Trek Aluminum Alloy. Seat Lug: Trek Aluminum Alloy. B.B. Shell: Trek Aluminum Alloy. Dropouts: Trek Investment Cast. Fork: Aluminum Alloy. Headset: Hatta Alloy Sealed. Special Add-Ons: Top Tube Guides, Dual Bottle Mounts, Pump Peg, Shift Lever Bosses, Chain Hanger & Ft. Derailleur Mount.

COMPONENT PARTS. Crankset: Shimano Dura Ace Forged Alloy 53/42. Ft. Derailleur: Shimano Dura Ace FD-7400. Rear Derailleur: Shimano Dura Ace RD-7401 for S.I.S. Shift Levers: Shimano Dura Ace SL-7400 w/S.I.S. Indexing. Brakeset: Shimano Dura Ace 7400 w/Dura Ace Hooded Levers. Freewheel: Shimano Dura Ace MF-7400 13-21, 6 Speed. Chain: Sedisport Silver. Hubset: Shimano Dura Ace 32 Hole Forged QR. Spokes: Stainless Steel. Rims: Matrix ISO Hard Anodized Alloy. Tires: Wolber Neo-Pro 260G Tubular. Pedals:

Shimano Dura Ace 7400 Aero. Handlebars: Cinelli #64 Giro Alloy 40cm. Stem: Cinelli 1-A Forged Alloy. Seat Post: American Classic Light Alloy. Saddle: Vetta Moser Aero Racing Leather. Accessories: Shimano Dura Ace Clips & Straps, Blackburn Cage & Bottle. Weight: 19.5 lbs.

MODEL: 1500

SERIES: Aluminum.
COLORS: Yellow w/Blue Decals, Black/Pewter Fade w/White Decals.
SIZES: 50cm, 52cm, 54cm, 56cm, 58cm & 60cm.

FRAME & FORK PARTS. Main Tubes: Matrix Aluminum Alloy. Stays: Matrix Tapered Aluminum Alloy. Headlug: Trek Aluminum Alloy. Seat Lug: Trek Aluminum Alloy. B.B. Shell: Trek Aluminum Alloy. Dropouts: Trek Investment Cast. Fork: Aluminum Alloy. Headset: Hatta Alloy Sealed. Special Add-Ons: Top Tube Guides, Dual Bottle Mounts, Pump Peg, Shift Lever Bosses, Chain Hanger & Ft. Derailleur Mount.

COMPONENT PARTS. Crankset: Shimano 600EX 52/42 Biopace GMG Anodized w/Sealed B.B. Ft. Derailleur: Shimano New Sante 5000. Rear Derailleur: Shimano New Sante 5000 for S.I.S. Indexing. Shift Levers: Shimano New Sante 5000 w/7 Speed S.I.S. Index Control. Brakeset: Shimano 600EX GMG Anodized w/Hooded Aero Levers. Freewheel: Shimano New MF-5000 Silver 12-21, 7 Speed. Chain: Shimano 600EX Narrow. Hubset: Shimano 6208 32 Hole Forged Alloy QR w/Seal. Spokes: Stainless Steel. Rims: Matrix ISO-C Aero 700C Hard Anodized Alloy. Tires: Matrix CD-4 700 x 20C 127 TPI 125# Clincher. Pedals: Shimano 600EX Aero Alloy. Handlebars: SBI Giro Alloy 40cm. Stem: SBI Forged Aero. Seat Post: SR CRE-100 Forged Alloy w/Microadjust. Saddle: Vetta Moser Aero Racing Leather. Accessories: Shimano 600 Toe Clips & Straps, Blackburn Cage & Bottle. Weight: 20.9 lbs.

MODEL: 1200

SERIES: Aluminum.
COLORS: Race Blue w/White Decals, Orange/Red Fade w/Yellow Decals.
SIZES: 50cm, 52cm, 54cm, 56cm, 58cm & 60cm.

FRAME & FORK PARTS. Main Tubes: Matrix Aluminum Alloy. Stays: Matrix Tapered Aluminum Alloy. Headlug: Trek Aluminum Alloy. Seat Lug: Trek Aluminum Alloy. B.B. Shell: Trek Aluminum Alloy. Dropouts: Trek Investment Cast. Fork: Aluminum Alloy. Headset: Hatta Vesta Sealed. Special Add-Ons: Top Tube Guides, Dual Bottle Mounts, Pump Peg, Shift Lever Bosses, Chain Hanger & Ft. Derailleur Mount.

COMPONENT PARTS. Crankset: SR FXC-200 Forged 52/40 Black Chainrings w/Sealed B.B. Ft. Derailleur: Suntour New Sprint 9000. Rear Derailleur: Suntour New Sprint 9000 for I.P.C. Indexing. Shift Levers: Suntour New I.P.C. w/Index Power Control System. Brakeset: Dia Compe Royal Compe-II 400 Black w/Black Aero Levers. Freewheel: Suntour New WT-6000 Silver 13-24T, 6 Speed. Chain: Suntour New Z-Chain. Hubset: Shimano 6208 32 Hole Forged Alloy QR w/Seal. Spokes: Stainless Steel. Rims: Matrix Titan-S 700C Hard Anodized Alloy. Tires: Matrix CD-4 700 x 20C 127 TPI 125# Clincher. Pedals: SR SP-100 Alloy Quill Black Anodized. Handlebars: SBI Giro Alloy 40cm. Stem: SBI Aero Alloy. Seat Post: SR CRE-100 Forged Alloy w/Microadjust. Saddle: Vetta Mundial Aero Suede Leather. Accessories: Cateye Nylon Toe Clips & Straps, Blackburn Cage & Bottle. Weight: 20.9 lbs.

MODEL: 1000

SERIES: Aluminum.
COLORS: Race Red w/Yellow Decals, Grey Metallic/Black Fade w/White Decals.
SIZES: 50cm, 52cm, 54cm, 56cm, 58cm & 60cm.

FRAME & FORK PARTS. Main Tubes: Trek TX Series Aluminum Alloy. Stays: Trek TX Series Tapered Aluminum Alloy. Headlug:

Trek Aluminum Alloy. Seat Lug: Trek Aluminum Alloy. B.B. Shell: Trek Aluminum Alloy. Dropouts: Trek Investment Cast. Fork: Chrome-Moly w/Trek Fully Sloping Crown. Headset: Hatta Vesta Sealed. Special Add-Ons: Top Tube Guides, Dual Bottle Mounts, Pump Peg, Shift Lever Bosses, Chain Hanger & Ft. Derailleur Mount.

COMPONENT PARTS. Crankset: SR SXC-250 52/42 Oval-Tech Chainrings w/Sealed B.B. Ft. Derailleur: Suntour New Cyclone 7000. Rear Derailleur: Suntour New Cyclone 7000 for I.P.C. Indexing. Shift Levers: Suntour New I.P.C. w/Index Power Control System. Brakeset: Dia Compe New Alpha-II Black w/QR, Guides & Aero Levers. Freewheel: Suntour New WT-6000 Silver 13-24T, 6 Speed. Chain: Suntour New Z-Chain. Hubset: Sansin 32 Hole Forged Alloy QR w/Sealed Mech. Spokes: Stainless Steel. Rims: Matrix Titan-S 700C Black Anodized Alloy. Tires: Matrix CD-3 700 x 25C 66 TPI 115# Clincher. Pedals: SR SP-100 Alloy Quill Black Anodized. Handlebars: SR Custom Alloy 390mm. Stem: SR CT Forged Aero Alloy. Seat Post: SR CRE-100 Forged Alloy w/Microadjust. Saddle: Vetta Mundial Aero Suede Leather. Accessories: Cateye Nylon Toe Clips & Straps. Weight: 21.1 lbs.

STEEL ALLOY**MODEL: 560EX**

SERIES: Pro Series.
COLORS: Ecu w/Blue Decals, Grey Metallic/Black Fade w/White Decals.
SIZES: 19.5", 21", 22.5", 24" & 25.5".

FRAME & FORK PARTS. Main Tubes: Reynolds 531 Double-Butted. Stays: Trek Tapered Chrome-Moly. Headlug: Trek Investment Cast. Seat Lug: Trek Investment Cast. B.B. Shell: Trek Investment Cast. Dropouts: Trek Investment Cast. Fork: Chrome-Moly w/Trek Fully Sloping Crown. Headset: Hatta Vesta Sealed. Add'l Braze-Ons: Top Tube Guides, Dual Bottle Mounts, Pump Peg, Shift Lever Bosses & Chain Hanger.

COMPONENT PARTS. Crankset: Shimano 600EX 52/42 Biopace GMG Anodized w/Sealed B.B. Ft. Derailleur: Shimano 600EX GMG Anodized. Rear Derailleur: Shimano RD-6208 for S.I.S. Indexing. Shift Levers: Shimano SL 6208 w/S.I.S. Index Control. Brakeset: Shimano 600EX GMG Anodized w/Hooded Aero Levers. Freewheel: Shimano MF-6208 Silver 13-21, 6 Speed. Chain: Sedisport Silver. Hubset: Shimano 6208 32 Hole Forged Alloy QR w/Seal. Spokes: Stainless Steel. Rims: Matrix Titan 700C Hard Anodized Alloy. Tires: Matrix CD-4 700 x 20C 127 TPI 125# Clincher. Pedals: Shimano 600EX Aero Alloy. Handlebars: SR Custom Alloy 390mm. Stem: SR CT Forged Aero Alloy. Seat Post: SR CRE-100 Forged Alloy w/Microadjust. Saddle: Vetta Mundial Aero Suede Leather. Accessories: Shimano 600 Toe Clips & Straps, Blackburn Cage & Bottle. Weight: 23.2 lbs.

MODEL: 560

SERIES: Pro Series.
COLORS: Aqua w/White Decals, Orange/Red Fade w/Yellow Decals.
SIZES: 19.5", 21", 22.5", 24" & 25.5".

FRAME & FORK PARTS. Main Tubes: Reynolds 531 Double-Butted. Stays: Trek Tapered Chrome-Moly. Headlug: Trek Investment Cast. Seat Lug: Trek Investment Cast. B.B. Shell: Trek Investment Cast. Dropouts: Trek Investment Cast. Fork: Chrome-Moly w/Sloping Crown. Headset: Hatta Vesta Sealed. Add'l Braze-Ons: Top Tube Guides, Dual Bottle Mounts, Pump Peg, Shift Lever Bosses & Chain Hanger.

COMPONENT PARTS. Crankset: Shimano New 105 Aero Forged 52/42 Biopace w/Sealed B.B. Ft. Derailleur: Shimano New 105. Rear Derailleur: Shimano New 105 for S.I.S. Indexing. Shift Levers: Shimano New 105 w/S.I.S. Index Control. Brakeset: Shimano New 105 LRS w/QR, Guides & Hooded Aero Levers. Freewheel: Shimano Z-012 Silver 13-24T, 6 Speed. Chain: Sedisport. Hubset: Sansin 32 Hole Forged Alloy QR w/Sealed Mech. Spokes: Stainless

Steel. Rims: Matrix Titan-S 700C Black Anodized Alloy. Tires: Matrix CD-3 700 x 25C 66 TPI 115# Clincher. Pedals: SR-SP150 Alloy Quill. Handlebars: SR Custom Alloy 390mm. Stem: SR CT Forged Aero Alloy. Seat Post: SR CRE-100 Forged Alloy w/Microadjust. Saddle: Vetta Mundial Aero Suede Leather. Accessories: Cateye Nylon Toe Clips & Straps. Weight: 23.2 lbs.

MODEL: 520

SERIES: Cirrus.
COLORS: Cummulus Grey w/Red Decals, Burgundy/Slate Fade w/Blue Decals.
SIZES: 19.5", 21", 22.5", 24" & 25.5".

FRAME & FORK PARTS. Main Tubes: Reynolds 531 Double-Butted. Stays: Trek Tapered Chrome-Moly. Headlug: Trek Investment Cast. Seat Lug: Trek Investment Cast. B.B. Shell: Trek Investment Cast. Dropouts: Trek Investment Cast. Fork: Chrome-Moly w/Sloping Crown. Headset: Hatta Vesta Sealed. Add'l Braze-Ons: Top Tube Guides, Dual Bottle Mounts, Pump Peg, Shift Lever Bosses, Chain Hanger & Brake Bosses.

COMPONENT PARTS. Crankset: Shimano B-124 Forged Alloy 50/4/28 Biopace w/Sealed B.B. Ft. Derailleur: Shimano Z-206GS. Rear Derailleur: Shimano New Deore MT-60 for S.I.S. Indexing. Shift Levers: Shimano S-434 w/S.I.S. Index Control. Brakeset: Shimano New Deore MT-60 Cantilevers w/Z-326 Hooded Levers. Freewheel: Shimano Z-012 Silver 14-28T, 6 Speed. Chain: Shimano Uniglide. Hubset: Sansin Forged Alloy QR w/Sealed Mech. Spokes: 14G Stainless Steel. Rims: Matrix Titan-T 27" Hard Anodized Alloy. Tires: Matrix CD-2 27" x 1 1/4" Skinwall 95#. Pedals: SR SP-150 Alloy Quill. Handlebars: SR Custom Alloy 390mm. Stem: SR CT Forged Alloy. Seat Post: SR CRE-100 Forged Alloy w/Microadjust. Saddle: Vetta Anatomic Leather. Accessories: Cateye Nylon Toe Clips & Straps. Weight: 24.9 lbs.

MODEL: 400 Triple

SERIES: Elance.

COLORS: Dark Blue Metallic w/White Decals, Red/Black Fade w/Silver Decals.
SIZES: 18", 19.5", 21", 22.5", 24" & 25.5".

FRAME & FORK PARTS. Main Tubes: Reynolds 531 Double-Butted. Stays: Trek Tapered Chrome-Moly. Headlug: Trek Special Short Point. Seat Lug: Trek Investment Cast. B.B. Shell: Nikko Special. Dropouts: Trek Investment Cast. Fork: Chrome-Moly w/Sloping Crown. Headset: Hatta Vesta Sealed. Add'l Braze-Ons: Top Tube Guides, Dual Bottle Mounts, Pump Peg, Shift Lever Bosses, Rear Rack Mounts & Chain Hanger.

COMPONENT PARTS. Crankset: SR SXC-T350 Forged Alloy 52/42/32 Oval-Tech. Chainrings. Ft. Derailleur: Shimano Z-204GS. Rear Derailleur: Shimano New Deore MT-60 for S.I.S. Indexing. Shift Levers: Shimano S-434 w/S.I.S. Indexing. Brakeset: Shimano Z-570 w/QR, Guides & Z-525 Hooded Levers. Freewheel: Shimano Z-012 Silver 14-28T, 6 Speed. Chain: Shimano UG. Hubset: Maillard New CX QR w/Sealed Mech. Spokes: 14G Stainless Steel. Rims: Matrix Titan-S 700C Black Anodized Alloy. Tires: Matrix CD-2 700 x 28C Skinwall 95#. Pedals: SR SP-250 Aero Alloy Quill. Handlebars: SR Custom Alloy 390mm. Stem: SR CT Forged Aero Alloy. Seat Post: SR P5-E Laprade Forged Alloy w/Microadjust. Saddle: Vetta Anatomic Ultra. Accessories: Cateye Nylon Toe Clips & Straps. Weight: 23.6 lbs.

MODEL: 400 Double

SERIES: Elance.

COLORS: Dark Blue Metallic w/White Decals, Red/Black Fade w/Silver Decals.
SIZES: 18", 19.5", 21", 22.5, 24" & 25.5".

FRAME & FORK PARTS. Main Tubes: Reynolds 531 Double-Butted. Stays: Trek Tapered Chrome-Moly. Headlug: Trek Special Short Point. Seat Lug: Trek Investment Cast. B.B. Shell: Nikko Special. Dropouts: Trek Investment Cast. Fork:

Chrome-Moly w/Sloping Crown. Headset: Hatta Vesta Sealed. Add'l Braze-Ons: Top Tube Guides, Dual Bottle Mounts, Pump Peg, Shift Lever Bosses, Rear Rack Mounts & Chain Hanger.

COMPONENT PARTS. Crankset: SR SXC-200 Forged Alloy 52/40. Ft. Derailleur: Shimano Z-204 Std. Rear Derailleur: Shimano L-525SS Light Action for S.I.S. Indexing. Shift Levers: Shimano S-434 w/S.I.S. Indexing. Brakeset: Shimano Z-570 w/QR, Guides & Z-525 Hooded Levers. Freewheel: Shimano Z-012 Silver 14-28T, 6 Speed. Chain: Sedisport. Hubset: Maillard New CX QR w/Sealed Mech. Spokes: 14G Stainless Steel. Rims: Matrix Titan-S 700C Black Anodized Alloy. Tires: Matrix CD-2 700 x 28C Skinwall 95#. Pedals: SR SP-250 Aero Alloy Quill. Handlebars: SR Custom Alloy 390mm. Stem: SR CT Forged Aero Alloy. Seat Post: SR P5-E Laprade Forged Alloy. Saddle: Vetta Anatomic Ultra. Accessories: Cateye Nylon Toe Clips & Straps. Weight: 23.4 lbs.

MODEL: 330

SERIES: Elance.

COLORS: Bright Red w/White Decals, Grey w/White Decals.
SIZES: 19", 21", 22.5", 24" & 25.5".

FRAME & FORK PARTS. Main Tubes: Reynolds 531 Double-Butted. Stays: Special Tapered. Headlug: Special Short Point. Seat Lug: Trek Investment Cast Socket. B.B. Shell: Special Short Point w/Derailleur Cable Guides. Dropouts: Forged w/Single Eyelet. Fork: Chrome-Moly w/Semi-Sloping Crown. Headset: YST w/Sealed Mech. Add'l Braze-Ons: Top Tube Guides, Dual Bottle Mounts, Shift Lever Bosses, Chain Hanger, Pump Peg.

COMPONENT PARTS. Crankset: SR SXC-200 52/40 w/Sealed B.B. Set. Ft. Derailleur: Suntour Alpha FD-5000. Rear Derailleur: Suntour Alpha RD-5000SS for Indexing. Shift Levers: Suntour Alpha SL-5000-BS w/Index & Friction Control.

Brakeset: Dia Compe Alpha 5000 w/Recess Ft. & DC Hooded Levers. Freewheel: Suntour PT-6000 (for Alpha I.F.C.) 14-28, 6 Speed. Chain: Suntour New Z-Chain. Hubset: Sansin CE-60 QR w/Sealed Mech. Spokes: 14GA Stainless Steel. Rims: Rigida 13-20 700C Alloy Silver. Tires: Trek/CST C-732 700 x 28C High Pressure Skinwall. Pedals: VP-381 Alloy Quill w/Reflectors. Handlebars: H.L. DR-9 Alloy 390mm. Stem: Delta DG Aero Alloy. Seat Post: Delta DG-S Forged Alloy Laprade w/Microadjust. Saddle: Vetta Anatomic Ultra. Accessories: Toe Clips & Straps. Weight: 23.9 lbs.

ALL-TERRAIN**MODEL: 8000XT**

SERIES: Aluminum ATB.

COLORS: Race Red w/Yellow Decals, Camouflage w/White Decals.
SIZES: 18", 20" & 22".

FRAME & FORK PARTS. Main Tubes: Matrix Special ATB Aluminum Alloy. Stays: Matrix ATB Aluminum Alloy. Headlug: Trek Forged Alloy w/Chrome-Moly Sleeve. Seat Lug: Trek Cast ATB. B.B. Shell: Trek Cast ATB. Dropouts: Trek Investment Cast Stainless Steel. Fork: Trek Chrome-Moly ATB w/Unicrown. Headset: Hatta Vesta Sealed. Special Add-Ons: Dual Bottle Mounts, Downtube Cable Stops, Ft. & Rear Brake Bosses.

COMPONENT PARTS. Crankset: Shimano New Deore XT Forged Alloy 48/38/28 Biopace. Ft. Derailleur: Shimano New Deore XT. Rear Derailleur: Shimano New Deore XT M730 for S.I.S. Indexing. Shift Levers: Shimano New Deore XT Thumb-Shifters w/S.I.S. Brakeset: Shimano New Deore XT Cantilever & XT U-Brake (Under B.B.). Brake Levers: Shimano New Deore XT M730 ATB Levers. Freewheel: Shimano FH-620B 14-32T, 6 Speed for Freehub. Chain: Shimano Uniglide. Hubset: Shimano New Deore XT QR w/Freehub System. Spokes: 14G Stainless Steel. Rims: Araya RM-20 Alloy 26" x 1.5" Black Anodized. Tires: IRC Quad 26 x 1.95" Knobby.

Pedals: Shimano New Deore XT Alloy ATB Black. Handlebars: SR MTB-209 Alloy. Stem: SR New FX-200 Forged Single Clamp ATB. Seat Post: SR CTE-300 250mm & 330mm w/Microadjust. Saddle: Vetta Anatomic Leather. Accessories: Shimano Deore XT QR Seat Post Skewer. Weight: 27.1 lbs.

MODEL: 8000

SERIES: Aluminum ATB.

COLORS: Race Red w/Yellow Decals, White/Race Blue Fade w/Blue Decals.
SIZES: 18", 20" & 22".

FRAME & FORK PARTS. Main Tubes: Matrix Special ATB Aluminum Alloy. Stays: Matrix ATB Aluminum Alloy. Headlug: Trek Forged Alloy w/Chrome-Moly Sleeve. Seat Lug: Trek Cast ATB. B.B. Shell: Trek Cast ATB. Dropouts: Trek Investment Cast Stainless Steel. Fork: Trek Chrome-Moly ATB w/Unicrown. Headset: Hatta Vesta Sealed. Special Add-Ons: Dual Bottle Mounts, Downtube Cable Stops, Ft. & Rear Brake Bosses.

COMPONENT PARTS. Crankset: Shimano FC-B124 w/48/38/28 Biopace w/Sealed B.B. Set. Ft. Derailleur: Shimano New Deore FD-MT60. Rear Derailleur: Shimano New Deore RD-MT60 for S.I.S. Indexing. Shift Levers: Shimano New Deore SL-MT60 Thumb-Shifters w/S.I.S. Brakeset: Shimano Deore Cantilever & New U-Brake (Under B.B.). Brake Levers: Shimano New Deore MT-60 ATB Levers. Freewheel: w/Shimano New Deore MTB Levers. Chain: Shimano MF-2012 Silver 14-32T, 6 Speed. Shimano Uniglide. Hubset: Sansin AE-60 QR w/Sealed Mech. w/QR. Spokes: 14G Stainless Steel. Rims: Araya RM-20 Alloy 26" x 1.5". Tires: IRC Quad 26 x 1.95" Knobby. Pedals: MKS 2000RR Graffiti Nylon MTB. Handlebars: SR MTB-209 Alloy. Stem: SR New FX-200 Forged Single Clamp ATB. Seat Post: SR CTE-300 250mm & 300mm w/Microadjust. Saddle: Vetta Anatomic Leather. Accessories: SR A601 QR Seat Post Skewer. Weight: 27.3 lbs.

MODEL: 850

SERIES: Antelope.

COLORS: Blue Metallic w/White Decals, Red/Black Fade w/Silver Decals.

SIZES: 16.5", 18", 20" & 22".

FRAME & FORK PARTS. Main Tubes: Trek Special Double-Butted Oversize ATB Chrome-Moly. Stays: Special ATB Chrome-Moly. Headlug: Lugless Welded. Seat Lug: Lugged & Welded. B.B. Shell: Lugless Welded w/Plastic Cable Guides. Dropouts: Forged Vertical. Fork: Chrome-Moly ATB Unicrown. Headset: Tange Falcon Sealed. Add'l Braze-Ons: Dual Bottle Mounts, Downtube Cable Stops, Cantilever Cable Stop, Rear Rack Mounts, Ft. & Rear Brake Mounts, Chain Hanger.

COMPONENT PARTS. Crankset: Shimano FC-B124 w/48/38/28 Biopace w/Sealed B.B. Set. Ft. Derailleur: Shimano New Deore FD-MT60. Rear Derailleur: Shimano New Deore RD-MT60 for S.I.S. Indexing. Shift Levers: Shimano New Deore SL-MT60 Thumb-Shifters w/S.I.S. Brakeset: Shimano New Deore Cantilever & Deore U-Brake (Under B.B.) w/Shimano New Deore MTB Levers. Freewheel: Shimano MF-2012 Silver 14-32T, 6 Speed. Chain: Shimano Uniglide. Hubset: Sansin RE-40 w/Sealed Mech. w/QR. Spokes: 14G Stainless Steel. Rims: Araya RM-20 Alloy 26" x 1.5". Tires: Trek/CST C-847L Skinwall Knobby 26" x 2.0". Pedals: MKS Grafight 2000RR Nylon ATB. Handlebars: SR New MTB-210 25.4 x 650mm Alloy. Stem: SR New FX-200 Forged Single Clamp MTB. Seat Post: SR CT-P5 X 250mm Laprade w/Microadjust. Saddle: Vetta Maxi Suede. Accessories: Suntour QR 120 Seat Post Skewer. Weight: 28.1 lbs.

MODEL 830

SERIES: Antelope.

COLORS: Bright Red w/White Decals, Grey Metallic/Black Fade w/White Decals.

SIZES: 16.5", 18", 20" & 22".

FRAME & FORK PARTS. Main Tubes: Double-Butted Oversize ATB Chrome-Moly. Stays: Special ATB Chrome-Moly. Headlug:

Lugless Welded. Seat Lug: Lugged & Welded. B.B. Shell: Lugless Welded w/Plastic Cable Guides. Dropouts: Forged Vertical. Fork: Chrome-Moly ATB Unicrown. Headset: YST w/Sealed Mech. Add'l Braze-Ons: Top Tube Guides, Dual Bottle Mounts, Downtube Cable Stops, Cantilever Cable Stop, Rear Rack Mounts, Chain Hanger.

COMPONENT PARTS. Crankset: SR SXC-T350 48/38/28 Oval-Tech w/Tange Seiki Sealed B.B. Ft. Derailleur: Shimano FD-A11GS. Rear Derailleur: Shimano RD-M531 for S.I.S. Indexing. Shift Levers: Shimano SL-MS55 Thumb-Shifters w/S.I.S. Index Control. Brakeset: Shimano BR-AF-50 Cantilevers w/BL AF-50 MTB Levers. Freewheel: Shimano MF-2012 14-30T, 6 Speed. Chain: Shimano Uniglide. Hubset: SR CRH-310SD w/Sealed Mech. QR Front. Spokes: 14G Stainless Steel. Rims: Araya 7XN 26" x 1.5" Alloy. Tires: Trek/CST C-847L Skinwall Knobby 26" x 2.0". Pedals: VP-999 Oval MTB Black. Handlebars: H.L. MTB 210. Stem: H.L. MTS-108 MTB Single Clamp Black. Seat Post: Delta DP-S Forged Alloy Laprade w/Microadjust 230mm. Saddle: Vetta Maxi Suede. Accessories: Suntour QR-120 QR Seat Post Skewer. Weight: 28.9 lbs.

MODEL: 800

SERIES: Antelope.

COLORS: Slate Metallic w/Red Decals, Yellow w/Blue Decals.

SIZES: 16.5", 18", 20" & 22" Mens & 18.5" Ladies.

FRAME & FORK PARTS. Tubeset: Straight Gauge Oversize ATB Chrome-Moly. Stays: Special ATB Tapered. Headlug: Lugless Welded. Seat Lug: Lugged & Welded. B.B. Shell: Lugless Welded w/Plastic Cable Guides. Dropouts: Forged Vertical. Fork: Special Hi-Tensile ATB Unicrown. Headset: YST Standard. Add'l Braze-Ons: Top Tube Guides, Dual Bottle Mounts, Downtube Cable Stops, Cantilever Cable Stop, Rear Rack Mounts, Chain Hanger.

COMPONENT PARTS. Crankset: SR SXC-T310 48/42/28 w/Sealed B.B. Set. Ft. Derailleur: Suntour New Alpha FD-3000GX. Rear Derailleur: Suntour New Alpha RD-3000GX Long Cage for Index Control. Shift Levers: Suntour New SL-3000CH Thumb Shifters w/Index Control. Brakeset: Dia Compe 981 Cantilevers w/C.S. 380A ATB Levers. Freewheel: Suntour PF-5000 14-28T, 5 Speed. Chain: KMC Special for Index Shifting. Hubset: JY Alloy High Flange w/QR Front. Spokes: 14G UCP Rims: Rigida 15-21 Alloy 26" x 1.5". Tires: Trek/CST 26" x 1.5" Skinwall Knobby. Pedals: VP-767 Black Nylon. Handlebars: H.L. MTB 210. Stem: Delta DMA-60 Single-Clamp ATB. Seat Post: Delta DP-S X 220mm Laprade w/Microadjust. Saddle: Viscount Anatomic ATB. Accessories: Kalloy SPTA QR Seat Post Skewer. Weight: 29.3 lbs.

Trek bicycles consist of component parts and materials made by Trek or purchased from sources around the world. Changes in customer demand or availability occasionally necessitate temporary or permanent substitution of parts specified. If substitution is made, the new parts will be of comparable or superior quality and performance to those originally specified. Every Trek bicycle is equipped with safety reflectors required by law. All specifications are subject to change without notice.

Trek Bicycle Corporation, 801 W. Madison Street, P.O. Box 183, Waterloo, Wisconsin 53594 Phone 414-478-2191, Telex 26-0163 TREK WALO

© 1987 Trek Bicycle Corporation


TREK USA