


TREK
TREKBIKES.COM



Thomas
D.

2003
THIRD EDITION

USPS Team Time Trial™ PERFORMANCE

Lance asked for an extremely fast time trial bike. He got it. So can you.

TIME TRIAL UPGRADES

- Complete time trial bike
- Race-proven performance
- Pro-level wheelset
- Pro-level Shimano components
- Adjustable seatpost

► BEST & BETTER GOOD

FRAME: OCLV® HC Carbon. The ultra-aero design proven by the USPS Team in the Tour de France. Developed with aerodynamics mastermind John Cobb and legendary time trialist Lance Armstrong. **FORK:** Time Chrono 1. **WHEELS:** Bontrager Race X Lite Aero is extremely light and aerodynamic.

COMPONENTS: Shimano Ultegra crank and 9-speed shifting. Double chainring for racing or fast training rides. **SIZES:** 53-55cm (S), 55-57cm (M), 57-59cm (L). **COLOR:** Gloss Black/Argent Silver (USPS Team)



► FRAME TECH

OCLV HC CARBON

So light and fast, Lance has just one word for it: "mean."



Sandwiching a honeycomb of Nomex® between layers of OCLV Carbon produces a structure so rigid, designers can create almost any shape they want. Like the aerodynamic design of Lance Armstrong's USPS Team Time Trial bike - which immediately helped save

up to 15 seconds compared with his previous bike. The remarkable strength of this honeycomb construction also requires less carbon, lightening the frame even further.

5900® USPS Team Superlight™ PERFORMANCE

The lightest production frame in the world with heavy responsibility: defending the Tour.

UPGRADES OVER 5600™

- Superlight carbon frame
- Lighter racing wheelset
- Lighter seatpost, handlebar, and stem
- Ultralight racing saddle

► BEST & BETTER GOOD

FRAME: Ultralight OCLV 110 Carbon creates the lightest, fastest stock frame ever made. Quick handling and amazing comfort on long rides. Lance Armstrong's Tour de France frame.

FORK: Bontrager Race X Lite. Streamlined and superlight, with OCLV 110 Carbon.

WHEELS: Bontrager Race X Lite is extremely light and aerodynamic. **COMPONENTS:** Shimano Dura-Ace crank and 9-speed shifting. Double chainring for racing or fast training rides. **SIZES:** 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 62cm. **COLOR:** Titanite Black/Bright Silver (USPS Team)



► FRAME TECH

OCLV 110 CARBON

Engineered to defend the yellow jersey.



Weighing in at just 1030 grams/2.27 pounds, we specifically designed this frame to help Lance Armstrong capture his second Tour de France title. Compared to his 1999 Tour winner, an OCLV 110 Carbon frame weighs 13% less - yet it's just as strong. The difference?

We optimized the amount of OCLV Carbon (110 grams/m²) and reinforced it with high modulus carbon. The result is an ultrastrong, ultrafast, and ultralight racing machine.

You can learn more about OCLV Carbon technology at www.trekbikes.com/oclv.

5500[®] PERFORMANCE

Lance still can't believe he rides
a stock bike. Neither will you.

AVAILABLE WITH
TRIPLE CRANK.UPGRADES OVER 5200[™]
Top-of-the-line Shimano components

FASTER BETTER GOOD

FRAME OCLV[®] 120 Carbon is unusually light, strong, and fast. Pro Race Geometry improves handling. The same stock frame ridden by the USPS Team in the Tour de France.

FORK Bontrager Race Lite. OCLV 110 Carbon is light, responsive, and silences road vibration.

WHEELS Bontrager Race Lite combines sleek aerodynamics and lateral rigidity for fast, durable performance. **COMPONENTS** Shimano Dura-Ace crank and 9-speed shifting. Double or triple chaining. **SIZES** 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 62cm

COLOR Pearl Red. Frameset available in Blue Dusk/Bright Silver (USPS Team).



FRAMESET AVAILABLE

FRAME TECH

OCLV 120 CARBON

Built for the French Alps.
And roads everywhere.

The USPS Team rides OCLV 120 frames throughout the month-long endurance test known as the Tour de France. The results speak for themselves. Using just 120 grams of carbon fiber per square meter translates into incredibly light frames. They tip the scales at a slight

1090 grams/2.4 pounds – without compromising strength or stiffness. We're so sure about their performance, we back every OCLV Carbon frame with a limited lifetime warranty. You can learn more about OCLV Carbon technology at www.trekbikes.com/oclv.

5200™ PERFORMANCE
USPS Team tested.
USPS Team approved.

UPGRADES OVER 2300™

Lighter, stronger carbon frame
Tour-proven performance

BEST BETTER GOOD

FRAME OCLV® 120 Carbon is unusually light, strong, and fast. Pro Race Geometry improves handling. The same stock frame ridden by the USPS Team in the Tour de France. **FORK** Bontrager Race Lite. OCLV 110 Carbon is light, responsive, and silences road vibration.

WHEELS Bontrager Race Lite combines sleek aerodynamics and lateral rigidity for fast, durable performance. **COMPONENTS**

Shimano Ultegra crank and 9-speed shifting. Double or triple chaining. **SIZES** 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 62cm

COLORS Blue Dusk/Bright Silver (USPS Team) or Black Pearl Carbon (shown below on 5200 WSD)



TREK One

AVAILABLE WITH TRIPLE CRANK.



WHEEL TECH



BONTRAGER®
The world's best frames deserve the world's best components.



Offset Spoke Bed design (aka OSB) creates a spoke angle that strengthens the wheel and prolongs wheel life. Compared to a standard spoke configuration, OSB reduces tension difference by 30%.

Paired spoke technology allows wheels that are as light as possible, while maintaining strength and durability.

Welded and machined sidewalls provide additional strength and a consistent surface for smooth braking.

Bladed spokes provide better aerodynamics than their round counterparts.

Attention to detail comes through in Bontrager handlebars and stems. They're precision machined to be tough, but light enough to keep you at full speed.

5200 WSD™ PERFORMANCE
Tour-winning OCLV Carbon technology now made just for women.

UPGRADES OVER 2300 WSD™

Lighter, stronger carbon frame
Tour-proven performance

BEST BETTER GOOD

FRAME OCLV® 120 Carbon in a custom Women's Specific Design geometry for added comfort and power. The same strong, light frame material ridden by the USPS Team.

FORK Bontrager Race. OCLV Carbon design is light and fast. **WHEELS**

Bontrager Race Lite combines sleek aerodynamics and lateral rigidity for fast, durable performance. **COMPONENTS**

Shimano Ultegra crank and 9-speed shifting. Triple chaining for wider gear options on longer rides. **SIZES** 47cm, 51cm, 54cm, 56cm **COLOR** Black Pearl Carbon



FRAME TECH

WOMEN'S SPECIFIC DESIGN

You won't believe the difference it makes.

Modified frame geometries are tuned to the unique needs of women riders. Adjusting the seat tube, top tube, and head tube dimensions creates a more comfortable and powerful riding position. These corrections also improve the bike's balance, handling, and stability.

Specially selected components offer the ideal fit for smaller hands – including narrower bars and easy-to-reach brake levers.

Pedal more efficiently. Shorter cranks help smaller legs get to top speed faster. Steep hills feel easier, long rides less tiring.

Smaller, 650c wheels (700c on the 54cm and 56cm bike) give the bike an overall better fit for women. Anatomically designed saddles offer the proper pelvic support for women, improving comfort and endurance.

2300™ PERFORMANCE

Race on a frame lighter than titanium and stronger than steel.

UPGRADES OVER 2200™

Superlight racing frame
Higher-performance wheelset
Pro-level Shimano components
Lighter, low-profile saddle

PIRELL BETTER ROAD

FRAME ZR 9000 Alloy™ is lighter than titanium and stronger than steel. Pro Race geometry transfers more power on climbs and descents. **FORK** Bontrager Race Lite, OCLV Carbon is light, responsive, and silences road vibration. **WHEELS** Bontrager Race Lite combines sleek aerodynamics and lateral rigidity for fast, durable performance.

COMPONENTS Shimano Ultegra crank and 9-speed shifting, double or triple chaining.

SIZES 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 63cm **COLOR** Blue Dusk/Bright Silver (USPS Team)



FRAMESSET AVAILABLE



AVAILABLE WITH TRIPLE CRANK.

FRAME TECH

ZR 9000™ CUSTOM ALLOY

The guys in lab coats classify it as an experimental alloy. We just call it light and fast.

With zirconium added as a hardening material, ZR 9000 produces frames that are 15% stronger and 15% lighter than industry standard aluminum. Our endurance tests show that ZR 9000 increases the fatigue strength of a frame by up to five times. Enough said.

Handbuilt frames start with tubes that are custom-formed, laser-cut and precision-welded in Waterloo, Wisconsin.

Exceptional frame rigidity is the key to top performance on the road. Sharp cornering. Efficient power transfer. Quick handling.

Internal headset design combines with a T-back seatstay and custom large-diameter, thin-wall tubes to shed 177 grams of weight.

Pro Race geometry creates a racing frame that generates power on sprints and climbs, with enough comfort for long-distance rides.

2300 WSD™ PERFORMANCE

The racing bike that keeps pace with what women want.

UPGRADES OVER 2200 WSD™

Superlight racing frame
Higher-performance wheelset
Pro-level Shimano components

• BEST BETTER ROAD

FRAME ZR 9000 Alloy™ in a custom Women's Specific Design geometry that increases comfort and power. Lighter than titanium, stronger than steel. **FORK** Bontrager Race, OCLV Carbon design is light and fast. **WHEELS** Bontrager Race Lite combines sleek aerodynamics and lateral rigidity for fast, durable performance. **COMPONENTS** Shimano Ultegra 9-speed shifting, triple chaining for wider gear options on longer rides.

SIZES 43cm, 47cm, 51cm, 54cm, 56cm **COLOR** Camomile Blue



women's specific design

2200™ PERFORMANCE

Race on it. Tour on it. Just be on it whenever you can.

UPGRADES OVER 2000™

All-around performance wheelset
Higher-performance Shimano components
Stronger, lighter headset

BEST BETTER GOOD

AVAILABLE WITH TRIPLE CRANK.



FRAME Alpha™ SL Aluminum. Superlight, large diameter tubing for exceptional durability and efficient power transfer. **FORK** Bontrager Race. OCLV Carbon design is light and fast. **WHEELS** Bontrager Select features Paired Spoke Technology™ for superior aerodynamics and lightweight strength. **COMPONENTS** Shimano Ultegra/105 9-speed shifting; Double or triple chaining. **SIZES** 50cm, 52cm, 54cm, 56cm, 58cm, 60cm **COLOR** Titania Black

FRAME TECH



Exactly what a road bike should be.

Alpha SL frames start with the highest-grade aluminum – first heat-treated for greater strength, then seamlessly drawn into double-butted tubes. This proprietary process results in the lightest, strongest aluminum frames we've ever made.

Precise tube shaping creates a frame that's stiff and strong in high-stress areas, superlight and thin everywhere else.

Large-diameter tubing enhances the structural strength and rigidity of the frame, for better power transfer and handling.

Pro geometry adds a whole new dimension to road riding. Pedaling is smooth, efficient, in control. Cornering is crisp, precise. So you can climb and sprint with more power. You'll notice more energy on longer rides as well.

2200 WSD™ PERFORMANCE

The words that road-riding women love to hear: perfect fit.

UPGRADES OVER 2000 WSD™

All-around performance wheelset
Reach-adjustable Shimano levers
Higher-performance Shimano components
Stronger, lighter headset

BEST BETTER GOOD

FRAME Alpha™ SL Aluminum with a custom Women's Specific Design geometry that increases comfort and power. **FORK** Bontrager Race. OCLV Carbon design is light and fast. **WHEELS** Bontrager Select features Paired Spoke Technology™ for aerodynamics and strength in an ideal size for smaller riders. **COMPONENTS** Shimano Ultegra/105 9-speed shifting, Triple chaining for wider gear options on longer rides. **SIZES** 43cm, 47cm, 51cm, 54cm, 56cm **COLOR** Pearl White



women's specific design



2000™ PERFORMANCE

The superlight all-around road bike.

UPGRADES OVER 1200™

- Stronger, lighter rims
- Higher-quality Shimano components
- Clipless Shimano pedals

FRAME: Alpha™ SL Aluminum. Superlight, large diameter tubing for exceptional durability and efficient power transfer.

FORK: Bontrager Race. OCLV Carbon design is light and fast. **WHEELS:** Matrix Aurora rims with Bontrager Select tires are lightweight and reliable. **COMPONENTS:** Shimano 105/Tiagra 9-speed shifting. Triple chainring for wider gear options on longer rides. **SIZES:** 52cm, 54cm, 56cm, 58cm, 60cm, 63cm **COLOR:** Bright Silver

**2000 WSD™ PERFORMANCE**

For women who've been waiting to get out on the open road.

WSD UPGRADES

- Stronger, lighter rims
- Higher-quality Shimano components
- Clipless Shimano pedals

FRAME: Alpha™ SL Aluminum with a custom Women's Specific Design geometry that increases comfort and power. **FORK:** Bontrager Race. OCLV Carbon design is light and fast. **WHEELS:** Matrix Aurora rims with Bontrager Select tires are lightweight and reliable. **COMPONENTS:** Shimano 105/Tiagra 9-speed shifting. Triple chainring for wider gear options on longer rides.

SIZES: 43cm, 47cm, 51cm, 54cm, 56cm **COLOR:** Coastal Blue



1200™ PERFORMANCE

Enjoy every mile on this fast, lightweight bike.

BEST BETTER GOOD

UPGRADES OVER 1000™

- Lighter frame
- Stronger, lighter rims
- Quality Shimano components

FRAME Alpha™ SL Aluminum. Superlight, large diameter tubing for exceptional durability and efficient power transfer.

FORK Bontrager Race. OCLV Carbon design is light and fast. **WHEELS** Matrix Aurora rims with Bontrager Select tires are lightweight and reliable. **COMPONENTS** Shimano Tiagra 9-speed shifting. Triple chaining for wider gear options on longer rides. **SIZES*** 50cm, 52cm, 54cm, 56cm, 58cm, 60cm. **COLOR** Baja Blue

*Flat bar option not available in all sizes.

Now you can combine top road performance with a more comfortable, upright riding position—thanks to our new, optional flat bar.

**1000™ PERFORMANCE**

Road riding begins with this bike.

BEST BETTER GOOD

ROAD UPGRADES

- Strong, light aluminum frame
- Light alloy fork and headset
- Reliable components
- Road-specific saddle

FRAME Oversized Alpha™ Aluminum creates a stiff, lightweight frame made for speed and quick handling. **FORK** Alloy w/alloy steerer. **WHEELS** Alex AT450 rims with Bontrager Select tires are lightweight and reliable. **COMPONENTS** Suntour Superbe crank and Shimano Sora 8-speed shifting. Triple chaining for wider gear options on longer rides. **SIZES*** 43cm, 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 63cm. **COLORS** Starry Night Black or Candy Red/Pearl White

*Flat bar option not available in all sizes.

1000™
Candy Red/Pearl White

2200C™ ROAD COMFORT

A lightweight bike with built-in comfort.

**UPGRADES OVER 1200C™**

All-around performance wheelset
Higher-performance Shimano components
Stronger, lighter headset

BEST BETTER GOOD

FRAME Oversized Alpha™ Aluminum in a Road Comfort geometry that delivers a smoother, more stable ride. **WHEELS** Bontrager Select features Paired Spoke Technology™ for superior aerodynamics and lightweight strength. **SUSPENSION** Shock-absorbing seatpost and comfort saddle smooth out rough riding surfaces. **COMPONENTS** Shimano Ultegra/105 9-speed shifting. Triple chainring for wider gear options on longer rides. **SIZES** 50cm, 54cm, 58cm, 63cm **COLOR** Coastal Blue

INTRODUCING ALL-NEW ROAD COMFORT

High performance meets high comfort.

FRAME TECH

Road Comfort geometry shifts your weight over the rear wheel and puts you in an upright riding position to improve handling, stability, and pedaling efficiency.

An upright ride is a more relaxed, natural position. This minimizes stress on the lower back to help reduce low back pain.

Wide CRZ+ saddle, anatomically designed for soft tissue support, combines with a suspension seatpost to help cushion your ride.

Extra comfort components. A fully-adjustable stem, gel handlebar tape, and bar top brake levers make these bikes perfect for recreational riders, commuters, even performance riders who place a premium on comfort.

1200C™ ROAD COMFORT

Performance to cover a lot of miles. Comfort to enjoy every single one.

UPGRADES OVER 1000C™

Stronger, lighter rims
Quality Shimano components

FRAME Oversized Alpha™ Aluminum in a Road Comfort geometry that delivers a smoother, more stable ride. **WHEELS** Matrix Aurora rims with Bontrager Select tires are lightweight and reliable. **SUSPENSION** Shock-absorbing seatpost and comfort saddle smooth out rough riding surfaces. **COMPONENTS** Shimano Tiagra 9-speed shifting. Triple chainring for wider gear options on longer rides. **SIZES** 50cm, 54cm, 58cm, 63cm **COLOR** Bright Silver

BEST BETTER GOOD



1000C™ ROAD COMFORT

A road bike with a more comfortable, upright riding position.

ROAD COMFORT UPGRADES

- More upright riding position
- Suspension seatpost
- Adjustable stem
- Secondary brake levers
- More comfortable saddle

FRAME: Oversized Alpha™ Aluminum 1.6 Road Comfort geometry that delivers a smoother, more stable ride. **WHEELS:** Alex AT450 tires with Bontrager Select tires are firm, smooth, and reliable. **SUSPENSION:** Shock-absorbing seatpost and comfort saddle smooth out rough riding surfaces.

COMPONENTS: Sunrace Superdrive crank and Shimano Sora 10-speed shifting, triple chainring for wider gear options on longer rides. **SIZES:** 50cm, 54cm, 56cm, 58cm

COLOR: 654 Blue



XO 1™ CYCLOCROSS

Lets you ride where and when other road bikes can't.

CYCLOCROSS UPGRADES

- Lightweight, reinforced frame
- Durable welded rims
- Quality Shimano components
- Clipless Shimano pedals

FRAME: Reinforced aluminum frame with integrated mudguards. **FORK:** Chromoly crown and steerer. **WHEELS:** 36-hole Bontrager Select rims. **COMPONENTS:** Shimano 105 10-speed shifting, triple chainring for wider gear options on longer rides. **COLORS:** Rainforest Green



Its cyclocross heritage comes in just as handy on the morning commute.

Alpha SL frames are strong, durable, and superlight, essential for speed and quick handling – not to mention carrying the bike. XO 1 Cyclocross bikes transfer pedaling energy into forward motion with incredible efficiency. So you can crank up hills and go the distance.

Oversized down tube creates a rigid structure between the bottom bracket and head tube, providing the necessary frame stiffness and strength for off-road riding. Forged aluminum fittings reinforce the overall structural integrity of the frame where it's needed.

Higher bottom bracket clears most obstacles with ease. Longer chainstays add comfort over rough terrain, as well as enough clearance for larger tires. The XO 1 makes a great all-around road bike perfect for winter training, commuting, or touring.

520™ LOADED TOURING

Explore a new area code. Or a new country.

TOURING UPGRADES

- Reinforced, loaded touring frame
- Superstrong rims
- Reliable Bontrager components
- Clipless Shimano pedals

FRAME: Welded Cro-Moly built to endure the demands of fully loaded touring, with added braze-ons for secure transport.

FORK: Cro-Moly cuts down the road buzz. **WHEELS:** Bontrager Fairlane rims with Select tires are designed for long excursions. **COMPONENTS:** Shimano 105 crank and 105/Deore LX 27-speed shifting. Triple chainring for wider gear options on longer tours. **SIZES:** 17", 19", 21", 23", 25" **COLORS:** Rainforest Green



T 2000™ TANDEM

Our top-of-the-line bicycle built for two.



BEST PRETTER GOOD

UPGRADES OVER T 1000™

- Lighter, more durable wheelset
- Pro-level Shimano components
- Stronger, lighter headset

FRAME ZR 9000 Alloy™ in a tandem configuration. Lighter than titanium, stronger than steel. **FORK** Triple butted Cro-Moly soaks up road vibration on long tandem rides. **WHEELS** Bontrager Race X Lite Tandem offers a superior combination of aerodynamics, light weight, and strength. **COMPONENTS** Shimano Ultegra 9-speed shifting. Triple chaining for wider gear options on longer rides. **SIZES** 54/43-56cm, 56/43-56cm, 58/43-56cm. **COLOR** Coastal Blue

THIS IS NOT YOUR FATHER'S TANDEM.

Train for your next century on one of these bikes. Day trip through the wine country. Or use it as your private escape from the kids.

There's no need to give up comfort, high performance, or fit. It's all here. There's a Trek tandem to suit your riding style and satisfy a wide range of captain/stoker size demands. So you can choose togetherness and sacrifice nothing.

FRAME TECH

TANDEM

Two size-specific cockpits; one phenomenal ride.

Adjustable tandem cockpits allow you to fit the captain without compromising for the sake of the stoker. Our tandems feature a wide differential between captain and stoker seat tubes, size-specific tube angles, and a stoker's top tube and stem designed to handle almost any sized rider.

Sport Touring geometry featuring race-worthy components, or a more relaxed, upright-riding frame with full comfort features. Your local Trek dealer will help you choose a frame that fits your riding style.

ZR 9000 custom alloy frames are lighter than titanium, stronger than steel, and stiffer than frames twice the price. Our endurance tests show the ZR 9000 increases fatigue strength of a frame by up to five times.

T 1000™ TANDEM

With a lightweight frame and solid components, this thing is fast enough for two.

TANDEM UPGRADES

- Strong, light alloy frame
- Durable welded rims
- Quality Shimano components

FRAME ZR 9000 Alloy™ in a tandem configuration. Lighter than titanium, stronger than steel. **FORK** Triple butted Cro-Moly soaks up road vibration on long tandem rides. **WHEELS** Bontrager Clyde rims with IRC Duro Tour tires roll fast and stay true. **COMPONENTS** Shimano Tiagra 9-speed shifting, triple chainring for wider gear options on longer rides. **SIZES** 54/43-56cm, 56/43-56cm, 58/43-56cm **COLOR** Starry Night Black

**T 900™ TANDEM**

An all-new frame with enough comfort features for two.

TANDEM UPGRADES

- Adjustable, high-rise handlebars
- Comfort spring saddles
- Built-in taillight on rear saddle
- Suspension rear seatpost

FRAME Alpha™ Aluminum in a tandem configuration with a comfortable, upright riding position. **FORK** Triple butted Cro-Moly soaks up road vibration on long tandem rides. **WHEELS** Alex TA19 rims with Bontrager Comfort K tires for smooth rolling and easy braking. **COMPONENTS** Truvativ crank and Shimano Deore 24-speed shifting. **SIZE** 18.5"/14.5" **COLOR** Midnight Blue



Liquid 30™

ALL-MOUNTAIN FULL SUSPENSION

Top-of-the-line all-mountain bike with new Liquid Suspension Design.

UPGRADES OVER LIQUID 20™

Higher-performance fork

Lighter, tubeless wheelset

Top-of-the-line Shimano components



FRAME ZR 9000 Alloy™ in a long-travel, full-suspension design that quickly adjusts to match the terrain. Lighter than titanium, stronger than steel. **WHEELS** Bontrager Race Lite Disc Tubeless offers high-performance versatility in one of the lightest disc-specific wheelsets available. The choice of the Trek/Volkswagen Pro Mountain Bike team. **SUSPENSION** Fox Talas RLC fork (125mm travel) and Fox Talas RL rear air shock (up to 5" of rear wheel travel) adjust on the fly to changing conditions. **COMPONENTS** Bontrager Race Lite crank and Shimano Deore XTR 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5". **COLOR** Starry Night Black

Liquid 20™

ALL-MOUNTAIN FULL SUSPENSION

The all-mountain bike takes you anywhere. The Liquid Suspension Design gets you back.

UPGRADES OVER LIQUID 10™

Faster, disc-specific wheelset

Mag hydraulic disc brakes

Higher-performance Shimano components

FRAME ZR 9000 Alloy™ in a long-travel, full-suspension design that quickly adjusts to match the terrain. Lighter than titanium, stronger than steel. **WHEELS** Bontrager Race Disc

Tubeless are light but durable, with disc brakes for superior stopping power in slop or steep descents.

SUSPENSION RockShox Psyllo XC fork (125mm travel) and Fox Talas R rear air shock (up to 5" of rear wheel travel) adjust on the fly to changing conditions. **COMPONENTS** Bontrager Race

crank and Deore LX/XT 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5". **COLOR** Baja Blue



Liquid 10™

ALL-MOUNTAIN FULL SUSPENSION

The one bike that can adjust to whatever terrain you run into – no tools necessary.

LIQUID UPGRADES

On-the-fly travel adjust

Proprietary Fox rear shock

Lighter, stronger frame

FRAME ZR 9000 Alloy™ in a long-travel, full-suspension design that quickly adjusts to match the terrain. Lighter than titanium, stronger than steel.

WHEELS Bontrager Select Disc delivers great off-road performance, with rims machined and welded for strength. **SUSPENSION** RockShox

Psyllo C fork (125mm travel) and Fox Talas R rear air shock (up to 5" of rear wheel travel) adjust on the fly to changing conditions. **COMPONENTS** Bontrager Race

crank and Shimano Deore 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5". **COLOR** Bright Silver



Fuel 100™ XC FULL SUSPENSION

World Cup proven full-suspension gets a new OCLV Carbon mainframe and full XTR.

**UPGRADES OVER FUEL 98™**

- ▶ BEST IN CLASS SOLO Pro-level suspension fork
- Lighter, tubeless wheels
- Top-of-the-line Shimano components
- Lighter handlebar, stem, and seatpost
- Race-worthy Avid Ultimate brakes

▶ BEST IN CLASS SOLO

FRAME Fully independent cross-country suspension at a hardtail weight. OCLV® 120 Carbon is unusually light, strong, and fast. Absorbs shocks while providing incredible feel and response. **WHEELS** Bontrager Race X Lite Tubeless is extremely light, fast, and durable. **SUSPENSION** Rock Shox SID World Cup fork (80mm travel) and SID Lockout rear air shock (up to 3° of rear wheel travel) are perfect for XC racing.

COMPONENTS Shimano XTR crank and 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5". **COLOR** Baja Blue/Starry Night Black

FRAMESET
AVAILABLE**Fuel 98™ XC FULL SUSPENSION**

OCLV Carbon frame. Efficient full-suspension. Two great things that go together.

UPGRADES OVER FUEL 90™

- ▶ BEST IN CLASS SOLO Stronger, lighter carbon frame
- Lighter racing fork
- Lighter, tubeless wheels
- Pro-level Shimano components
- More adjustable rear shock

▶ BEST IN CLASS SOLO

FRAME Fully independent cross-country suspension at a hardtail weight. OCLV® 120 Carbon is unusually light, strong, and fast. Absorbs shocks while providing incredible feel and response. **WHEELS** Bontrager Race Lite Tubeless offers high-performance versatility in one of the lightest wheelsets available. **SUSPENSION** Rock Shox SID Race fork (80mm travel) and Fox Float RL rear air shock (up to 3° of rear wheel travel) are perfect for XC racing. **COMPONENTS** Bontrager Race crank and Shimano XT/XTR 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5". **COLOR** Starry Night Black



FUEL

NOTHING BURNS CLEANER.

Fuel 90™ XC FULL SUSPENSION

Fast. Efficient. Suddenly,
a 24-hour race seems
perfectly reasonable.

UPGRADES OVER FUEL 80™

- Lighter fork
- Rebound adjust rear shock
- All-around racing wheelset
- Racing Shimano components

> BETTER < GOOD

DISC OPTION
AVAILABLE.
SPECIFICATIONS
MAY VARY.**FRAME** Fully independent cross-country

suspension at a hamtail weight. ZR 9000 Alloy™ delivers exceptional speed and durability. **WHEELS** Bontrager Select offers rims welded for strength and machined for smooth braking. **SUSPENSION**

RockShox Duke XC fork (80mm travel) and Fox Float R rear air shock are perfect for XC racing. **COMPONENTS** Bontrager Race crank and Deore LX/XT 9-speed shifting.

SIZES 15.5", 17.5", 19.5", 21.5" **COLOR** Starry Night Black/Bright Silver

ZR 9000™
CUSTOM ALLOY

FRAME TECH
One of the strongest, lightest composites on the circuit.

With zirconium added as a hardening material, ZR 9000 produces frames that are 15% stronger and 15% lighter than industry standard aluminum. Our endurance tests show that ZR 9000 increases the fatigue strength of a frame by up to five times. Enough said.

Exceptional frame rigidity means everything when it comes to off-road performance. Sharp cornering. Efficient power transfer. Quick handling. Precise tube shaping strengthens the bottom bracket and head tube, while shedding unwanted ounces – keeping the ride light and fast.

Stiff rear triangle provides rock-solid stability for climbing, sprinting, and braking. The Trek Disc-O™ mount offers full disc brake compatibility. Pro Race geometry gives you the same edge as the world's best racers – like World Cup Champion Roland Green.

Fuel 90 WSD™

XC FULL SUSPENSION

One way to improve
lightweight full-suspension?
Make it just for women.

UPGRADES OVER 8000 WSD™

Full-suspension technology
Rebound adjust rear shock
All-around racing wheelset
Racing Shimano components

BEST BETTER GOOD

FRAME ZR 9000 Alloy™ in a custom Women's Specific Design geometry that increases comfort and power. Fully independent cross-country suspension gives you a solid, smooth ride. **WHEELS**

Bontrager Select offers rims welded for strength and machined for smooth braking. **SUSPENSION** RockShox Duke XC fork (80mm travel) and Fox Float R rear air shock are perfect for XC racing. **COMPONENTS**

Bontrager Race crank and Deore LX/XT 9-speed shifting. **SIZES** 14", 16", 18". **COLOR** Midnight Blue/Gloss White



women's specific design

FRAME TECH

WOMEN'S SPECIFIC DESIGN

More comfortable fit. More time spent out on the trail.

Modified frame geometries are tuned to the unique needs of women riders. Adjusting the seat tube, top tube, and head tube dimensions creates a more comfortable and powerful riding position. These corrections also improve the bike's balance, handling, and stability.

Specially selected components offer an ideal fit for smaller hands - narrower bars, thinner grips, and easy-to-reach brake levers.

Pedal more efficiently. Shorter cranks help shorter legs get to top speed, faster. Steep hills feel easier, long rides less tiring.

WSD suspension forks give lighter riders plenty of shock absorption. Anatomically designed saddles offer the proper pelvic support for women, providing comfort and endurance. Once you feel the difference, you'll never ride a 24-hour race without it.

Fuel 80™ XC FULL SUSPENSION

Proven cross country suspension gets you there and back with energy to spare.

FUEL UPGRADES

Full-suspension technology
Responsive, lightweight frame
Lighter, tunable fork
Rugged off-road wheels
High-performance Shimano components

BEST BETTER GOOD

FRAME Fully independent cross-country suspension at a hardtail weight. ZR 9000 Alloy™ delivers exceptional speed and durability. **WHEELS** Bontrager Corval rides fast and tough on the trail, with machined sidewalls for smooth braking.

SUSPENSION RockShox Pike SL fork (80mm travel) and Fox Float rear air shock are perfect for XC racing. **COMPONENTS**

Shimano crank and Deore 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5". **COLOR** Trek Red/Starry Night Black



WHEEL TECH



BONTRAGER™

Wheels & components that won't fail you on the trail.



Offset Spoke Bed design (aka OSB) creates a spoke angle that strengthens the wheel and prolongs wheel life. Compared to a standard spoke configuration, OSB reduces tension difference by 30%.

Alternating spokes allow wheels light enough for the bursts you need to get up, down, and around obstacles. Welded and machined sidewall rims provide additional strength and a consistent surface for smooth braking.

Tubeless compatibility gives you the flexibility to choose whatever tires you want on your ride.

Bontrager handlebars and stems provide sure steering and handling, with extra strength to endure off-road pounding.

FIND THE MIDDLE OF NOWHERE.
YOUR HARDFAIL WILL GET YOU BACK.

Elite 9.8™ XC HARDFAIL

It's the lightest hardtail made of OCLV Carbon. It's the World Champion. It's no coincidence.



UPGRADES OVER \$500[™]

- Ultra rigid OCLV frame
- Lighter, fine-tunable fork
- Lighter, tubeless wheels
- Racing Shimano components
- Lighter bar, stem, and seatpost

• BETTER GOOD

FRAME: OCLV[™] HC Carbon sandwiches a honeycomb of Nomex[®] between layers of OCLV Carbon for incredible stiffness with less weight — just 3 lbs. Pro Race geometry improves handling at high speeds. **WHEELS:** Bontrager Race Lite Tubeless offers high-performance versatility in one of the lightest wheelsets available. **SUSPENSION:** RockShox SID Team fork (80mm travel) is dialed in for the rough terrain of XC racing. **COMPONENTS:** Bontrager Race crank and Shimano XT/XTR 9-speed shifting. **SIZES:** 17.5", 19.5", 21.5". **COLOR:** Starry Night Black/Baja Blue.



TREK
RACETIME

FRAME TECH

OCLV HC™ CARBON

The stuff World Cup Champion bikes are made of.



A honeycomb of Nomex[®] is sandwiched between layers of OCLV Carbon to make a head lug and bottom bracket so stiff and light, the frame weighs in at only 3.0 pounds. And carbon's vibration-soaking properties take the edge off the already-tough terrain.

If you're into fine-tuning this racer even further, it features a malleable bottom bracket interface and a replaceable rear derailleur hanger. Climb, descend, and corner with the same Pro Race geometry that helped Roland Green to his first World Cup Championship.

8500™ XC HARDTAIL

The race-ready hardtail that's lighter than titanium and stronger than steel.

UPGRADES OVER 8000™

- Rebound adjust fork
- Lighter, tubeless wheels
- Racing Shimano components
- Lighter bar, stem, and seatpost

► BEST BETTER GOOD



FRAMESSET AVAILABLE



FRAME ZR 9000 Alloy™ is lighter than titanium and stronger than steel. Pro Race geometry transfers more power on climbs and descents. **WHEELS** Bontrager Race Tubeless are light but durable for years of off-road abuse. **SUSPENSION** Fox Float X fork (80mm travel) is tuned for XC racing.

COMPONENTS Bontrager Race crank and Shimano XTR/M970 9-speed shifting.

SIZES 15.5", 17.5", 19.5", 21.5"

COLOR Trek Red/Platinum Silver

FRAME TECH



One of the strongest, lightest composites on the circuit.

With zirconium added as a hardening material, ZR 9000 produces frames that are 15% stronger and 15% lighter than industry standard aluminum. Our endurance tests show that ZR 9000 increases the fatigue strength of a frame by up to five times. Enough said.

Exceptional frame rigidity means everything when it comes to off-road performance. Sharp cornering. Efficient power transfer. Quick handling. Precise tube shaping strengthens the bottom bracket and head tube, while shedding unwanted ounces – keeping the ride light and fast.

Stiff rear triangle provides rock-solid stability for climbing, sprinting and braking. The Trek Disc-O™ mount offers full disc brake compatibility. **Pro Race Geometry** gives you the same edge as the world's best racers – like World Cup Champion Roland Green.

8000™ XC HARDTAIL

The only thing missing on this all-around racer is frameweight.

UPGRADES OVER 6700™

- Stronger, lighter frame
- All-around racing wheelset
- XC performance fork
- Racing Shimano components
- Lighter bar, stem, and seatpost

► BEST BETTER GOOD

FRAME ZR 9000 Alloy™ is lighter than titanium and stronger than steel. Pro Race geometry transfers more power on climbs and descents. **WHEELS** Bontrager Select offers rims welded for strength and machined for smooth braking. **SUSPENSION** RockShox Duke XC fork (80mm travel) is tuned for XC racing. **COMPONENTS** Bontrager Race crank and Shimano Deore LX/XT 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5" **COLOR** Baja Blue/Bright Silver



SNOWSHOE MOUNTAIN, WV

A 24-hour race doesn't require daylight or spectators. Just simple endurance.

8000 WSD™ XC HARDTAIL

The lightweight hardtail made with racing – and women – in mind.



UPGRADES OVER 6700 WSD™

- Stronger, lighter frame
- All-around racing wheelset
- XC performance fork
- Racing Shimano components
- Lighter bar, stem, and seatpost

BEST. BETTER. GOOD.

FRAME ZR 9000 Alloy™ in a custom Women's Specific Design geometry that increases comfort and power. Lighter than titanium, stronger than steel. **WHEELS** Bontrager Select offers rims welded for strength and machined for smooth braking.

SUSPENSION RockShox Duke XC fork (80mm travel) is tuned for XC racing. **COMPONENTS** Bontrager Race crank and Shimano Deore LX/XT 9-speed shifting. **SIZES** M*, 16", 18". **COLOR** Bright Silver/Gloss White

6700™ XC HARDFAIL

The bike that works all week and races on the weekend.

UPGRADES OVER 4900™

- Superlight racing frame
- Lighter, fine-tunable fork
- Clipless pedals


BEST → BETTER → GOOD

FRAME Oversized Alpha™ SLR Aluminum double butted tubes provide exceptional durability and power transfer. **WHEELS** Bontrager Corval rims provide superior braking, while Jones AC tires roll fast over off-road trails. **SUSPENSION** New RockShox Pilot SL fork (80mm travel) takes the edge off singletrack. **COMPONENTS** Shimano crank and Deore/LX 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5". **COLOR** Starry Night Black/Platinum



DISC OPTION
AVAILABLE
SPECIFICATIONS
MAY VARY.

FRAMETECH



Our lightest aluminum, proven on the pro circuit.

Alpha SLR frames start with the highest-grade aluminum – first heat-treated for greater strength, then seamlessly drawn into double-butted tubes. This proprietary process results in the lightest, strongest aluminum frames we've ever made.

Precise tube shaping and bi-axial downcage create a frame that's stiff and strong in high-stress areas, superlight and thin everywhere else.

Stiff rear triangle eliminates brake flex and holds firm on climbs and sprints. It also features the Trek Disc-O™ mount for full disc brake compatibility.

Pro Race geometry, originally developed for the Trek/Volkswagen team, lets you climb with power, descend with confidence, and steer with ease.

6700 WSD™ XC HARDFAIL

Our best Super Light Race Aluminum hardtail made specifically for women.

BEST → BETTER → GOOD

UPGRADES OVER 4900 WSD™

- Superlight racing frame
- Lighter, fine-tunable fork
- Clipless pedals

FRAME Alpha™ SLR Aluminum in a custom Women's Specific Design geometry that increases comfort and power.

WHEELS Bontrager Corval rims provide superior braking, while Jones AC tires roll fast over off-road trails. **SUSPENSION** RockShox Pike SL WSD fork (80mm travel).

COMPONENTS Shimano crank and Deore/LX 9-speed shifting. **SIZES** 14", 16", 18". **COLOR** Starry Night Black/Frost Silver



4900™ XC HARDTAIL

Our best Alpha Aluminum hardtail is built ready for anything.

UPGRADES OVER 4500™

- Lighter front fork
- Stronger, lighter rims
- Quality Shimano components
- Clipless-adaptable pedals

BEST BETTER GOOD



 DISC OPTION AVAILABLE. SPECIFICATIONS MAY VARY.

FRAME Oversized Alpha™ Aluminum offers the increased durability and strength to handle the most rugged trails.

WHEELS Bontrager Corvar rims provide superior braking, while Jones AC tires roll fast over off-road trails.

SUSPENSION RockShox Pilot C fork (80mm travel) takes the edge off singletrack.

COMPONENTS Shimano crank and Alivio/Deore 24-speed shifting.

SIZES 13", 15.5", 17.5", 19.5", 21.5". **COLORS** Metallic Silver/Navy or Metallic Red

4900 WSD™ XC HARDTAIL

The mountain bike that works with a woman's body, not against it.

UPGRADES OVER 4500™

- Women's Specific Design
- Lighter, custom-tuned front fork
- Stronger, lighter rims
- Quality Shimano components

BEST BETTER GOOD

4900™
Metallic Red

FRAME Oversized Alpha™ Aluminum in a custom Women's Specific Design geometry that delivers increased power and improved handling on the trail.

WHEELS Bontrager Corvar rims provide superior braking, while Jones AC tires roll fast over off-road terrain.

SUSPENSION New RockShox Pilot C

WSD (80mm travel) fork is custom-tuned for smaller, lighter riders.

COMPONENTS Shimano crank and Alivio/Deore 24-speed shifting.

SIZES 14", 16", 18". **COLOR** Gloss White/Pearl Navy



 **ALPHA CUSTOM ALUMINUM**

Rugged enough to handle rough terrain. Light enough to fly right over it.

FRAME TECH

Alpha frames take advantage of aluminum's low density to keep the bikes light. Precision welding and one-piece fittings make them durable enough for off-road. This translates into fast, quick-handling bikes that are ready for just about anything.

Oversized down tubes create a rigid structure between the bottom bracket and head tube, increasing the overall strength of the frame. Powerful riding position helps you climb, descend, and control the bike more efficiently.

With enough room inside the frame for up to two water bottle mounts, you can stay out on the trail for hours. Alpha Aluminum mountain bikes also route cables along the top tube. This keeps them out of the mud, for friction-free shifting and braking.

4500™ RECREATIONAL
Front-suspension. 24 speeds.
More happy trails.


BEST BETTER +6000*

UPGRADES OVER 4300™
Longer-travel RockShox fork
Quality Shimano components
Lighter bar, stem, and seatpost
More durable off-road tires

FRAME Oversized Alpha™ Aluminum offers the increased durability and strength to handle the most rugged trails. **WHEELS** Matrix 750 rims provide superior braking, while Bontrager Jones AC tires roll fast over off-road trails. **SUSPENSION** RockShox Judy TT fork (80mm travel) smooths out trails and paths. **COMPONENTS** Shimano crank with Shimano Alivio 24-speed shifting. **SIZES** 13", 15.5", 17.5", 19.5", 21.5", 24". **COLORS** Baja Blue/Starry Night Black or Lava Black



4500™
Lava Black



VANCOUVER, BRITISH COLUMBIA

Contemplate the meaning of life. Or see how many skips you can get out of that rock.

4300™ RECREATIONAL

On the trails. On the pavement. On your mind when you can't ride.

UPGRADES OVER 4100™

Adjustable preload suspension fork
Higher-performance Shimano components
24-speed shifting
Alloy pedals and handlebars
Stronger, double wall rims

FRAME Oversized Alpha™ Aluminum offers the increased durability and strength to handle the most rugged trails. **WHEELS** Matrix 750 rims with Bontrager Connection tires give excellent braking and traction on dirt or pavement. **SUSPENSION** InSync Grind 323 fork (70mm travel) smooths out trails and paths. **COMPONENTS** Suntour crank and Shimano Acera 24-speed shifting.
SIZES 13", 15.5", 17.5", 19.5", 21.5"
COLORS Black Chrome/Ball Burnished or Metallic Orange

BEST BETTER GOOD



4100™ RECREATIONAL

The go-anywhere, ready-anytime mountain bike.

UPGRADES OVER 820™

Lighter frame
Higher-performance fork
Quality Shimano components

BEST BETTER GOOD



820™ RECREATIONAL

The strength of steel. The comfort of front suspension.

UPGRADES OVER 800™

Front suspension fork

Higher-performance Shimano components

Better-handling threadless stem/headset

FRAME High tensile steel and Cro-Moly.
Shock absorbing and built to last. **WHEELS**

Matrix 550 rims with Bontrager Connection tires perform well on dirt or pavement.

SUSPENSION RST 19ICL fork (63mm travel) smooths out trails and paths.

COMPONENTS Suntour crank and

Shimano Altus 21-speed shifting. **SIZES**
13", 15.5", 17.5", 19.5", 21.5"; 13" Women's,
17.5" Women's. **COLORS** Baja Blue/Shine
Silver or Black Chrome or Metallic Purple/
Metallic Silver



820™
Black Chrome



820™
Metallic Purple/Metallic Silver

**MONTEREY, CA**

25 miles down, 15 to go, muscles burning, throat parched,
wondering why they don't do this more often.

800[®] RECREATIONAL

Time to get out and explore the world off-road.

MOUNTAIN UPGRADES

- Professional assembly
- Expert adjustment
- High-quality components
- Full range of sizes

BEST BETTER → GOOD

FRAME High tensile steel and Cro-Moly. Shock absorbing and built to last. **FORK** High tensile ATB eases road vibration.

WHEELS Matrix 550 rims with Bontrager Connection tires perform well on dirt or pavement. **COMPONENTS** SunTour crank and Shimano 21-speed shifting.

SIZES 13", 15.5", 17.5", 19.5", 21.5"; 13" Women's, 17.5" Women's **COLORS** Starry Night Black/Baja Blue or Smooth Silver



AVAILABLE IN A WOMEN'S FRAME.

800 → Smooth Silver

Y 26[™] XC FULL SUSPENSION

This full-suspension bike takes the shocks your body shouldn't.

FULL-SUSPENSION UPGRADES

- Professional assembly
- Expert adjustment
- High-quality components
- Full range of sizes

BEST BETTER → GOOD

FRAME Oversized Alpha[™] Aluminum in a proven Y Bike[™] full-suspension design to handle the most rugged trails. **WHEELS**

Matrix 750 rims with Bontrager Connection tires give excellent braking and traction on dirt or pavement. **SUSPENSION** InSync Grind fork (70mm travel) and Mozo RS200 coil rear shock smooth out singletrack.

COMPONENTS SunTour crank and Shimano Acera 21-speed shifting. **SIZES** 16", 17.5", 19"

COLOR Ball Burnished/Trek Red



Diesel Downhill™

FREERIDE/DOWNHILL

Built for downhill punishment.


DOWNHILL UPGRADES

- Durable construction
- Exclusive Chain Torque Eliminator

FRAME Alpha™ Aluminum, Monocoque construction provides a stiff connection between the fork and swingarm for responsive steering control. **SUSPENSION**

Fox Vanilla RC rear coil shock is built for extreme punishment. **SIZES** 14", 16"

COLOR Bright Silver



A Chain Torque Eliminator

FRAME TECH

DIESEL DOWNHILL

Promote energy conservation.
Get a Diesel Downhill frame.

Our patented Chain Torque Eliminator means you don't have to exert so much energy with every single turn of the pedals. Exclusive to the Diesel Downhill frame, the CTE (A) aligns with the rear pivot, rerouting the chain line and isolating the crank from the swingarm.

This prevents pedal forces from actuating the rear suspension (also known as "bobbing") and keeps you from feeling shocks, vibration, and unwanted suspension feedback through the cranks of the bike.

The difference the Chain Torque Eliminator makes in pedaling efficiency adds up with every run you make down the hill.

Diesel Freeride™

FREERIDE/DOWNHILL

Fully loaded long-travel full-suspension can handle anything your sick mind thinks up.

FREERIDE UPGRADES

- Durable construction
- High-quality components

FRAME Alpha™ Aluminum, Monocoque construction provides a stiff connection between the fork and swingarm for responsive steering control. **WHEELS**

Sun Singletrack rims with Michelin DH Comp tires take the jolts and keep on coming.

SUSPENSION Boxer Race fork (6" or 7" travel) and Fox Vanilla RC rear coil shock are built for extreme punishment.

COMPONENTS Truvativ Holzfeller crank with Shimano Deore XT/XTR 9-speed shifting. **SIZES** 14", 16". **COLOR** Starry Night Black. Frameset available in Bright Silver (shown above on Diesel Downhill).



FRAMESET AVAILABLE



FRAME TECH

DIESEL FREERIDE

Taking Diesel in a whole new direction. Up.

The new Truvativ Holzfeller Freeride crank (22/32 rings with an outer rock ring) isn't just rugged; the double chainring makes climbing a whole lot easier. So you can focus your efforts on the ride down the hill.

Sun Singletrack disc-specific rims are designed for obstacles you won't find on any map, as well as the most rugged downhill or dual slalom courses. The welded, triple-hollow construction gives the wheels extra reinforcement where it's needed.

Our exclusive "Brake Therapy" floating arm isolates the suspension from the frame. That means you always have a full 6" of travel, even during extreme braking. Standard on the Diesel Freeride, this floating arm is also available as a retrofit to current Diesel Downhill frames.

Navigator 600™ COMFORT

The all-new frame and added features make this the ultimate comfort ride.



BEST BETTER GOOD

UPGRADES OVER NAVIGATOR 500™

Top-of-the-line Shimano components

FRAME Alpha™ Aluminum with a comfortable, upright riding position. **WHEELS** Bontrager Superstock wheels with Bontrager Comfort tires are made for smooth rides. Kevlar belting and Slime sealant virtually eliminate flats.

SUSPENSION RockShox GPS Serra fork (60mm travel), suspension seatpost, and comfort saddle soften rough riding surfaces. **COMPONENTS** Shimano crank and Shimano Deore XT 27-speed shifting. **SIZES** 14.5", 16.5", 18.5", 21"

COLOR Bright Silver/Midnight Blue

FRAME TECH

NAVIGATOR

Total comfort, everywhere you touch the bike.

New Comfort geometry puts you in a relaxed, upright position. That means greater stability and better handling at slower speeds, such as when you approach tight turns.

The suspension fork, seatpost, and spring saddle absorb shocks and smooth out the bumps.

Comfort grips and a higher hand position keep wrists and shoulders comfortable on long rides.

The new Accessories Port lets you switch from a rack to a pedal trailer in seconds – no tools required. So the same bike you ride to work instantly turns into a family ride.

Semi-smooth tires soak up the bumps, give you plenty of traction, and roll fast on pavement.

Wide gear range makes pedaling up hills almost effortless.

Navigator 500™ COMFORT

The totally redesigned comfort bike you'll enjoy now and down the road.

BEST BETTER GOOD

UPGRADES OVER NAVIGATOR 400™

Quality RockShox suspension fork
Stronger welded, machined rims
Wider gear range

FRAME Alpha™ Aluminum with a comfortable, upright riding position.

WHEELS Bontrager Corval rims with Bontrager Comfort tires for smooth rolling and easy braking. Kevlar belting and Slime sealant virtually eliminate flats.

SUSPENSION RockShox GPS Serra fork (60mm travel), suspension seatpost, and comfort saddle soften rough riding surfaces. **COMPONENTS** SRAM Dual Drive 27-speed shifting. **SIZES** 14.5", 16.5", 18.5", 21"; 14.5" Women's, 16.5" Women's, 18.5" Women's. **COLOR** Bright Silver/Estate Green



Trek Navigator 400™ COMFORT

Seven-speed shifting plus even more comfort features than last year.

UPGRADES OVER NAVIGATOR 300™

Easy-shifting Shimano components
Flat-resistant tires

BEST BETTER GOOD

FROM COMMUTE TO FAMILY OUTING, IN SECONDS.

The new Accessories Port allows you to attach a rack or pedal trailer in seconds. No tools required – just a simple pin that plugs right into the frame. Other options like our new trailer hitch mount make Navigator bikes even more versatile.



AVAILABLE IN A WOMEN'S FRAME.

FRAME Alpha™ Aluminum with a comfortable, upright riding position.

WHEELS Matrix 750 rims with Bontrager Comfort tires for smooth rolling and easy braking. Kevlar belting and Slime sealant virtually eliminate flats. **SUSPENSION** RST CT COM TL fork (50mm travel), suspension seatpost, and comfort saddle soften rough road surfaces.

COMPONENTS CPT crank and Shimano Nexus Revo 7-speed shifting. **SIZES** 14.5", 16.5", 18.5", 21". 14.5" Women's, 16.5" Women's, 18.5" Women's. **COLOR** Titanite Black/Coastal Blue



NAVIGATOR 300™

Wheat Silver

Trek Navigator 300™ COMFORT

The improved fit makes every road feel smoother.

UPGRADES OVER NAVIGATOR 200™

Preload adjustable suspension fork
Stronger rims and Kevlar belted tires
24-speed shifting
Higher-performance Shimano components

BEST BETTER GOOD

FRAME Alpha™ Aluminum with a comfortable, upright riding position.

WHEELS Matrix 750 rims with Bontrager Comfort tires for smooth rolling and easy braking. Kevlar belting resists flats.

SUSPENSION RST CT COM TL fork (50mm travel), suspension seatpost, and comfort saddle soften rough road surfaces.

COMPONENTS Shimano crank and Shimano Deore 24-speed shifting. **SIZES** 14.5", 16.5", 18.5", 21". 14.5" Women's, 16.5" Women's, 18.5" Women's. **COLORS** Blue Dusk/Bright Silver or Wheat Silver



AVAILABLE IN A WOMEN'S FRAME. (SHOWN ABOVE)

TREK Navigator 200™

Take to the streets in comfort with front suspension.

**UPGRADES OVER
NAVIGATOR 100™**

- Suspension fork
- Shimano components

BEST BETTER FASTER

• GOOD



AVAILABLE IN A
WOMEN'S FRAME.
(SHOWN BELOW)

FRAME Alpha™ Aluminum with a comfortable, upright riding position.

WHEELS Matrix 550 rims with Bontrager Comfort tires for smooth rolling and easy braking. **SUSPENSION** RST LT COM CL fork (20mm travel), suspension seatpost and comfort saddle sooth rough road surfaces.

COMPONENTS Shimano crank and Shimano Acera 21-speed shifting. **SIZES** 14.5", 16.5", 18.5", 21". **WEIGHT** Women's, 16.5". **COLORS** Titanium Black or Estate Green/Wheat Silver.

NAVIGATOR 200™ | Estate Green/Wheat Silver



NAVIGATOR 100™ | Metallic Red/Wheat Silver

**TREK Navigator 100™ COMFORT**

The bike that makes an uncomfortable ride a thing of the past.

NAVIGATOR UPGRADES

- Professional assembly
- Expert adjustment
- High-quality components
- Full range of sizes

BEST BETTER FASTER

• GOOD

FRAME Alpha™ Aluminum with a comfortable, upright riding position.

WHEELS Matrix 550 rims with Bontrager Comfort tires for smooth rolling and easy braking. **SUSPENSION** Shock-absorbing seatpost and comfort spring saddle smooth out rough riding surfaces. **COMPONENTS** SunTour crank and 21-speed shifting.

SIZES 14.5", 16.5", 18.5", 21". **WEIGHT** Women's, 16.5". **COLORS** Coastal Blue or Metallic Red/Wheat Silver.

AVAILABLE IN A
WOMEN'S FRAME.
(SHOWN ABOVE)



7700™ HYBRID

Our top-of-the-line hybrid takes performance to the trails and streets.

**UPGRADES OVER 7500™**

- Lighter suspension fork
- Wider gear range
- Lighter Shimano components
- Ergonomic bar ends
- Reliable Avid brakes

BEST • BETTER • GOOD

FRAME Alpha™ SL Aluminum combines superlight performance with a comfortable, upright riding position.

WHEELS Bontrager Select features Paired Spoke Technology™ for superior aerodynamics and lightweight strength. **SUSPENSION** RockShox Metro Mag fork (50mm travel), suspension seatpost, and comfort spring saddle smooth out rough riding surfaces. **COMPONENTS** Shimano crank and Shimano Deore XT/SRAM 7.0 27-speed shifting. **SIZES** 15", 17.5", 20", 22.5" **COLOR** Titanite Black/Wheat Silver

7500™ HYBRID

This hybrid gets an upgraded frame and suspension fork for a better ride.

UPGRADES OVER 7300™

- Lighter frame
- Proven suspension fork
- All-around performance wheelset
- Higher-performance Shimano components
- Comfort saddle

BEST • BETTER • GOOD



FRAME Alpha™ SL Aluminum combines superlight performance with a comfortable, upright riding position. **WHEELS**

Bontrager Select features Paired Spoke Technology™ for superior aerodynamics and lightweight strength. **SUSPENSION** RockShox Metro fork (50mm travel), suspension seatpost, and comfort spring saddle smooth out rough riding surfaces.

COMPONENTS Shimano Neoxave crank and Shimano Deore LX/SRAM 5.0 24-speed shifting. **SIZES** 15", 17.5", 20", 22.5"

COLOR Bright Silver/Pearl Navy

7300™ HYBRID

Our most popular hybrid, for a lot of comfortable reasons.

UPGRADES OVER 7200™

- Tunable suspension fork
- Stronger rims
- Quality Shimano components
- Reliable Nexus crank


BEST BETTER GOOD

FRAME Alpha™ Aluminum combines lightweight performance with a comfortable, upright riding position. **WHEELS** Alex TA19 machined rims provide superior braking and the strength you need. Bontrager Invert tires grip uneven terrain to roll faster over pavement and gravel paths. **SUSPENSION** InSync Odessa 168 fork (45mm travel), suspension seatpost, and comfort spring saddle smooth out rough riding surfaces.

COMPONENTS Nexus crank and Center/Deore 24-speed shifting. **SIZES** 13", 15", 17.5", 20", 22.5", 15" Women's, 17.5" Women's, 20" Women's. **COLORS** Silver/Lava Black or Coastal Blue



AVAILABLE IN A WOMEN'S FRAME.



SAN FRANCISCO, CA

Go for a ride in the afternoon. Come back in the evening to a whole new city.

7200™ HYBRID

The smoothest feature of this hybrid? The suspension fork.

UPGRADES OVER 7100™

- Suspension fork
- Durable, double wall rims
- Quality Shimano components

FRAME Alpha™ Aluminum combines lightweight performance with a comfortable, upright riding position. **WHEELS** Matrix 750 rims with Bontrager Select tires add traction, reduce vibration.

SUSPENSION iSync Odessa 160 fork (60mm travel), suspension seatpost, and comfort spring saddle smooth out rough riding surfaces. **COMPONENTS** Shimano crank and Acera 21-speed shifting. **SIZES** 15", 17.5", 20", 22.5", 25"; 15" Women's, 17.5" Women's, 20" Women's. **COLORS** Deep Green/Wheat Silver or Dusk Blue



AVAILABLE IN A
MEN'S FRAME.
(SHOWN BELOW)

7200™
Dusk Blue



7100™
Titanite Black

**7100™ HYBRID**

Alpha Aluminum makes this a lighter hybrid ride.

HYBRID UPGRADES

- Professional assembly
- Expert adjustment
- High-quality components
- Full range of sizes

FRAME Alpha™ Aluminum combines lightweight performance with a comfortable, upright riding position. **WHEELS** Matrix 550 rims with Bontrager Select tires for smooth, fast rolling. **SUSPENSION** Shock-absorbing seatpost and comfort spring saddle smooth out rough riding surfaces. **COMPONENTS** SunTour crank and 21-speed shifting. **SIZES** 15", 17.5", 20", 22.5"; 15" Women's, 17.5" Women's, 20" Women's. **COLORS** Pearl Blue/Wheat Silver or Titanite Black



AVAILABLE IN A
MEN'S FRAME.
(SHOWN ABOVE)

7700 FX™ FITNESS

Our fastest fitness bike with the finest components.

UPGRADES OVER 7500 FX™

- Lighter fork
- Wider gear range
- Higher-performance Shimano alloy components
- Alloy headset
- Reliable Avid brakes

FRAME Alpha™ SL Aluminum combines superlight performance with a comfortable, upright riding position. **FORK** Lightweight vibration-damping with aluminum

WHEELS Bontrager Select features

Pinned Spoke Technology™ for superior aerodynamics and lightweight strength.

COMPONENTS Shimano Deore 11-speed shifting. **SIZES** 15", 17.5", 20", 22.5".

COLOR Coastal Blue/Silver

**7500 FX™ FITNESS**

Reach your fitness goals while having fun.

UPGRADES OVER 7300™

- Lighter frame
- All-around performance wheelset
- Rapidfire Shimano shifters
- Anatomically designed saddle

FRAME Alpha™ SL Aluminum combines superlight performance with a comfortable, upright riding position. **FORK** Cro-Moly cuts down the road buzz. **WHEELS**

Bontrager Select features Pinned Spoke Technology™ for superior aerodynamics and lightweight strength. **COMPONENTS** Hexave crank and Alivio/Deore 24-speed shifting. **SIZES** 15", 17.5", 20", 22.5".

COLOR Coastal Blue/Silver



FRAME TECH



Bikes designed for fitness and exercise. Not to mention speed and comfort.

Alpha SL Aluminum frames are strong, rigid, and super light – ideal for generating speed and power.

FX geometry combines a hybrid frame with a lightweight, rigid fork. The result: a more spirited ride that's fun and maneuverable at high speeds.

Fast, road-style tires and low-profile wheels give you the light weight and streamlined aerodynamics of a road bike.

Responsive handling makes a difference on any ride. From fitness training and cross-town jaunts to centuries or extended tours.

The straight handlebar creates a comfortable, upright riding position. So you can put as many hours on your FX bike as you want.

Clyde™ CRUISER

The attitude is back in black.

UPGRADES OVER TOWN & COUNTRY™

7-speed drivetrain

Higher-performance Shimano components

Trek Cruiser Springer fork

FRAME Alpha™ Aluminum in a classic Comfort Cruiser design that's fun to ride.**WHEELS** Alloy rims with fat balloon tires look and ride smooth. **SUSPENSION**Trek Cruiser Springer fork smooths out the bumps. **COMPONENTS** Shimano Nexus Revo 7-speed rear hub that's easy to use and maintain. **SIZES** 20" Men's**COLOR** Matte Black**Town & Country™ CRUISER**

A fun, retro-active ride.

UPGRADES OVER CALYPSO™

Quality Shimano components

Durable alloy crank

Simple, 4-speed shifting

FRAME Alpha™ Aluminum in a classic Comfort Cruiser design that's fun to ride.**FORK** Trek Cruiser, steel. **WHEELS** Alloy rims with fat balloon tires look and ride smooth. **COMPONENTS** Shimano Nexus Revo 4-speed rear hub that's easy to use and maintain. **SIZES** 20" Men's; 17" Women's**COLORS** Men's Gloss Black/Matte Silver; Women's Metallic Red/Matte Silver

AVAILABLE IN A WOMEN'S FRAME, ISHOWN BELOW



TOWN & COUNTRY™ METALLIC RED/MATTE SILVER

Calypso™ CRUISER

Take a classic for a ride.

UPGRADES OVER CRUISER CLASSIC SPRINGER™

7-speed shifting

Quality Shimano components

Reliable linear brakes

FRAME Alpha™ Aluminum in a classic Comfort Cruiser design that's fun to ride.**FORK** Trek Cruiser, steel. **WHEELS** Alloy rims with fat balloon tires look and ride smooth. **COMPONENTS** Shimano TY40/SRAM MRX Plus 7-speed shifting. Easy to use and maintain. **SIZES** 20" Men's; 17" Women's **COLOR** Baja Blue/Matte Silver

AVAILABLE IN A WOMEN'S FRAME



Woody™ CRUISER

Some bikes just never go out of style.

UPGRADES OVER CRUISER CLASSIC™

- Trek Cruiser Springer fork
- Cool retro fenders
- Rear rack

FRAME Alpha™ Aluminum in a classic Comfort Cruiser design that's fun to ride.

WHEELS Alloy rims with fat balloon tires look and ride smooth. **SUSPENSION** Trek Cruiser Springer fork smooths out the bumps. **COMPONENTS** Single-speed drivetrain – more than a component, it's a way of life. **SIZE** 20" Men's **COLOR** Gloss Black/Rainforest Green

**Cruiser Classic Springer™ CRUISER**

The good-time machine.

UPGRADES OVER CRUISER CLASSIC™

- Trek Cruiser Springer fork
- Cool retro fenders

FRAME Alpha™ Aluminum in a classic Comfort Cruiser design that's fun to ride. **WHEELS** Alloy rims with fat balloon tires look and ride smooth.

SUSPENSION Trek Cruiser Springer fork smooths out the bumps. **COMPONENTS** Single-speed drivetrain – more than a component, it's a way of life. **SIZE** 17" Women's **COLOR** Breeze Blue

**Cruiser Classic® CRUISER**

It's more than a bike.

It's a state of mind.

CRUISER UPGRADES

- Lightweight frame
- Comfortable-riding balloon tires
- Classic dual spring saddle

FRAME Alpha™ Aluminum in a classic Comfort Cruiser design that's fun to ride.

FORK Trek Cruiser, steel. **WHEELS** Alloy rims with fat balloon tires look and ride smooth. **COMPONENTS** Single-speed drivetrain – more than a component, it's a way of life. **SIZES** 20" Men's; 17" Women's **COLORS** Candy Red/Metallic Silver; Men's Gloss Black/Streamline Blue; Women's Streamline Blue/Stone Pearl

**CRUISER CLASSIC®**

Gloss Black/Streamline Blue

**CRUISER CLASSIC®**

Streamline Blue/Stone Pearl





Kids come in all sizes.

And they aren't likely to stop growing anytime soon. So it only makes sense to keep those two facts in mind when building kids bikes. Each and every part that goes into our bikes is designed for the kids who actually ride them - from the frame to the grips. Our kids bikes are also overbuilt and adjustable. So growing kids will fit them better, for longer.



Short cranks and small pedals mean smoother pedaling.



Short-reach brake levers and smaller grips provide better control.



Small-size saddles fit better for comfortable riding.



Adjustable seats and handlebars give your child room to grow.

Mt. Track 240™

A full-on kids mountain bike with front suspension.



AGE RANGE: 9-12 YRS


24" WHEELS

Standover height of 26" (66cm)
Minimum pant inseam 27" (69cm)

FRAME Oversized Alpha™ Aluminum. Built to the same exact standards as our adult mountain bikes, except in a smaller size. **FORK** RST suspension fork (60mm travel) smooths out the off-road bumps. **WHEELS** Alloy rims with cross-tread tires for extra traction. **COMPONENTS** Halfpipe MRX shifter and Shimano Altus 21-speed rear derailleur make it easy to adjust to the terrain. **COLOR** Boy's Blue/White

Mt. Track 220™

The kid-sized mountain bike that's made tough.



AGE RANGE: 9-12 YRS

24" WHEELS

Standover height of 25.5" [65cm]
Minimum pant inseam 27" [69cm]

FRAME Trek MTB air steel frame (medium). A real mountain bike, only smaller. **FORK** RST suspension fork (50mm travel) handles the bumps off-road. **WHEELS** Alloy rims with cross-tread tires for extra traction. **COMPONENTS** Halogen MXR shifter and Shimano D-ROS 21-speed rear derailleur make changing gears smooth and easy. **COLORS** Boy's Black/Red or Boy's Blue/Girl's Purple or Girl's Blue/Silver

Mt. Track 220™ | Boys Blue



Mt. Track 220™ | Girls Purple



Mt. Track 220™ | Girls Blue/Silver



Mt. Track 60+ | Boy's Silver/Black



Mt. Track 60™

It's time to shift gears, boys and girls.

AGE RANGE: 7-9 YRS
20" WHEELS

Standover height of 22.5" [57cm]
Minimum pant inseam 24" [61cm]

FRAME Trek MTB all-steel frame design. A real mountain bike, only smaller. **FORK** RST suspension fork (50mm travel) handles the bumps off-road. **WHEELS** Alloy rims with cross-tread tires for extra traction. **COMPONENTS** Grip Shift MRX shifter and Shimano Tourney 6-speed rear derailleur for smooth and easy gear changes. **COLORS** Boy's Silver/Black; Girl's Silver.

Mt. Track 60+ | Girl's Silver



Jet 20"/Mystic 20™

AGE RANGE: 6-7 YRS
20" WHEELS
Standover height of 21" [53cm]
Minimum pant inseam 22" [56cm]

FRAME Trek Y-BMX design. A true BMX bike made smaller. **FORK** Trek BMX style, built tough. **WHEELS** Alloy rims with cross-tread tires for extra traction. **COMPONENTS** A kid-sized hand brake and standard coaster brake with pads, chain guard to safely build confidence. Boy's model includes moto fenders; girl's includes basket and tassels. **COLORS** Boy's Black/Silver or Boy's Blue; Girl's Pearl White/Blue or Girl's Pink.

The true BMX bike for boys.

Jet 20+ | Boy's Black/Silver



Jet 20+ | Boy's Blue



Goodbye training wheels, hello fun.

Mystic 20™ | Girl's Pearl White/Blue



Mystic 20™ | Girl's Pink

Get out there and explore.

Jet 16™ | Boy's Red



Jet 16™/Mystic 16™

AGE RANGE: 4-6 YRS

16" WHEELS

Standover height of 18" [46cm]

Minimum pant inseam 19" [48cm]

FRAME All-steel Y design. Kid-proof and fun to ride. **FORK** Trek BMX style, built tough. **WHEELS** Steel rims with cross-tread tires for traction on all terrain. **COMPONENTS** Full cover chainguard and pads to safely build confidence. Boy's model includes moto fenders; girl's includes basket and tassels. **COLORS** Boy's Red or Boy's Blue; Girl's Pink or Girl's Purple

For little riders who want to go far.

Mystic 16™ | Girl's Purple



Jet 12™/Mystic 12™

AGE RANGE: 3-4 YRS

12" WHEELS

Standover height of 15.5" [39cm]

Minimum pant inseam 17" [43cm]

FRAME All-steel Y design. Kid-proof and fun to ride. **FORK** Trek BMX style, built tough. **WHEELS** Steel rims with cross-tread tires for traction on all terrain. **COMPONENTS** Full cover chainguard and pads to safely build confidence. Boy's model includes moto fenders; girl's includes basket and tassels. **COLORS** Boy's Black; Girl's Pink

Get ready for your first "real" bike.

Jet 12™ | Boy's Black



A first bike just for girls.

Mystic 12™ | Girl's Pink



Grommet 12™ / Surfer Girl 12™

AGE RANGE: 3-4 YRS

12" WHEELS

Standover height of 15.5" [39cm]

Minimum pant inseam 17" [43cm]

FRAME Trek all-steel Beach Cruiser design. **FORK** Trek Beach Cruiser style, all steel. **WHEELS** Steel rims with fat balloon tires look and ride smooth.

COMPONENTS Single-speed drivetrain. **COLORS** Boy's Ice Blue/Silver;

Girl's Light Metallic Blue/Silver

Grommet 12™ | Boy's Ice Blue/Silver



Surfer Girl 12™ | Light Metallic Blue/Silver



PEDAL TRAILERS

SHARE THE FUN OF BIKING – AND HELP YOUR KIDS GET THE FEEL FOR WHAT IT'LL BE LIKE TO RIDE ON THEIR OWN. SOME OF OUR PEDAL TRAILERS EVEN SPORT GRIP-SHIFTERS SO KIDS CAN PEDAL SMOOTHLY ON THE UPS AND DOWNS.

Mt. Train 247™ PEDAL TRAILER

Seven-speed shifting fun for the little one.



FRAME All-steel pedal trailer with a rugged folding frame design. **WHEEL** 24" rear wheel with alloy rim and hub. **COMPONENTS** GripShift MXR Plus shifter and Shimano TY-22 7-speed rear derailleur, adjustable stem, crossbar handlebar, and safety flag. **COLOR** Silver/Metallic Black

Mt. Train 241™ PEDAL TRAILER

Ready? Set? Go enjoy a ride together.



FRAME All-steel pedal trailer with a rugged folding frame design. **WHEEL** 24" rear wheel with alloy rim and hub. **COMPONENTS** Single speed, adjustable stem, crossbar handlebar, and safety flag. **COLOR** Silver/Metallic Blue

Mt. Train 206™ PEDAL TRAILER

Smaller wheel and six-speed shifting.



FRAME All-steel pedal trailer with a rugged folding frame design. **WHEEL** 20" rear wheel with alloy rim and hub. **COMPONENTS** GripShift shifter with Shimano TY-22 6-speed rear derailleur, adjustable stem, crossbar handlebar, and safety flag. **COLORS** Silver/Ice Red or Silver/Metallic Pewter

Mt. Train 201™ PEDAL TRAILER

Now younger kids can pedal along with you.



FRAME All-steel pedal trailer with a rugged folding frame design. **WHEEL** 20" rear wheel with alloy rim and hub. **COMPONENTS** Single speed, adjustable stem, crossbar handlebar, and safety flag. **COLOR** Silver/Ice Blue, Silver/Red, or Silver/Yellow

TRAILERS

NOW YOU CAN RIDE FOR FITNESS AND FUN WITH YOUR LITTLE ONES. TREK TRAILERS HAVE THE FEATURES TO KEEP YOUR CHILDREN SAFE AND COMFORTABLE WHEN THEY'RE ALONG FOR THE RIDE. SOME TRAILERS CAN EVEN BE CONVERTED WITH AN ADDITIONAL KIT INTO A JOGGER OR STROLLER.

Transit Deluxe™

Top-of-the-line child trailer.



- Converts into a jogger or stroller with additional kits.
- Quick-release alloy wheels for added convenience.
- Full wrap-around aluminum bash guard for added protection.
- Carries one or two children (100 lb. capacity).

Rocket™

A lightweight, single-passenger trailer.



- Converts into a high performance jogging trailer with kit.
- Equipped with a parking brake and quick-release front wheel.
- 75 lb. carrying capacity.

BMX

WHETHER YOU'RE CRUISING, PERFECTING NEW TRICKS, OR GOING VERTICAL, TREK BMX BIKES ARE BUILT TO TAKE A BEATING.

FREESTYLE

Designed to spin, grind, and stall all over your favorite landmarks or ramp park.

DIRT

Where BMX began – riding for speed and taking jumps in backyards, vacant lots, or tracks.



VERT 2™ FREESTYLE/AIR

The hardcore ramp and street rider.



FRAME: Cro-Moly mainframe design. Trek Air geometry blends the best of vert and street bikes. **FORK:** All Cro-Moly with 1-1/8" blades. **WHEELS:** Tall alloy rims with freestyle tires for traction on all terrain. **COMPONENTS:** Trek tubular Cro-Moly crank. Threadless stem system. Front and rear U-brakes. Trek steel pegs. **COLOR:** Black

VERT 1™ FREESTYLE/AIR

Ready to get tricky? This bike is.



FRAME: All steel design. Trek Air geometry blends the best of vert and street bikes. **FORK:** Freestyle with 1-1/8" blades. **WHEELS:** Alloy rims with freestyle tires for traction on all terrain. **COMPONENTS:** Trek forged 3-piece crank. Threadless stem system. Front and rear U-brakes. Trek steel pegs. **COLORS:** White or Blue



VERT 1™ | Blue

TR30™ DIRT

Quick-handling and fast, it's king of the dirt mountain.



FRAME: Trek dirt design with a tough Cro-Moly mainframe. **FORK:** Full Cro-Moly fork and superthick steer tube. **WHEELS:** Tall alloy rims with square knobby dirt tires for traction on all terrain. **COMPONENTS:** Trek tubular Cro-Moly crank takes the torque. Threadless stem system. Rear U-brake. Trek steel pegs. **COLOR:** Flat Blue

TR20™ DIRT

It would eat dirt for breakfast, if it ate breakfast.



FRAME: Trek dirt design with a tough Cro-Moly mainframe. **FORK:** Oversized 1-3/8" Cro-Moly blades and superthick steer tube. **WHEELS:** Alloy rims with square knobby dirt tires for traction on all terrain. **COMPONENTS:** Trek forged 3-piece crank takes the torque. Threadless stem system. Rear U-brake. Trek steel pegs. **COLOR:** White

TR10™ DIRT

Handles like a racer with the toughness of a dirt bike.



FRAME: Trek dirt design with an all-steel frame. Double-thick headtube and dropouts. **FORK:** Oversized 1-3/8" all-steel blades and superthick steer tube. **WHEELS:** Alloy rims with square knobby dirt tires for traction on all terrain. **COMPONENTS:** 175mm forged steel crank. Threadless stem system. Rear U-brake and front caliper brake. Trek steel pegs. **COLORS:** Blue or Black



TR10™ | Blue


USPS Team Time Trial



Front tube is measured from center of front tube top to center of seat tube.
at seat tube centerline.

	TRANS SIZE	S	H	L
	53-55cm	56-58cm	59-61cm	
HEAD ANGLE	72.0°	73.4°	73.9°	
SEAT ANGLE	73.6°	73.6°	73.7°	
EFF TOP TUBE	51.8	54.2	57.8	
CHAIN STAY	45.5	45.5	45.5	
BOTTOM BRACKET	26.8	26.8	26.8	
OFFSET	4.0	4.0	4.0	
WHEEL BASE	94.9	95.7	97.7	
STAND OVER	37.3	38.1	39.2	
FRONT	4.5	6.0	5.6	
TRAIL	2.7	2.4	2.2	
STAND OVER	76.8	75.8	76.8	
STAND OVER	32.2	32.2	32.2	



	TRANS SIZE	S	H	L	R
	53cm	56cm	59cm	62cm	65cm
HEAD ANGLE	72.0°	72.5°	73.0°	73.5°	74.0°
SEAT ANGLE	73.0°	73.0°	73.0°	73.0°	73.0°
EFF TOP TUBE	52.5	53.8	55.2	56.5	57.2
CHAIN STAY	45.0	45.0	45.0	45.0	45.0
BOTTOM BRACKET	26.7	26.7	26.7	26.7	26.7
OFFSET	4.3	4.3	4.3	4.3	4.3
WHEEL BASE	92.9	93.9	95.5	98.8	100.4
STAND OVER	32.5	32.5	32.5	32.5	32.7
FRONT	5.2	5.9	5.1	5.0	5.0
TRAIL	2.6	2.3	2.3	2.2	2.0
STAND OVER	74.0	75.4	76.9	79.9	82.4
STAND OVER	29.7	29.7	30.9	31.8	32.5



	TRANS SIZE	S	H	L	R
	53cm	56cm	59cm	62cm	65cm
HEAD ANGLE	73.0°	73.5°	73.0°	73.5°	74.0°
SEAT ANGLE	75.0°	75.0°	76.0°	76.5°	77.0°
EFF TOP TUBE	51.7	52.8	54.4	56.0	57.1
CHAIN STAY	45.5	47.1	47.7	48.7	49.7
BOTTOM BRACKET	26.4	26.8	27.2	27.6	28.0
OFFSET	4.5	4.5	4.5	4.5	4.5
WHEEL BASE	92.9	92.9	92.9	92.9	92.9
STAND OVER	32.5	32.5	32.5	32.5	32.5
FRONT	4.2	5.5	5.5	5.5	5.5
TRAIL	2.4	2.3	2.2	2.2	2.0
STAND OVER	74.3	75.7	77.2	79.2	80.0
STAND OVER	29.7	29.8	30.4	31.7	32.8

	TRANS SIZE	S	H	L	R
	43cm	47cm	51cm	54cm	56cm
HEAD ANGLE	72.5°	72.5°	72.5°	72.5°	72.5°
SEAT ANGLE	76.0°	75.0°	74.0°	73.0°	72.0°
EFF TOP TUBE	49.5	49.7	50.4	52.7	53.0
CHAIN STAY	41.1	41.6	42.0	42.1	42.1
BOTTOM BRACKET	25.2	25.2	25.2	25.4	25.4
OFFSET	3.8	3.8	3.8	4.5	4.5
WHEEL BASE	92.2	95.5	99.5	99.4	99.4
STAND OVER	31.5	31.6	32.4	32.0	32.0
FRONT	5.9	5.9	5.9	5.8	5.8
TRAIL	2.3	2.3	2.3	2.3	2.3
STAND OVER	75.2	77.1	78.2	77.3	78.2
STAND OVER	29.8	29.8	30.7	32.4	32.7

	TRANS SIZE	S	H	L	R
	43cm	45cm	47cm	50cm	52cm
HEAD ANGLE	71.0°	71.5°	71.0°	71.5°	71.0°
SEAT ANGLE	73.0°	73.0°	73.0°	73.5°	73.5°
EFF TOP TUBE	49.7	50.1	50.9	52.9	53.5
CHAIN STAY	41.6	41.6	41.6	41.7	41.7
BOTTOM BRACKET	25.5	25.5	25.6	25.6	25.6
OFFSET	4.7	4.7	4.7	4.7	4.7
WHEEL BASE	92.0	92.0	92.0	92.0	92.0
STAND OVER	31.4	31.4	31.4	31.5	31.5
FRONT	6.7	6.4	6.4	5.7	5.4
TRAIL	2.6	2.5	2.5	2.3	2.2
STAND OVER	74.6	74.0	73.5	72.0	72.7
STAND OVER	27.8	29.1	29.7	30.3	30.8



	TRANS SIZE	S	H	L	R
	53cm	56cm	59cm	62cm	65cm
HEAD ANGLE	73.5°	73.5°	73.5°	73.5°	73.5°
SEAT ANGLE	75.5°	75.5°	75.5°	75.5°	75.5°
EFF TOP TUBE	50.4	50.7	52.9	54.5	55.7
CHAIN STAY	42.8	43.5	43.5	43.5	43.5
BOTTOM BRACKET	27.9	28.9	30.9	32.9	34.4
OFFSET	3.9	3.9	3.9	3.9	3.9
WHEEL BASE	91.5	91.5	91.5	91.5	91.5
STAND OVER	32.0	32.0	32.0	32.0	32.0
FRONT	5.5	5.5	5.5	5.5	5.5
TRAIL	2.4	2.3	2.2	2.2	2.0
STAND OVER	74.3	77.7	80.4	83.2	85.6
STAND OVER	29.7	30.9	32.7	34.5	36.7



	TRANS SIZE	S	H	L	R
	53cm	56cm	59cm	62cm	65cm
HEAD ANGLE	71.0°	71.0°	71.0°	71.0°	71.0°
SEAT ANGLE	73.5°	73.5°	73.5°	73.5°	73.5°
EFF TOP TUBE	55.0	56.8	57.5	58.3	59.1
CHAIN STAY	42.3	42.3	42.3	42.3	42.3
BOTTOM BRACKET	27.0	27.0	27.0	27.0	27.0
OFFSET	4.2	4.2	4.2	4.2	4.2
WHEEL BASE	91.8	92.3	92.3	92.3	92.3
STAND OVER	30.3	30.3	30.3	30.3	30.3
FRONT	5.8	5.8	5.8	5.8	5.8
TRAIL	2.6	2.6	2.6	2.6	2.6
STAND OVER	74.3	75.0	75.0	75.0	75.0
STAND OVER	29.7	29.7	29.7	29.7	29.7

	TRANS SIZE	S	H	L	R
	43cm	47cm	51cm	54cm	56cm
HEAD ANGLE	72.0°	72.0°	72.0°	72.0°	72.0°
SEAT ANGLE	75.0°	74.0°	73.5°	73.0°	72.5°
EFF TOP TUBE	51.8	51.8	51.8	51.8	51.8
CHAIN STAY	42.4	42.4	42.4	42.4	42.4
BOTTOM BRACKET	27.7	27.7	27.7	27.7	27.7
OFFSET	4.2	4.2	4.2	4.2	4.2
WHEEL BASE	91.8	92.3	92.3	92.3	92.3
STAND OVER	30.3	30.3	30.3	30.3	30.3
FRONT	5.8	5.8	5.8	5.8	5.8
TRAIL	2.6	2.6	2.6	2.6	2.6
STAND OVER	74.3	75.0	75.0	75.0	75.0
STAND OVER	29.7	29.7	29.7	29.7	29.7



	TRANS SIZE	S	H	L	R
	53cm	56cm	59cm	62cm	65cm
HEAD ANGLE	85.5°	85.5°	85.5°	85.5°	85.5°
SEAT ANGLE	72.8°	72.8°	72.8°	72.8°	72.8°
EFF TOP TUBE	55.3	56.0	56.0	56.0	56.0
CHAIN STAY	43.0	43.0	43.0	43.0	43.0
BOTTOM BRACKET	27.7	27.7	27.7	27.7	27.7
OFFSET	2.3	2.3	2.3	2.3	2.3
WHEEL BASE	91.8	92.3	92.3	92.3	92.3
STAND OVER	30.3	30.3	30.3	30.3	30.3
FRONT	6.4	6.4	6.4	6.4	6.4
TRAIL	2.3	2.3	2.3	2.3	2.3
STAND OVER	74.3	75.0	75.0	75.0	75.0
STAND OVER	29.7	29.7	29.7	29.7	29.7



Road

	PERFORMANCE	RIB USPS Team TT	F10 5900	F14 5500	F16 5200	F18 5200 WSD	F20 2300	F22 2300 WSD	F24 2200	F26 2200 WSD	F28 2000
SIZES	(S) 53-55cm, (M) 55-57cm, (L) 57-59cm	(XS) 50cm, (S) 52cm, (M) 54cm, (L) 56cm, (XL) 58cm	(XS) 50cm, (S) 52cm, (M) 54cm, (L) 56cm, (XL) 58cm	(XS) 47cm, (M) 51cm, (L) 54cm, (XL) 56cm	(XS) 50cm, (S) 52cm, (M) 54cm, (L) 56cm, (XL) 58cm	(XS) 47cm, (M) 51cm, (L) 54cm, (XL) 56cm	(XS) 50cm, (S) 52cm, (M) 54cm, (L) 56cm, (XL) 58cm	(XS) 47cm, (M) 51cm, (L) 54cm, (XL) 56cm	(XS) 50cm, (S) 52cm, (M) 54cm, (L) 56cm, (XL) 58cm	(XS) 50cm, (S) 52cm, (M) 54cm, (L) 56cm, (XL) 58cm	
COLORS	Gloss Black/Bright Silver (USPS Team)	Titanium Black/Bright Silver (USPS Team)	Pearl Red, Removable available in Blue Dusk/Bright Silver (USPS Team)	Blue Dusk/Bright Silver (USPS Team) or Black Pearl Carbon	Black Pearl Carbon	Blue Dusk/Bright Silver (USPS Team)	Camelot Blue	Titanite Black	Pearl White	Bright Silver	
FRAME	OCLV HC Carbon. The lightest, strongest frame material in the world. Proven by the USPS team in the Tour de France. OCLV Carbon plus stiff Honeycomb Nomex between carbon layers. Race proven, wind tunnel tested. 1" head tube. Aero down tube, steeper seat tube and flared chainstays for a powerful aerodynamic position. Handmade in the USA.	OCLV 103 Carbon. The lightest, strongest frame material in the world. Proven by the USPS team in the Tour de France. 100 grams lighter than the 1999 Tour winner. Optimum Compaction Low Void carbon. 100 grams of carbon fiber per square meter of OCLV material. 100% carbon fiber. 100% square meter of OCLV material. 100% head tube. Trek Pro Race geometry. Handmade in the USA.	OCLV 103 Carbon. The lightest, strongest frame material in the world. Proven by the USPS team in the Tour de France. 100 grams lighter than the 1999 Tour winner. Optimum Compaction Low Void carbon. 100 grams of carbon fiber per square meter of OCLV material. 100% head tube. Trek Pro Race geometry. Handmade in the USA.	OCLV 120 Carbon. Women's Specific. Design. The lightest, strongest frame material in the world. Proven by the USPS team in the Tour de France. 100 grams lighter than the 1999 Tour winner. Optimum Compaction Low Void carbon. 100 grams of carbon fiber per square meter of OCLV material. 100% head tube. Trek Pro geometry. Handmade in the USA.	28.9000 R/Fay: double butted, large diameter, thin wall, seamless drawn tubing. Custom butted M3" head tube. T-Buck seat stay. Shift, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro geometry. Handmade in the USA.	2R 9000 AHS: Women's Specific. Double butted, large diameter, thin wall, seamless drawn tubing. Custom butted M3" head tube. Shift, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. WSD geometry. Handmade in the USA.	Alpha SL Aluminum. Super light aluminum design. Double butted, seamless drawn round tubing. Custom butted M3" head tube. Shift, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro geometry. Handmade in the USA.	Alpha SL Aluminum. Women's Specific. Double butted, seamless drawn round tubing. Custom butted M3" head tube. Shift, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro geometry. Handmade in the USA.	Alpha SL Aluminum. Super light aluminum design. Super light aluminum. Double butted, seamless drawn tubing. Custom butted M3" head tube. Shift, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro geometry. Handmade in the USA.		
FORK	Tire Choco II"	Bontrager Race X Lite, OCLV 103 Carbon, 1-1/8" aluminum steerer tube, carbon crown	Bontrager Race Lite, OCLV 103 Carbon, 1-1/8" aluminum steerer tube, aluminum crown	Bontrager Race Lite, OCLV 103 Carbon, 1-1/8" aluminum steerer tube, aluminum crown	Bontrager Race Lite, OCLV 103 Carbon, 1-1/8" aluminum steerer tube, aluminum crown	Bontrager Race Lite, OCLV 103 Carbon, 1-1/8" aluminum steerer tube, aluminum crown	Bontrager Race Lite, OCLV Carbon, 1-1/8" aluminum steerer tube, aluminum crown	Bontrager Race Lite, OCLV Carbon, 1-1/8" aluminum steerer tube, aluminum crown	Bontrager Race, OCLV Carbon, 1-1/8" aluminum steerer tube, aluminum crown	Bontrager Race, OCLV Carbon, 1-1/8" aluminum steerer tube, aluminum crown	
REAR SHOCK											
WHEELS	Bontrager Race X Lite Aero; Exceptionally aerodynamic wheels; 30mm alloy rim welded for strength and matched for smooth braking. Fully serviceable. Swiss made hubs. Bladed spokes. Race X Lite Titanium skewers: 770 g, 16 front/ 930 g, 16 rear	Bontrager Race X Lite; Supreme all-around racing wheelset. 23mm semi-deep front rim provides excellent aero; 23mm rear rim w/DSB improves lateral rigidity, prolongs wheel life. Fully serviceable Swiss made rear hub with cartridge and needle bearings; Cro-Moly skewers: 810, 16 front; spokes: 760 g, 20g front/1020 g, 24g rear	Bontrager Race Lite; 23mm semi-deep front rim provides excellent aero; 23mm rear rim w/DSB improves lateral rigidity, prolongs wheel life. Fully serviceable Swiss made rear hub with cartridge and needle bearings;	Bontrager Race Lite; 23mm semi-deep front rim provides excellent aero; 23mm rear rim w/DSB improves lateral rigidity, prolongs wheel life. Fully serviceable Swiss made rear hub with cartridge and needle bearings;	Bontrager Race Lite; 23mm semi-deep front rim provides excellent aero; 23mm rear rim w/DSB improves lateral rigidity, prolongs wheel life. Fully serviceable Swiss made rear hub with cartridge and needle bearings;	Bontrager Race Lite; 23mm semi-deep front rim provides excellent aero; 23mm rear rim w/DSB improves lateral rigidity, prolongs wheel life. Fully serviceable Swiss made rear hub with cartridge and needle bearings;	Bontrager Race Lite; 23mm semi-deep front rim provides excellent aero; 23mm rear rim w/DSB improves lateral rigidity, prolongs wheel life. Fully serviceable Swiss made rear hub with cartridge and needle bearings;	Bontrager Select; Faded Spoke Technology™. Torque sharing super-stiff rear hub. Semi-deep front rim is deep yet forgiving. Rear rim w/DSB improves lateral rigidity, prolongs wheel life. Double butted M75 DT spokes;	Bontrager Select; Faded Spoke Technology™. Torque sharing super-stiff rear hub. Semi-deep front rim is deep yet forgiving. Rear rim w/DSB improves lateral rigidity, prolongs wheel life. Double butted M75 DT spokes;	Bontrager Select; Faded Spoke Technology™. Torque sharing super-stiff rear hub. Semi-deep front rim is deep yet forgiving. Rear rim w/DSB improves lateral rigidity, prolongs wheel life. Double butted M75 DT spokes;	Matri Europa, welded machined sidewall rim; Shimano Tigra, 38h hubs; 160 stainless spokes
TIRES	Bontrager Race X Lite, folding, 700x23c	Bontrager Race X Lite, folding, 700x23c	Bontrager Race X Lite, folding, 700x23c	Bontrager Race X Lite, folding, 700x23c	Bontrager Race X Lite, folding, 700x23c	Bontrager Race X Lite, folding, 700x23c	Bontrager Race X Lite, folding, 700x23c	Bontrager Race X Lite, folding, 700x23c	Bontrager Race X Lite, folding, 700x23c	Bontrager Race X Lite, folding, 700x23c	Bontrager Select, RHD 25c
SADDLE	Selle San Marco Era Luna, Cro-Moly rails	Selle San Marco Aspide Team, titanium rails	Selle San Marco Era Luna, Cro-Moly rails	Selle San Marco Era Luna, Cro-Moly rails, leather/gel	Bontrager F5 2000 WSD Cro-Moly rails,	Selle San Marco Era Luna, Cro-Moly rails, leather/gel	Bontrager F5 2000 WSD Cro-Moly rails,	Trek CR+ Road, Cro-Moly rails	Bontrager F5 2000 WSD, Cro-Moly rails	Trek CR+ Road, Cro-Moly rails	
SEATPOST	Thomson Elite cutout	Thomson Elite	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Alloy micro adjust
HANDLEBARS	Bontrager Race, bulhorn	Bontrager Race Lite	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Alloy road grips band
STEM	Bontrager Race, 7"	Bontrager Race Lite, 7"	Bontrager Race, 7"	Bontrager Race, 7"	Bontrager Race, 7"	Bontrager Race, 7"	Bontrager Race, 7"	Bontrager Race, 7"	Bontrager Race, 7"	Bontrager Race, 7"	Aero AHS, 7"
HEADSET	Cane Creek C11" AHS Aero Superlight Beading system	Cane Creek S2 1-1/8" AHS	Cane Creek S2 1-1/8" AHS	Cane Creek S2 1-1/8" AHS	Cane Creek S2 1-1/8" AHS	Cane Creek IS 1-1/8" AHS	Cane Creek IS 1-1/8" AHS	Cane Creek C1 1-1/8" AHS	Cane Creek C1 1-1/8" AHS	Cane Creek C1 1-1/8" AHS	AHS 1-1/8" semi cartridge, sealed
SHIFTERS	Shimano Dura-Ace bar and control	Shimano Dura-Ace	Shimano Dura-Ace	Shimano Ultegra STI	Shimano "reach adjustable" Ultegra STI	Shimano Ultegra STI	Shimano Ultegra STI	Shimano "reach adjustable" Ultegra STI	Shimano Ultegra STI	Shimano Ultegra STI	Shimano 105
FRONT DERAILLEUR	Shimano Ultegra	Shimano Dura-Ace	Shimano Dura-Ace	Shimano Ultegra	Shimano Ultegra	Shimano Ultegra	Shimano Ultegra	Shimano 105	Shimano 105	Shimano Ultegra	
REAR DERAILLEUR	Shimano Ultegra	Shimano Dura-Ace	Shimano Dura-Ace	Shimano Ultegra	Shimano Ultegra	Shimano Ultegra	Shimano Ultegra	Shimano Ultegra	Shimano Ultegra	Shimano Ultegra	
CRANKSET	Shimano Ultegra 53/39	Shimano Dura-Ace 53/39	Shimano Dura-Ace 53/39	Shimano Ultegra 53/39 or 53/39/30	Shimano Ultegra 58/40/30	Shimano Ultegra 58/40/30	Shimano Ultegra 58/40/30	Shimano Ultegra 58/40/30	Shimano Ultegra 58/40/30	Shimano Ultegra 58/40/30	Shimano Ultegra 58/40/30
CASSETTE	Shimano Ultegra 12-21, 9spd	Shimano Dura-Ace 12-23, 9spd	Shimano Dura-Ace 12-23, 9spd	Shimano Ultegra 12-25, 9spd	Shimano Ultegra 12-25, 9spd	Shimano Ultegra 12-25, 9spd	Shimano Ultegra 12-25, 9spd	Shimano HG-70 12-25, 9spd	Shimano HG-70 12-25, 9spd	Shimano HG-70 12-25, 9spd	Shimano HG-70 12-25, 9spd
BRAKESSET	Shimano Ultegra 6700 w/Dura-ACE 280 Auto levers	Shimano Dura-Ace w/Shimano Dura-Ace levers	Shimano Dura-Ace w/Shimano Dura-Ace levers	Shimano Ultegra w/Shimano Ultegra STI levers	Shimano Ultegra w/Shimano "reach adjustable" Ultegra STI levers	Shimano Ultegra w/Shimano Ultegra STI levers	Shimano Ultegra w/Shimano Ultegra STI levers	Shimano 105 w/Shimano Ultegra STI levers	Shimano 105 w/Shimano Ultegra STI levers	Shimano 105 w/Shimano Ultegra STI levers	Alloy dual pivot w/ Shimano 105 STI levers
PEDALS											
EXTRAS	Profile clip-on bars										

European Central Office Bikeurope B.V. Tel: 31 33 45 09 060 Fax: 31 33 45 64 825

Germany Trek Bicycle GmbH Tel: 49 6103 50700 Fax: 49 6103 74741

Japan Trek Japan Corporation Tel: (81) 78 413 6606 Fax: (81) 78 413 6607

Fax: (31) 33 45 65 383

Spain Trek Bicycle S.L. Tel: (34) 91 654 9011 Fax: (34) 91 654 6819

Switzerland Trek Fahrrad AG Tel: (41) 1 735 8585 Fax: (41) 1 735 8575

United Kingdom Trek Bicycle Corporation Ltd. Tel: (44) 1908 282 626 Fax: (44) 1908 285 006

SUBSIDIARIES

Austria Fahrradhandel Gesellschaft mbH Tel: (43) 524 272 440 Fax: (43) 524 272 440

Netherlands Bikeurope B.V. Tel: (31) 33 45 09 040

Fax: (31) 33 45 65 383

Aruba Tri-Bike Aruba Tel: 2978 52734 Fax: 2978 50609

Australia Trek Bicycle Australia Tel: 61 99 299 7444

Model No.	1200/ 1200 flat Bar	1000/ 1000 Flat Bar	ROAD COMFORT			XC	XC 1	LOADED TOURING	TANDEM			
			1200C	1200C	1000C				T20	T20	T 2000	T 1000
1010.103	(S) 40cm, 45cm, (M) 50cm, (L) 55cm, (XL) 60cm*	(S) 50cm, (S) 52cm, (S) 55cm, (M) 56cm, (M) 58cm, (L) 60cm*	(S) 42cm, (S) 50cm, (S) 52cm, (M) 56cm, (M) 58cm, (L) 60cm*	(S) 50cm, (S) 54cm, (M) 58cm, (L) 63cm	(S) 50cm, (S) 54cm, (M) 58cm, (L) 63cm	(S) 50cm, (M) 58cm, (L) 54cm, (XL) 56cm, (XXL) 58cm	(S) 50cm, (M) 58cm, (L) 54cm, (XL) 56cm, (XXL) 58cm	(S) 50cm, (M) 58cm, (L) 54cm, (XL) 56cm, (XXL) 58cm	(S) 54/43-56cm, (M) 56/43-56cm, (L) 58/43-56cm	(S) 54/43-56cm, (M) 56/43-56cm, (L) 58/43-56cm	185/45*	
Special Blue	Baja Blue	Starry Night Black or Candy Red/Pearl White (Finish available only in Starry Night Black)	Coastal Blue	Bright Silver	Suds Blue	Starry Night Black	Rainforest Green	Coastal Blue	Starry Night Black	Midnight Blue		
Alpha SL Aluminum, Women's Specific Geometry, Super Light aluminum. Double butted, seamless drawn round tubing. Custom butted 1 1/8" head tube, 50mm, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro geometry. Handmade in the USA.	Alpha SL Aluminum. Super Light aluminum. Double butted, seamless drawn round tubing. Custom butted 1 1/8" head tube, 50mm, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro geometry. Handmade in the USA.	Alpha Aluminum. Seamless drawn round tubing. Custom butted 1 1/8" head tube, 50mm, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Road Comfort geometry.	Alpha Aluminum. Seamless drawn round tubing. Custom butted 1 1/8" head tube, 50mm, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Road Comfort geometry.	Alpha Aluminum. Seamless drawn round tubing. Custom butted 1 1/8" head tube, 50mm, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Road Comfort geometry.	Alpha SL Aluminum. Super Light aluminum. Cross Specific Frame. Double butted, seamless drawn round tubing. Custom butted 1 1/8" head tube, 50mm, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Road Comfort geometry.	Trek Cro-Moly. High grade Trekking headset double butted Cro- Moly steel. Excellent shock absorption. Handmade in the USA.	28 9000 Alloy. Double butted, large diameter, thinwall, seamless drawn tubing. Custom butted 1 1/8" head tube. Seamless round boom tube, large radius chainstays, cold forged replaceable derailleur hanger, multi- brake compatibility. Trek Sport touring geometry. Handmade in the USA.	ER 1000 Alloy. Double butted, large diameter, thinwall, seamless drawn tubing. Custom butted 1 1/8" head tube. Seamless round boom tube, large radius chainstays, cold forged replaceable derailleur hanger, multi- brake compatibility. Trek Sport touring geometry. Handmade in the USA.	Alpha Aluminum. Overized power tubes. Whiteface monostay. Accessory Port.			
Surgeon Rate, OCV Carbon, 1 1/8", alloy steerer tube; aluminum crown	Bontrager Race, OCV Carbon, 1 1/8", alloy steerer tube; aluminum crown	Alloy/valley steerer	Bontrager Race, OCV Carbon, 1 1/8", alloy steerer tube; aluminum crown	Bontrager Race, OCV Carbon, 1 1/8", alloy steerer tube; aluminum crown	Alloy/valley steerer	May Cross Specific valley steerer	Trek triple butted Cro-Moly	Trek triple butted Cro-Moly	Trek triple butted Cro-Moly			
Nutri Aurora, welded, machined sidewall rim; alloy quick release hubs; 145 stainless spokes	Matrix Aurora, welded, machined sidewall rim; alloy quick release hubs; 145 stainless spokes	Alex AT450 w/stainless steel eyelet rims; alloy hub; 36 stainless; black spokes	Bontrager Select: Pair'd Spoke Technology™, force sharing super-stiff rear hub. Semi-deep front rim. 14 mm rear tire. 210g, 100psi wheel life. Double butted 14/15 QT spokes; Cro-Moly steamer: 833 g. 200 front/2020 g. 201 rear	Matrix Aurora, welded, machined sidewall rim; alloy quick release hubs; 145 stainless spokes	Alex AT450 rims w/stainless steel eyelets; alloy hub; 150 stainless spokes	Matrix Aurora, welded, machined sidewall rim; alloy quick release hubs; 145 stainless spokes	Bontrager Fireline rim; Shimano Deore 14 hub; 145 stainless spokes	Bontrager Race Lite Tandem wheelset; Shimano Deore XT 14 hub; 145 stainless spokes	Bontrager Clydesdale Tandem wheelset; Shimano Deore XLT 14 hub; 145 stainless spokes	Bontrager Clydesdale Tandem wheelset; Shimano Deore XLT 14 hub; 145 stainless spokes	Alta TA19, 40 hole rim w/stainless steel eyelets; alloy hub; 145 stainless; black spokes	
Bontrager Select, 700x25c	Bontrager Select, 700x25c	Bontrager Select, 700x25c	Bontrager Select K, 700x30c	Bontrager Select K, 700x28c	Bontrager Select, 700x28c	Bontrager Jones CX, 700x30c, 127pi	Bontrager Select, 700x30c	Continental Ultra 3000, kevlar bead, 705x28c	IRC Dunn Tour, 700x35c	Continental Ultra K, 26x195		
Bontrager FS 2000 KX	Trek CR2+ Road	Trek CR2+ Road	Trek CR2+	Trek CR2+	Trek CR2+	Trek FS 2000	Trek CR2+ Road	Bontrager FS 2000/2000 NSB; Cro-Moly rims, leather	Bontrager FS 2000/2000 NSB	Bontrager FS 2000/2000 NSB	Trek Webbing/ suspension comfort lightning light	
Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alice suspension	Alloy suspension	Alice suspension	Bontrager Sport	Bontrager Sport	Bontrager Select/Susp.	Bontrager Select/Susp.	Alloy/Suspension		
Alloy road wheel hub	Alloy road wheel/bend or Bontrager Select	Alloy road wheel/bend or Bontrager Select	Bontrager Comfort road	Bontrager Comfort road	Bontrager Road	Bontrager Select	Bontrager Race Lite/ CX Race	Bontrager Race Lite/ CX Race	Bontrager Select	50mm rise front; 60mm rise rear		
Alloy AHS, 17"	Alloy AHS, 17" or Bontrager Sport, 15"	Alloy AHS, 17"	Alloy AHS, adjustable rims	Alloy AHS, adjustable rims	Alloy AHS, adjustable rims	Bontrager Sport, 17"	Bontrager Race, 17"	Bontrager Race Lite/ Alloy Tandem Master	Bontrager Sport/ Alloy Stoker	Alloy AHS, adjustable rims		
AHS 1 1/8" semi cartridge, sealed	AHS 1 1/8" semi cartridge, sealed	AHS 1 1/8", sealed	Cane Creek C1 1 1/8" AHS	AHS 1 1/8" semi cartridge, sealed	AHS 1 1/8" semi cartridge, sealed	KHS 1 1/8" semi cartridge, sealed	Cane Creek C1 1 1/8" AHS	Cane Creek S-6 1 1/8" AHS	AHS 1 1/8" alloy cups, semi cartridge, sealed	AHS 1 1/8" semi cartridge, sealed		
Shimano 105	Shimano Tiagra or R400 Rapidfire	Shimano Sora STI or Shimano 220	Shimano Ultegra STI	Shimano Tiagra	Shimano Sora STI	Shimano Sora	Shimano Dura-Ace, bar end control	Shimano Ultegra STI	Shimano St, R400, 990d	Shimano MXR Plus		
Shimano Tiagra	Shimano Tiagra or Shimano 2400	Shimano Sora or Shimano 2400	Shimano 105	Shimano Tiagra	Shimano Sora	Shimano Sora	Shimano 105	Shimano Ultegra	Shimano Tiagra	Shimano 105		
Shimano 105	Shimano Tiagra	Shimano Sora	Shimano Ultegra	Shimano Tiagra	Shimano Sora	Shimano Sora	Shimano Ultegra LX	Shimano XTR	Shimano Di2 XT	Shimano Deore		
Shimano 105/105/10	Shimano Tiagra	Shimano Sora	Shimano Ultegra STI/10/30	Shimano Tiagra	Shimano Sora	Shimano Sora	Shimano 105/10/27/30	Shimano Ultegra	Shimano 105/Tandem 53/42/30	Shimano 105/Tandem 53/42/30	Shimano 48/38/28 hub/brake	
Shimano HG-50 12-25, Road	Shimano HG-50 12-25, Road	SRAM 5.0 12-28, 8spd	Shimano HG-70 12-25, 8spd	Shimano HG-50 12-25, 8spd	Shimano HG-70 12-25, 8spd	SRAM 10 12-28, 8spd	Shimano HG-70 12-24, 8spd	Shimano HG-70 12-24, 8spd	Shimano HG-70 12-24, 8spd	SRAM 5.0 12-28, 8spd		
Alloy dual pivot w/ Shimano 105 SR levers	Alloy dual pivot w/ Shimano Tiagra or Shimano 4400 levers	Alloy dual pivot w/ Shimano 4400 levers	Shimano 105 w/Shimano Ultegra STI and bar top levers	Alloy dual pivot w/ Shimano Tiagra and bar top levers	Alloy dual pivot w/ Shimano Sora and bar top levers	Avid Shorty 4 w/ Shimano Tiagra STI levers	Avid SOS linear pull w/Shimano Ultegra STI levers	Avid Shorty 6 w/ Shimano Ultegra STI levers	Avid SOS linear pull w/Shimano Ultegra STI levers	ProMax forged V brake w/levers		
Shimano M55, clipless	Alloy road, sealed wings and stock	Alloy/carbon road w/clipless	Shimano M55, clipless	Alloy w/clip and straps	Alloy/nylon road w/clip and straps	Shimano M55, clipless	Shimano M55, clipless			Pad/clip w/clip and straps	Dual density platform	
			Bar top brake levers, gtf handlebar tape	Bar top brake levers, gtf handlebar tape	Bar top knifel levers, gtf handlebar tape					Caro Creek dummy levers	Caro Creek Ergo bar ends	

Fax: 61 29 290 3860 ■ Bahrain Skate Shack Tel: 973 581942 Fax: 973 717058 ■ Bermuda Winner's Edge Tel: 441 295 6012 Fax: 441 292 1904 ■ Bolivia Bicicletas Tel: 591 279 4362 Fax: 591 241 2291

■ Brazil International Sports do Brazil Tel: (5511) 3662 5355 Fax: (5511) 3862 5355 ■ Bulgaria Pro Bike Tel: 359 2 981 8852 Fax: 359 2 981 8852 ■ Canary Islands Adolfo Suárez S.A. Tel: 349 28 22 68 12

Fax: 349 28 48 37 77 ■ Chile Sparta Deportes Limitada Tel: 56-2-5604777 Fax: 56-2-5572850 ■ Colombia Sport & Bike (Bike House) Tel: 574 262 3223 Fax: 574 262 2880 ■ Costa Rica Milmo Tel: 506 296 3383

Fax: 506 220 3580 ■ Croatia Rog Joma Tel: 385 1 2304 331 Fax: 385 1 233 9337 ■ Cyprus Goodtimes Ltd. Tel: 357 235 6673 Fax: 357 266 1027 ■ Czech Republic Bretton S.R.O. Tel: 20 2 795 20 05

*Flat bar option not available in all sizes.

Mountain

	XC FULL SUSPENSION									
	Liquid 30	Liquid 20	Liquid 10	Fuel 100	Fuel 98	Fuel 90 Disc	Fuel 90	Fuel 90 WSD	Fuel 80	Y 26
SIZES	(H) 15.5", (W) 22.5", (L) 19.5", (X) 21.5"	(H) 15.5", (W) 17.5", (L) 19.5", (X) 21.5"	(H) 15.5", (W) 15.5", (L) 19.5", (X) 21.5"	(H) 15.5", (W) 17.5", (L) 19.5", (X) 21.5"	(H) 15.5", (W) 17.5", (L) 19.5", (X) 21.5"	(H) 15.5", (W) 17.5", (L) 19.5", (X) 21.5"	(H) 15.5", (W) 17.5", (L) 19.5", (X) 21.5"	(H) 15.5", (W) 17.5", (L) 19.5", (X) 21.5"	(H) 15.5", (W) 17.5", (L) 19.5", (X) 21.5"	
COLORS	Starry Night Black	Star Blue	Bright Silver	Star Blue/Bright Silver	Starry Night Black	Starry Night Black/Bright Silver	Starry Night Black/Bright Silver	Midnight Blue/Gloss White	Trek Red/Starry Night Black	Gold Brushed/Trek Red
FRAME	ZR 9000 Alloy, Double butted seamless drawn tubing. Custom butted head tube. Biaxial down tube. Triangulated Rocker Link design. Black Magic composite seatstays. Liquid geometry adjusts to changing terrain. Handmade in the USA.	ZR 9000 Alloy, Double butted seamless drawn tubing. Custom butted head tube. Biaxial down tube. Triangulated Rocker Link design. Black Magic composite seatstays. Liquid geometry adjusts to changing terrain. Handmade in the USA.	ZR 9000 Alloy, Double butted seamless drawn tubing. Custom butted head tube. Biaxial down tube. Triangulated Rocker Link design. Black Magic composite seatstays. Liquid geometry adjusts to changing terrain. Handmade in the USA.	OCLV 100 Carbon. Trek/Star Team tested. The world's lightest, strongest frame material. Optimum Compaction Low Void carbon fiber porosity of 100 grams of carbon fiber per square meter of OCLV material. Trek Pro Race geometry. Handmade in the USA.	OCLV 100 Carbon. Trek/Star Team tested. The world's lightest, strongest frame material. Optimum Compaction Low Void carbon fiber porosity of 100 grams of carbon fiber per square meter of OCLV material. Trek Pro Race geometry. Handmade in the USA.	ZR 9000 Alloy, World Cup tested. Double butted seamless drawn tubing. Custom butted head tube. Biaxial down tube. Triangulated Rocker Link. Disc/O-disk brake mount. Cold forged replaceable detail hub hanger. Trek Pro Race geometry. Handmade in the USA.	ZR 9000 Alloy, World Cup tested. Double butted seamless drawn tubing. Custom butted head tube. Biaxial down tube. Triangulated Rocker Link. Disc/O-disk brake mount. Cold forged replaceable detail hub hanger. Trek Pro Race geometry. Handmade in the USA.	ZR 9000 Alloy, Women's Specific Design. Double butted seamless drawn tubing. Custom butted head tube. Biaxial down tube. Triangulated Rocker Link. Disc/O-disk brake mount. Cold forged replaceable detail hub hanger. Trek Pro Race geometry. Handmade in the USA.	ZR 9000 Alloy, World Cup tested. Double butted seamless drawn tubing. Custom butted head tube. Biaxial down tube. Triangulated Rocker Link. Disc/O-disk brake mount. Cold forged replaceable detail hub hanger. Trek Pro Race geometry. Handmade in the USA.	
FORK	Fox Tires RL air spring, self-adjusting negative travel adjust, lockout, 80/125mm air travel	Fox Shox Fury LC, 30mm air, HC2 damping, travel gradients, 80/125mm travel	Fox Shox Fury LC, 30mm air, HC2 damping, travel gradients, 80/125mm travel	Fox Shox 90 World Cup, All Travel, 65/80mm, Dual Air, external rebound control, compression control, Pure damping	Fox Shox 90 Race, All Travel 65/80mm, Dual Air, external rebound control, Pure Deltabeam damping	Fox Shox Duke 45, hydro air, HC2 damping, 30mm upper tubes, external rebound adjust, 60mm travel	Fox Shox Duke XC, hydro air, HC2 damping, 30mm upper tubes, external rebound adjust, 60mm travel	Fox Shox Duke AC, hydro air, HC2 damping, 30mm upper tubes, external rebound adjust, 60mm travel	Fox Shox Pilot XL Air Assist preload, HC2 damping, adjustable stem, chromed uppers, 80mm travel	
REAR SHOCK	Fox Tires RL air spring, self-adjusting negative travel adjust on shock, adjustable rebound, lockout	Fox Tires RL air spring, self-adjusting negative travel adjust on shock, adjustable rebound	Fox Tires RL air spring, self-adjusting negative travel adjust on shock, adjustable rebound	SD Lockout dual air spring, hydraulic damping, lockout	Fox Float RL air spring, self-adjusting negative spring, rebound adjusting knob, Ni charged	Fox Float RL air spring, self-adjusting negative spring, rebound adjusting knob, Ni charged	Fox Float RL air spring, self-adjusting negative spring, rebound adjusting knob, Ni charged	Fox Float RL air spring, self-adjusting negative spring, factory tuned rebound, Ni charged	Fox Float RL air spring, self-adjusting negative spring, factory tuned rebound, Ni charged	
WHEELS	Bontrager Race Lite, Disc Tubulars; Trek/Yaw Team wheel. One of the lightest sets available. Durable and World Class hub, uses a regular hubset or tubulars tires for increased control and reduced flats. Swiss-made hubs. Race Yaw skewers. 625 g. 26h front/ 635 g. 26h rear/ 1050 g. 36h rear	Bontrager Race Disc, Trek Regional Team wheel. Disc-specific rim, waded for huge strength. Bontrager 650 Disc Race hub. Race Yaw hub, sealed cartridge bearing hub. International standard spoke tensioning system. Race Yaw skewers. 760 g. 24h front/ 1045 g. 26h rear	Bontrager Race Lite Tubulars; Supreme all-around racing wheelset; completely hand-tuned 1 with 288000 rpm material. 658 rear rim design, end Bontrager Tubular sealing system. Swiss-made hubs. Race Lite skewers; 710 g. 26h front/ 915 g. 26h rear	Bontrager Select, durable welded rims, machined for smooth braking. 658 rear rim provides good stiffness for any size rider. 658 ATB rear hub design balanced spoke tracing angles for improved lateral wheel rigidity. Bontrager skewers. 760 g. 26h front/ 1045 g. 26h rear	Bontrager Select, durable welded rims, machined for smooth braking. 658 rear rim provides good stiffness for any size rider. 658 ATB rear hub design balanced spoke tracing angles for improved lateral wheel rigidity. Bontrager skewers. 760 g. 26h front/ 1045 g. 26h rear	Bontrager Select, durable welded rims, machined for smooth braking. 658 rear rim provides good stiffness for any size rider. 658 ATB rear hub design balanced spoke tracing angles for improved lateral wheel rigidity. Bontrager skewers. 760 g. 26h front/ 1045 g. 26h rear	Bontrager Select, durable welded rims, machined for smooth braking. 658 rear rim provides good stiffness for any size rider. 658 ATB rear hub design balanced spoke tracing angles for improved lateral wheel rigidity. Bontrager skewers. 760 g. 26h front/ 1045 g. 26h rear	Bontrager Corval, welded, machined sidewall clinch, Shimano 9-speed + rear, alloy quick release front hub, 145 stainless spokes	Matrix 150 rims; Shimano RM40-T rear; alloy front hub; 165 black spokes	
TIRES	HRC Trail/Brake folding, 13tpi, 26x2.25"	HRC Trail/Brake, folding, 26x2.25"	HRC Trail/Brake, folding, 26x2.25"	Bontrager Super X, 17tpi, 26x4.00	Bontrager Super X, 17tpi, 26x4.00	Bontrager Jones AC, folding, 26x4.00	Bontrager Jones AC, folding, 26x4.00	Bontrager Jones AC, folding, 26x4.00	Bontrager Jones AC, 26x4.00	
SADDLE	Bontrager FS 2000, Cro-Mo rails, leather	Bontrager FS 2000, Cro-Mo rails	Bontrager FS 2000	Selle San Marco, Alpide Ti.	Bontrager FS 2000, Cro-Mo rails, leather	Bontrager FS 2000, Cro-Mo rails	Bontrager FS 2000, Cro-Mo rails	Bontrager FS 2000, Cro-Mo rails	Bontrager FS 2000, Cro-Mo rails	
SEATPOST	Bontrager Race	Bontrager Select	Bontrager Sport	Tranzon Elite	Bontrager Race	Bontrager Select	Bontrager Select	Bontrager Sport	Bontrager Sport	
HANDLEBARS	Bontrager Crowbar Race	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Race L7a	Bontrager Race	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	
STEM	Bontrager Race, 7"	Bontrager Select, 10"	Bontrager Sport, 15"	Bontrager Race, 7"	Bontrager Race, 7"	Bontrager Select, 10"	Bontrager Select, 10"	Bontrager Sport, 15"	Bontrager Sport, 15"	
HEADSET	AHS 1-1/8" alloy cup, semi cartridge, sealed	AHS 1-1/8" alloy cup, semi cartridge, sealed	AHS FOB semi cartridge, sealed	Cane Creek 1-1/8" 1-1/8" alloy cup, semi cartridge, sealed	AHS 1-1/8" alloy cup, semi cartridge, sealed	AHS 1-1/8" alloy cup, semi cartridge, sealed	AHS 1-1/8" alloy cup, semi cartridge, sealed	AHS 1-1/8" semi cartridge, sealed	AHS 1-1/8" semi cartridge, sealed	
SHIFTERS	Shimano Deore XT	Shimano Deore LX	Shimano Deore	Shimano XTR	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX	Shimano Deore	Shimano XTR	
FRONT DERAILLEUR	Shimano Deore XT	Shimano Deore LX	Shimano Deore	Shimano XTR	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX	Shimano Deore	Shimano XTR	
REAR DERAILLEUR	Shimano XTR	Shimano Deore XT	Shimano Deore LX	Shimano XTR	Shimano XTR 9S	Shimano Deore XT	Shimano Deore XT	Shimano Deore XT	Shimano Deore	
CRANKSET	Bontrager Race Lite 44/32/22	Bontrager Race 44/32/22	Bontrager Race 44/32/22	Shimano XTR 44/32/22	Bontrager Race 44/32/22	Bontrager Race 44/32/22	Bontrager Race 44/32/22	Bontrager Race 44/32/22	Bontrager Race 44/32/22	
CASSETTE	SRAM 7/10/34, 9spd	SRAM 7/10/34, 9spd	SRAM 7/10/34, 9spd	Shimano XTR 11-34, 9spd	SRAM 7/10/34, 9spd	SRAM 7/10/34, 9spd	SRAM 7/10/34, 9spd	SRAM 7/10/34, 9spd	SRAM 7/10/34, 9spd	
BRAKESET	Hayes Mag, hydraulic disc with Hayes levers	Hayes HFX-9, hydraulic disc with Hayes levers	Hayes HFX-9, hydraulic disc with Hayes levers	Avid Ultimate w/ Shimano Deore XT levers	Hayes HFX-9, Hayes levers	Avid SRS linear pull w/Shimano Deore XT levers	Avid SRS linear pull w/Shimano Deore XT levers	Avid SRS linear pull w/Shimano Deore XT levers	Avid SRS linear pull w/Shimano Deore XT levers	
PEDALS	Shimano M525 clipless	Shimano M525 clipless	Shimano M525 clipless	Shimano M525 clipless	Shimano M525 clipless	Shimano M525 clipless	Shimano M525 clipless	Shimano M525 clipless	Shimano M525 clipless	
EXTRAS										

Tax: 420 2 792 6464 Denmark H.C. Cykler A/S Tel: 45 89 14 14 14 Fax: 45 89 14 14 15 Dominican Republic Planet Bike Dominicana Tel: 809 535 2152 Fax: 809 535 2152 Ecuador Deportextremo S.A. Tel: 593 2 292 1174 Fax: 593 2 225 3691 Estonia Rademar Tel: 372 651 2910 Fax: 372 655 0120 Finland Oy Duell Bike Center Ab Tel: 358 9 2905 6730 Fax: 358 9 2905 6731 France Sunex Tel: 33 4 94 19 85 95 Fax: 33 4 94 45 53 67 Greece Gatsoulis Imports Tel: 301 0 253 0412 Fax: 301 0 253 3960 Guam MTB Outfitters Tel: 671 477 2453 Fax: 671 472 3184 Guatemala Novasport Tel: 502 474 2689/70 Tax: 502 474 2691 Honduras Planet Bike Tel: 504 232 4707 Fax: 504 232 4707 Hong Kong Chung Yung Cycle Co. Tel: 852 2670 3639 Tax: 852 2679 5602 Hungary Prokers KFT.

RECREATIONAL									
(M) 15", (L) 19.5", (XL) 21.5"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"
Starry Night Black/Black Blue	Trek Red/Platinum Silver	Edge Blue/Bright Silver	Gloss Silver/Gloss White	Starry Night Black/Platinum	Starry Night Black/Platinum	Starry Night Black/Platinum	Metallic Silver/Silver	Metallic Silver/Matte or Metallic Red	Gloss White/Pearl Silver Black or Lava Black
XXI HC Carbon, The lightest strongest frame material in the world. Optimus Competition Low Weight carbon, Trek/W team tested. Addition of stiff honeycomb Nomex between carbon layers. Aerial aluminum disc drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	ZR 9000 Alloy, Double butted, seamless drawn tubing. Custom butted head tube. External countour. T-Bolt seat stay. SMT, powerful elliptical chainstays. ZR 9000 Alloy Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	ZR 9000 Alloy, Double butted, seamless drawn tubing. Custom butted head tube. External countour. T-Bolt seat stay. SMT, powerful elliptical chainstays. ZR 9000 Alloy Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	ZR 9000 Alloy, Double butted, seamless drawn tubing. Custom butted head tube. External countour. T-Bolt seat stay. SMT, powerful elliptical chainstays. ZR 9000 Alloy Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	Alpha SLR Aluminum. Super light Race. Double butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. SMT, powerful elliptical chainstays. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	Alpha SLR Aluminum. Super light Race. Double butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. SMT, powerful elliptical chainstays. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	Alpha SLR Aluminum. Super light Race. Women's Specific Design. Double butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. SMT, powerful elliptical chainstays. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	Alpha SLR Aluminum. Super light Race. Women's Specific Design. Double butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. SMT, powerful elliptical chainstays. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	Alpha SLR Aluminum. Super light Race. Women's Specific Design. Double butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. SMT, powerful elliptical chainstays. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	Alpha SLR Aluminum. Super light Race. Women's Specific Design. Double butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. SMT, powerful elliptical chainstays. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.
RockShox SO Team, Dual Air external rebound control, pure damping without it travel, 135mm	Tox Pilot R air spring, 12 click rebound adjust, 30mm EATO upper tubes, magnesium lowers, 80mm travel	RockShox Duke XC hydra air, HC2 damping, 30mm upper tubes, external rebound adjust, 80mm travel	RockShox Duke XC hydra air, HC2 damping, 30mm upper tubes, external rebound adjust, 80mm travel	RockShox Pilot SL, Air Assist preload, HC2 damping, adjustable rebound, chromed uppers, 80mm travel	RockShox Pilot SL, Air Assist preload, HC2 damping, adjustable rebound, chromed uppers, 80mm travel	RockShox Pilot SL, Air Assist preload, HC2 damping, adjustable rebound, chromed uppers, 80mm travel	RockShox Pilot C, single coil, hydroair damping, adjustable preload, magnesium lowers, 80mm travel	RockShox Pilot C, single coil, hydroair damping, adjustable preload, magnesium lowers, 80mm travel	RockShox Judy TT, dual stage conicaltomic, adjustable preload, 80mm travel
Bontrager Race Lite Tubeless. TrekW. Team wheel. One of the highest sets available. Durable and road class front hub: has a regular freehub, or bottom free for increased control and reduced flats. Seals made hubs. Rear 12h skewers. 70g 24h front/ 72g 5 20h rear.	Bontrager Race Tubeless. Engineered to provide good lateral stiffness for any size rider; fully serviceable cartridge sealed bearing hub; integrated cartridge bearings and aluminum axle on front hub; quick release pre-load. Race Crotchet 36mm 765 g. 24h front/ 1029 g. 20h rear	Bontrager Select Durable welded rims, machined for smooth braking. OSB rear rim provides good stiffness for any size rider. Hi-Lo ATB rear hub design w/offset spoke bracing angles for improved lateral wheel rigidity. Cro-Moly skewers. 760 g. 24h front/ 1045 g. 20h rear	Bontrager Select Durable welded rims, machined for smooth braking. OSB rear rim provides good stiffness for any size rider. Hi-Lo ATB rear hub design w/offset spoke bracing angles for improved lateral wheel rigidity. Cro-Moly skewers. 760 g. 24h front/ 1045 g. 20h rear	Bontrager Corval welded, machined sidewall rims; alloy quick release hub; 14g stainless spokes	Bontrager Corval , welded, machined sidewall rims; Shimano 9-speed rear, alloy quick release front hub; 14g stainless spokes	Bontrager Corval , welded, machined sidewall rims; Shimano 9-speed rear, alloy quick release front hub; 14g stainless spokes	Alex 1017 rims white/black steel spokes; Shimano Deore 9-speed rear, alloy quick release front hub; 14g stainless spokes	Bontrager Corval , welded, machined sidewall rims; Shimano 9-speed rear, alloy quick release front hub; 14g stainless spokes	Bontrager Corval , welded, machined sidewall rims; Shimano 9-speed rear, alloy quick release front hub; 14g stainless spokes
Bontrager Super X, tubeless, MTB, 26x4.5"	Bontrager Super X, folding, 26x4.5"	Bontrager Jones AC, folding, 26x4.5"	Bontrager Jones AC, 26x4.5"	Bontrager Jones AC, 26x4.5"	Bontrager Jones AC, 26x4.5"	Bontrager Jones AC, 26x4.5"	Bontrager Jones AC, 26x4.5"	Bontrager Jones AC, 26x4.5"	Bontrager Jones AC, 26x4.5"
Bontrager FS 2000, Cro-Moly rims, leather	Bontrager FS 2000, Cro-Moly rims, leather	Bontrager FS 2000, Cro-Moly rims	Bontrager FS 2000, Cro-Moly rims	Bontrager FS 2000	Bontrager FS 2000	Bontrager FS 2000	Trek ATB	Trek ATB	Bontrager FS 2000, WSD
Bontrager Race	Bontrager Race	Bontrager Select	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport
Bontrager Race	Bontrager Race	Bontrager Select	Bontrager Race	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport
Bontrager Race, 7"	Bontrager Race, 7"	Bontrager Select, 10"	Bontrager Select, 10"	Bontrager Sport, 15"	Bontrager Sport, 15"	Bontrager Sport, 15"	Bontrager Sport, 15"	Bontrager Sport, 15"	Bontrager Sport, 25"
AHS 14/8" alloy cups, semi cartridge, sealed	AHS 14/8" alloy cups, semi cartridge, sealed	AHS 14/8" alloy cups, semi cartridge, sealed	AHS 14/8" semi cartridge, sealed	AHS 14/8" semi cartridge, sealed	AHS 14/8" semi cartridge, sealed	AHS 14/8" semi cartridge, sealed	AHS 14/8" semi cartridge, sealed	AHS 14/8" semi cartridge, sealed	AHS 14/8" semi cartridge, sealed
Shimano Deore XT	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Alivio	Shimano Alivio
Shimano Deore XT	Shimano Deore XT	Shimano Deore LX	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Alivio	Shimano Alivio
Shimano XTR	Shimano XTR	Shimano XTR	Shimano XTR	Shimano Deore LX	Shimano Deore LX	Shimano Deore LX	Shimano Deore LX	Shimano Deore	Shimano Deore
Bontrager Race 44/32/22	Bontrager Race 44/32/22	Bontrager Race 44/32/22	Bontrager Race 44/32/22	Shimano M440 44/32/22	Shimano M440 44/32/22	Shimano M440 44/32/22	Shimano M440 44/32/22	Shimano M440 44/32/22	Shimano M440 44/32/22
Shimano Deore XT 11/14, Rspd	Shimano HG-70 11/32, Rspd	Shimano HG-50 11/32, Rspd	Shimano HG-50 11/32, Rspd	SRAM 10/11/12, Rspd	SRAM 10/11/12, Rspd	SRAM 10/11/12, Rspd	SRAM 10/11/12, Rspd	SRAM 5.0 11/12, Rspd	SRAM 5.0 11/12, Rspd
Avid SIS linear pull Shimano Deore XT levers	Avid SIS linear pull Shimano Deore XT levers	Avid SIS linear pull Shimano Deore XT levers	Avid SIS linear pull Shimano Deore XT levers	Hayes IFR-9 w/Hayes levers	Hayes IFR-9 w/Hayes levers	Hayes IFR-9 w/Hayes levers	Hayes IFR-9 w/Hayes levers	Hayes IFR-9 w/Hayes levers	Hayes IFR-9 w/Hayes levers
Shimano M55, cipress	Shimano M55, cipress	Shimano M55, cipress	Shimano M55, cipress	Shimano M55, cipress	Shimano M55, cipress	Shimano M55, cipress	Shimano M55, cipress	Shimano M55, cipress	Shimano M55, cipress

Mountain

City & Bike Path

	RECREATIONAL					FREECLIMB/COMBINE		CITY & BIKE PATH			
	F30 4300 Disc	F30 4300	F30 4100	F30 820	F30 800	Diesel	Freeride	Navigitor 400	Navigitor 500	Navigitor 600	Navigitor 300
SIZES	(XS) 19", (S) 19.5", (M) 21.5", (L) 21.5"	(XS) 19", (S) 19.5", (M) 21.5", (L) 21.5"	(XS) 19", (S) 19.5", (M) 21.5", (L) 21.5"	(XS) 19", (S) 19.5", (M) 21.5", (L) 21.5"	(XS) 19", (S) 19.5", (M) 21.5", (L) 21.5"	(XS) 19", (S) 19.5", (M) 21.5", (L) 21.5"	(XS) 19", (S) 19.5", (M) 21.5", (L) 21.5"	(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 21"	(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 21", (XXXL) 18.5", (XXXXL) 21"	(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 21", (XXXL) 18.5", (XXXXL) 21"	(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 21", (XXXL) 18.5", (XXXXL) 21"
COLORS	Black Chrome/Satin Brushed or Metallic Orange	Black Chrome/Satin Brushed or Metallic Orange	Trek Red/Titanium Black or Satin Brushed	Baja Blue/Shine Silver or Black Chrome or Metallic Purple/ Metallic Silver	Baja Blue/Black/Baja Blue or Smooth Silver	Starry Night Black, Framelet available in Bright Silver	Bright Silver/ Midnight Blue	Bright Silver/ Estate Green	Titania Black/ Coastal Blue	Blue Dusk/Bright Silver/ or Wheat Silver	
FRAME	Alpha Aluminum, Oversized power tubes. Braided down tube. Wishbone monostay. Replaceable derailleur hanger. Disc mount.	Alpha Aluminum, Oversized power tubes. Braided down tube. Wishbone monostay. Replaceable derailleur hanger. Disc mount.	Alpha Aluminum. Oversized power tubes. Braided down tube. Wishbone monostay. Replaceable derailleur hanger. Disc mount.	Trek high tensile steel with high grade Trek engineered swaged Cro-Moly steel seat tube. Excellent shock absorption.	Trek high tensile steel with high grade Trek engineered swaged Cro-Moly steel seat tube. Excellent shock absorption.	Alpha Aluminum. Monocoque construction provides a stiff connection between the fork and steering tube. Responsive steering control. Trek Chain Torque Eliminator (available on framelet only) prevents pedal forces from "backing" the rear suspension. Replaceable rear dropouts.	Alpha Aluminum. Monocoque construction provides a stiff connection between the fork and steering tube. Responsive steering control. Trek Chain Torque Eliminator (available on framelet only) prevents pedal forces from "backing" the rear suspension. Replaceable rear dropouts.	Alpha Aluminum. Comfort Specific. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger.	Alpha Aluminum. Comfort Specific. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger.	Alpha Aluminum. Comfort Specific. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger.	Alpha Aluminum. Comfort Specific. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger.
FORK	InSync Grind 323, adjustable preload, 70mm travel	InSync Grind 323, adjustable preload, 70mm travel	InSync Grind 320, 70mm travel	RS 1910L, 65mm travel	High tensile steel ATB	Boxer Race. Dual coil, NCF damping, magnetism lowers. 6 or 7 inch travel	RS GPS Sierra, adjustable preload, 60mm travel	RS GPS Sierra, adjustable preload, 60mm travel	RST CT COM 17L, adjustable preload, 50mm travel	RST CT COM 17L, adjustable preload, 50mm travel	
REAR SHOCK						Tox Vario FC coil spring, adjustable rebound/compression/low threshold.					
WHEELS	Matrix 750 rims; Shimano Alivio disc hub; HG stainless. black spokes	Matrix 750 rims; Shimano SM60-B rear; alloy front hub; HG stainless. black spokes	Matrix 550 rims; alloy hub; HG; black spokes	Matrix 550 rims; alloy hub; HG; black spokes	Matrix 550 rims; alloy hub; HG; black spokes	Bontrager Singletrack wall rim; (4) Freeize hubs; HG stainless spokes.	Bontrager Superlock; Engineered to roll smooth, even in tough conditions; Welded rim for superior strength, machined for smooth braking; 608 minutiae dish and provides extra strength. Fully serviceable hubset; Cro-Moly skewers; 85g & 24h front/ 102g & 28h rear	Bontrager Corval; aluminum sheet eylet rims; SRAM Dual Drive rear, alloy front hub; HG stainless. black spokes	Matrix 750 rims; Shimano Alivio Rapid rear, alloy front hub; HG stainless. black spokes	Matrix 750 rims; Shimano SM40-B rear; alloy front hub; HG stainless. black spokes	
TIRES	Bontrager Jones AC, 26x1.75	Bontrager Connection, 26x1.95"	Bontrager Connection, 26x1.95"	Bontrager Connection, 26x1.95"	Bontrager Connection, 26x1.95"	Michelin DH Comp, 26x2.5"	Bontrager Comfort K w/Kevlar/Silene, 26x1.95"	Bontrager Comfort K w/Kevlar/Silene, 26x1.95"	Bontrager Comfort K w/Kevlar/Silene, 26x1.95"	Bontrager Comfort K w/Kevlar/Silene, 26x1.95"	
SADDLE	Trek ATB	Trek ATB	Trek ATB	Trek ATB	Trek ATB	Bontrager FS 2000, Clio/Mylar rails	Trek CRZ wide	Trek CRZ wide	Trek Welspring/ elastomer comfort w/locking light	Trek Welspring/ elastomer comfort w/locking light	
SEATPOST	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Bontrager Race	Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension	
HANDLEBARS	Alloy, 30mm rise	Alloy, 15mm rise	30mm rise	30mm rise	30mm rise	Trek Thibaut	Alloy, 50mm rise	Alloy, 50mm rise	50mm rise	50mm rise	
STEM	Alloy AHS, 25°	Alloy AHS, 25°	Alloy AHS, 25° (men's); 40° (woman's)	Alloy JHS, 25° (men's); 40° (woman's)	High tensile steel, 25° (men's); 40° (woman's)	Titec Blockhead, 10°	Alloy AHS adjustable rise	Alloy AHS adjustable rise	Alloy adjustable rise	Alloy adjustable rise	
HEADSET	AHS 1-1/8" semi cartridge, sealed	AHS 1-1/8" semi cartridge, sealed	AHS 1-1/8" semi cartridge, sealed	AHS 1-1/8" semi cartridge, sealed	AHS 1-1/8" semi cartridge, sealed	Cane Creek S-4 HCS® AHS	AHS 1-1/8" semi cartridge, sealed	AHS 1-1/8" semi cartridge, sealed	1-1/8" semi cartridge, sealed	1-1/8" semi cartridge, sealed	
SHIFTERS	Shimano EF29	Shimano EF29	Shimano EF29	Shimano EF29	Shimano EF29	Shimano Deore XT	Shimano Deore	SRAM Dual Drive	Shimano Nexus Revo, 7spd	SRAM XTR Plus	
FRONT DERAILLEUR	Shimano C050	Shimano C050	Shimano C051	Shimano C051	Shimano C051	Shimano Deore XT	Shimano Deore	N/A	N/A	Shimano C102	
REAR DERAILLEUR	Shimano Acera	Shimano Alivio	Shimano Altus	Shimano Altus	Shimano C050	Shimano XTR	Shimano Deore XT	SRAM Dual Drive	N/A	Shimano Deore	
CRANKSET	Suntour XCC150 42/34/24	Suntour XCC150 42/34/24	Suntour XCC100 48/38/28	Suntour XCC100 48/38/28	Suntour XCC100 48/38/28	Truvativ Nefelar, 32/32, shock guard	Suntour MS10 48/38/28	SRAM Dual Drive 33T w/shockguard	CPI 30T w/ alloy chainguard	Shimano C09 48/38/28 w/chainguard	
CASSETTE	SRAM 10/11/12, 8spd	SRAM 10/11/12, 8spd	Shimano XT 10-34, 7spd	Suntour XG-10-30, 7spd	Suntour XG-10-30, 7spd	SRAM 70/71-34, 9spd	SRAM 70/71-34, 9spd	SRAM 70/71-34, 9spd	Shimano 20T	SRAM 50/51-32, 8spd	
BRAKESSET	Shimano M475 mechanical disc w/ Shimano EF29 levers	Alloy linear pull w/Shimano EF29 levers	Alloy linear pull w/Shimano EF29 levers	Alloy linear pull w/Shimano EF29 levers	Alloy linear pull w/Shimano EF29 levers	Hayes Mag, hydraulic/ disc w/rotor w/Shimano levers	Shimano M420 V brake without modulator/ w/rotor levers	Shimano M420 V brake without modulator/ w/rotor levers	Shimano roller rear w/ cooling disc, alloy linear pull w/modulator/ w/rotor levers	Alloy linear pull w/modulator/ w/rotor levers	
PEDALS	Alloy platform, clipless adjustable	Alloy platform, clipless adjustable	Nylon platform	Nylon platform	Nylon platform	Shimano MS45, clipless	Dual density platform w/locking lights	Dual density platform w/locking lights	Dual density platform	Dual density platform	
EXTRAS							Bell	Bell	Bell	Bell	

Tel: 507 236 0852; Fax: 507 236 6140 Peru Best Internacional S.A. Tel: 511 263 0964; Fax: 511 263 1238 Philippines JI Techno Turbo Trading Tel: (632) 991 4457; Fax: (632) 431 1769 Poland S.S.C. Tel: 48 71 3431539; Fax: 48 71 3725448 Portugal Bicimax Artigos Desportivos LDA. Tel: (35) 1244 553 276; Fax: (35) 1244 553 187 Puerto Rico Seamount Corporation. Tel: 787 763 4369; Fax: 787 765 6520 Russia Sportex Tel: 7 095 959 31 23; Fax: 7 095 959 31 29 Singapore Trekology Bikes. Tel: 65 466 2673; Fax: 65 466 7610 Slovakia KCK Cyklosport Mode S.R.O. Tel: 421 862 5492 344; Fax: 421 862 5492 344 Slovenia Bess-Pro Market. Tel: 386 61 274 135; Fax: 386 61 1256 1628 South Africa - Capetown Afra Corporation. Tel: 27 21 531 2500; Fax: 27 21 531 2551 South Africa - Randburg

Category	Model	HYBRID					FITNESS		CRUISER		
		T100	T500	T300	T200	T100	T700 FX	T500 FX	City	Town & Country	
Hybrid 200	Navigator 100	(M) 14.5", (S) 16.5", (L) 18.5", (XL) 21" (M) 14.5", (S) 16.5", (L) 18.5"	(M) 14.5", (S) 16.5", (L) 20", (XL) 22.5" (M) 14.5", (S) 16.5", (L) 20", (XL) 22.5"	(S) 13", (AS) 15", (M) 10", (L) 22.5" (S) 13.5", (AS) 15", (M) 10", (L) 20", (XL) 22.5", (XLS) 15", (XS) 11.5", (WM) 20"	(S) 13", (AS) 15", (M) 10", (L) 22.5" (S) 13.5", (AS) 15", (M) 10", (L) 20", (XL) 22.5", (XLS) 15", (XS) 11.5", (WM) 20"	(S) 13", (AS) 15", (M) 10", (L) 22.5" (S) 13.5", (AS) 15", (M) 10", (L) 20", (XL) 22.5", (XLS) 15", (XS) 11.5", (WM) 20"	(S) 13", (AS) 15", (M) 10", (L) 22.5" (S) 13.5", (AS) 15", (M) 10", (L) 20", (XL) 22.5", (XLS) 15", (XS) 11.5", (WM) 20"	(S) 13", (AS) 15", (M) 10", (L) 22.5" (S) 13.5", (AS) 15", (M) 10", (L) 20", (XL) 22.5", (XLS) 15", (XS) 11.5", (WM) 20"	(M) 20"	(M) 20", (WS) 17"	
Hybrid Black or Metallic Green/ Wheat Silver	Coastal Blue or Metallic Red/ Wheat Silver	Titane Black/ Wheat Silver	Bright Silver/ Pearl Navy	Silver/Lava Black or Coastal Blue	Deep Green/Wheat Silver or Titane Black	Pearl Blue/Wheat Silver or Titane Black	Titane Black/ Sage Blue	Coastal Blue/Silver	Matte Black	Men's Gloss Black/ Metallic Silver; Women's Metallic Red/Wheat Silver	
Alpha Aluminum, Comfort Specific, Overized power tubes. Wishbone monostay. Replaceable derailleur hanger.	Alpha Aluminum, Super Light Aluminum. Superior strength- weight ratio. Double butted, seamless drawn tubing. External downtube. Custom computer butted headtube. Wishbone monostay. Stiff, powerful elliptical chainstays. Cold forged replaceable derailleur hanger.	Alpha SL Aluminum, Super Light Aluminum. Superior strength- weight ratio. Double butted, seamless drawn tubing. External downtube. Custom computer butted headtube. Wishbone monostay. Stiff, powerful elliptical chainstays. Cold forged replaceable derailleur hanger.	Alpha Aluminum, Overized power tubes. Wishbone monostay. Replaceable derailleur hanger.	Alpha Aluminum, Overized power tubes. Wishbone monostay. Replaceable derailleur hanger.	Alpha Aluminum, Overized power tubes. Wishbone monostay. Replaceable derailleur hanger.	Alpha SL Aluminum, Super Light Aluminum. Superior strength- weight ratio. Double butted, seamless drawn tubing. External downtube. Custom computer butted headtube. Wishbone monostay. Stiff, powerful elliptical chainstays. Cold forged replaceable derailleur hanger.	Alpha SL Aluminum, Super Light Aluminum. Superior strength- weight ratio. Double butted, seamless drawn tubing. External downtube. Custom computer butted headtube. Wishbone monostay. Stiff, powerful elliptical chainstays. Cold forged replaceable derailleur hanger.	Alpha Aluminum. Comfort Cruiser geometry, strong and durable.	Alpha Aluminum. Comfort Cruiser geometry, strong and durable.		
351 CT COM 1 CL, 50mm travel	High tensile steel ATB	RockShox Metro Mag, single coil, adjustable preload, integrated boots, magnesium lowers, 50mm travel	RockShox Metro, single coil, adjustable preload, integrated boots, 50mm travel	InSync Odessa 168, adjustable preload, 45mm travel	InSync Odessa 180, 45mm travel	High tensile steel ATB	Aluminum	Cro-Moly	Trek Cruiser springer	Trek Cruiser, steel	
Hollow 550 rims; gray hubs; MG black spokes	Hollow 550 rims; gray hubs; MG black spokes	Bontrager Select; Paiend Spoke Technology™, Torque sharing super-stiff rear hub; Semi-deep front rim is also yet forgiving; Rear rim w/DSB improves lateral rigidity, preforms wheel life; Double butted 14/15 DT spokes; Cro-Moly skewers; 635 g, 20h front/ 1020 g, 24h rear	Bontrager Select; Paiend Spoke Technology™, Torque sharing super-stiff rear hub; Semi-deep front rim is also yet forgiving; Rear rim w/DSB improves lateral rigidity, preforms wheel life; Double butted 14/15 DT spokes; Cro-Moly skewers; 635 g, 20h front/ 1020 g, 24h rear	Ales T419 double wall rims w/stainless steel eyebolt; Shimano C20L 30h rear, alloy quick release front hub; MG stainless spokes	Matrix 750 rims; Stainless RM40-T rear; gray front hub; MG stainless spokes	Matrix 550 rims; gray hub; MG stainless spokes	Bontrager Select; Paiend Spoke Technology™, Torque sharing super-stiff rear hub; Semi-deep front rim is also yet forgiving; Rear rim w/DSB improves lateral rigidity, preforms wheel life; Double butted 14/15 DT spokes; Cro-Moly skewers; 635 g, 20h front/ 1020 g, 24h rear	Bontrager Select; Paiend Spoke Technology™, Torque sharing super-stiff rear hub; Semi-deep front rim is also yet forgiving; Rear rim w/DSB improves lateral rigidity, preforms wheel life; Double butted 14/15 DT spokes; Cro-Moly skewers; 635 g, 20h front/ 1020 g, 24h rear	Alloy cruiser rims; Shimano Nexus 7spd rear w/coaster, alloy routed front hub; MG stainless spokes	Alloy cruiser rims; Shimano Nexus 7spd rear w/coaster, alloy routed front hub; MG stainless spokes	
Bontrager Comfort, 26x195"	Bontrager Comfort, 26x195"	Bontrager Select; Invert w/Kevlar belt, 700x35c	Bontrager Select; Invert w/Kevlar belt, 700x35c	Bontrager Select; Invert, 700x35c	Bontrager Select; Invert, 700x35c	Bontrager Select; Invert, 700x35c	Bontrager Select; w/Kevlar belt, 700x35c	Bontrager Select; w/Kevlar belt, 700x35c	Cruiser Balloon, 26x2.05"	Cruiser Balloon, 26x2.05"	
Trek Webspring comfort	Trek Webspring comfort	Trek CR2+	Trek CR2+	Trek Webspring comfort	Trek Webspring comfort	Trek Webspring comfort	Trek CR2+	Trek CR2+	Trek Webspring Cruiser	Trek Webspring Cruiser	
Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension	Bontrager Sport	Bontrager Sport	Alloy	Alloy	
50mm rise	50mm rise	Alloy, 38mm rise	50mm rise	50mm rise	50mm rise	50mm rise	Bontrager Crowbar Race	Bontrager Crowbar Sport	Steel cruiser	Steel cruiser	
Alloy adjustable rise	Alloy adjustable rise	Alloy AHS, adjustable rise	Alloy AHS, adjustable rise	Alloy adjustable rise	Alloy adjustable rise	Alloy adjustable rise	Bontrager Sport, 25"	Bontrager Sport, 25"	Forged alloy, top clamp	Forged alloy, top clamp	
HIS semi cartridge; sealed	HIS semi cartridge; sealed	AHS-HIS® alloy cups; semi cartridge, sealed	AHS-HIS® semi cartridge; sealed	148° semi cartridge; sealed	148° semi cartridge; sealed	148° semi cartridge; sealed	AHS-HIS® alloy cups; semi cartridge, sealed	AHS-HIS® semi cartridge, sealed	Oversized sealed	Oversized sealed	
SRAM MX Plus	SRAM 4.0 Plus	Shimano Deore XT	Shimano XTR	SRAM MX Plus	SRAM MX Plus	SRAM 4.0 Plus	Shimano Deore XT	Shimano Alivio	Shimano Nexus Revo, 4spd	Shimano Nexus Revo, 4spd	
Shimano C01	Shimano C01	Shimano Deore XT	Shimano Nexus 30T	Shimano Deore 30T	Shimano C02	Shimano C02	Shimano Deore XT	Shimano Nexus 30T	N/A	N/A	
Shimano Acera	SRAM ESP 4.0	Shimano Deore XX	Shimano Deore LX	Shimano Deore	Shimano Acera	SRAM ESP 3.0	Shimano Deore XT	Shimano Deore	N/A	N/A	
Suntour NEX200 48/36/28 w/chainguard	Suntour NEX200 48/36/28 w/chainguard	Suntour Deore 48/36/28	Nexus T41 48/38/28	Suntour EC-0309 48/38/28	Shimano C200 48/38/28 w/chainguard	Suntour NEX200 48/36/28 w/chainguard	Suntour Deore 48/36/28	Suntour Deore 48/36/28	Shimano 41T 48/38/28	Shimano Nexus 30 3 piece single ring, 31T	
Shimano ZHM 13-34, 7spd	Suntour D3-34, 7spd	SRAM 5.0 11-32, 8spd	SRAM 5.0 11-32, 8spd	Shimano HG-50 11-34, 7spd	Suntour 13-34, 7spd	SRAM 5.0 11-32, 8spd	Shimano HG-50 11-34, 7spd	Shimano HG-50 11-30, 8spd	10T	10T	
Alloy linear pull w/front modulator Wally levers	Alloy linear pull w/front modulator Wally levers	Avid S03 linear pull w/Shimano Deore XT levers	Alloy linear pull w/front modulator Wally levers	Alloy linear pull w/front modulator Wally levers	Alloy linear pull w/front modulator Wally levers	Alloy linear pull w/front modulator Wally levers	Avid S03 linear pull w/Wally levers	Alloy linear pull Wally levers	Coaster rear	Coaster rear	
Dual density platform	Dual density platform	Shimano SFD M324, clipless	ATB, alloy cage w/holes and straps	Dual density platform	Dual density platform	Dual density platform	Shimano M325, clipless	Alloy road, sealed wheels and straps	Cruiser platform	Cruiser platform	
Bell	Bell	Cane Creek Ergo bar ends		80g	80g	80g	Cane Creek Ergo bar ends		Steel fenders, adjustable alloy kickstand	Steel fenders, adjustable alloy kickstand	

Aira Corporation Tel: 27 11 792 2900 Fax: 27 11 792 1932 ■■■ Sweden Bike Supply Tel: 46 8 760 0070 Fax: 46 8 36 26 40 ■■■ Tahiti Tahiti Sport - Yet Sing - Tel: 689 425 352 Fax: 689 413 336 ■■■ Taiwan

Kenforce International Co., Ltd. Tel: 886 4 835 3575 Fax: 886 4 835 3595 ■■■ Thailand Probike Co., Ltd. Tel: 662 254 1077 Fax: 662 254 1078 ■■■ Ukraine Euro-Cycle Tel: 380 482 219 064 Fax: 380 482 219 063

■■■ United Arab Emirates Sportsline Tel: 971 4 343 9119 Fax: 971 4 343 2080 ■■■ Uruguay International Sports Ltda. Tel: 598 2708 2498 Fax: 598 2 401 2514 ■■■ Venezuela Bike Pro / Bike Planet

Tel: 582 12 993 6736 Fax: 582 12 992 8338 West Indies Tri Sport International Tel: 599 544 3462 Fax: 599 545 4385

City & Bike Path

	Cruiser	Wavy	Cruiser Classic Springer	Cruiser Classic
SIZES	(M) 20"; (WS) 17"	(M) 20"	(WS) 17"	(M) 20"; (WS) 17"
COLORS	Baja Blue/Metallic Silver	Gloss Black/Rainforest Green	Breeze Blue	Candy Red/Metallic Silver, (M) Gloss Black/Rainforest Blue, (WS) Streamline Black/Blue Frost
FRAME	Alpha Aluminum, Comfort Cruiser geometry, strong and durable.	Alpha Aluminum, Comfort Cruiser geometry, strong and durable.	Alpha Aluminum, Comfort Cruiser geometry, strong and durable.	Alpha Aluminum, Comfort Cruiser geometry, strong and durable.
FORK	Trek Cruiser, steel	Trek Cruiser springer	Trek Cruiser springer	Trek Cruiser, steel
REAR SHOCK				
WHEELS	Alloy cruiser rims; alloy nutted hub; 14G stainless spokes	Alloy cruiser rims; nutted coaster brake rear, alloy nutted front hub; 14G stainless spokes	Alloy cruiser rims; nutted coaster brake rear, alloy nutted front hub; 14G stainless spokes	Alloy cruiser rims; nutted coaster brake rear, alloy nutted front hub; 14G stainless spokes
TIRES	Cruiser Balloon, 26x2.125"	Cruiser Balloon, 26x2.125"	Cruiser Balloon, 26x2.125"	Cruiser Balloon, 26x2.125"
SADDLE	Trek Webspring Cruiser	Trek Webspring Cruiser	Trek Webspring Cruiser	Trek Webspring Cruiser
SEATPOST	Alloy	Alloy	Alloy	Alloy
HANDLEBARS	Steel cruiser	Steel cruiser	Steel cruiser	Steel cruiser
STEM	Forged alloy, top clamp	Forged alloy, top clamp	Forged alloy, top clamp	Forged alloy, top clamp
HEADSET	Oversized sealed	Oversized sealed	Oversized sealed	Oversized sealed
SHIFTERS	SRAM MX5 Plus	N/A	N/A	N/A
FRONT DERAILLEUR	N/A	N/A	N/A	N/A
REAR DERAILLEUR	Shimano TY40	N/A	N/A	N/A
CRANKSET	One piece forged, 40T	One piece forged, 40T	One piece forged, 40T	One piece forged, 40T
CASSETTE	SunRace 13-34, 7spd	13T	13T	13T
BRAKESSET	ProMax linear pull w/ProMax linear pull levers	Coaster rear	Coaster rear	Coaster rear
PEDALS	Cruiser platform	Cruiser platform	Cruiser platform	Cruiser platform
EXTRAS	Steel fenders, adjustable alloy kickstand	Steel fenders, adjustable alloy kickstand, rear rack	Steel fenders, adjustable alloy kickstand	Adjustable alloy kickstands

There are lots of ways
We recommend



There are a few things that are essential for every bike ride.

HELMET

Protect your most valuable asset while cycling – your head.

CYCLING GLOVES

Your hands keep you in control. Gloves provide extra grip, comfort, and protection.

FLAT PACK

Take one on every ride: it's got all you need to replace a tube or fix a flat (and that's way better than walking home).