



-mongoose-

*the  
cycling  
advantage*

Distributed by:

**BMX®**

PRODUCTS, COMPANY

P.O. Box 575 Moorpark, CA 93021

Copyright 1986 BMX® Products Company All Rights Reserved



*the  
cycling  
advantage*



## The Mongoose® Story

**The Cycling Advantage**...the innovative and quality standard that makes Mongoose® Bicycles perform better, last longer and provide you with greater cycling enjoyment.

The Motomag® Wheel, the company's first product, initiated a revolution in the sport of bicycle motocross by providing a virtually unbreakable wheel, the ultimate wheel advantage. The extra strong, one piece design became the first production cast aluminum bicycle wheel. It proved to be one of the starting points for a whole series of bicycle and component advancements in the bicycle industry.



The original Mongoose® Motomag® Bicycle helped launch an industry.  
U.S. Patent Number 908,703

1980 marked the evolutionary re-direction of Mongoose® Bicycles from a strictly juvenile bicycle maker into a full line bicycle maker. The Mongoose® Factory Racing Team captured the first ever ABA National #1 Cruiser Title on a full size 26" wheel racing cruiser. During that period, Mongoose learned and developed a mountain of knowledge pertaining to the design and manufacturing of large wheel, high performance bicycles.

A second National #1 Cruiser title was taken 1983. Then, in 1984 the Mongoose® Factory Riders dominated the racing scene with an unprecedented 6 National #1 titles in the National Bicycle League.

That same year, the 26", 15-speed Mongoose® ATB, or All Terrain Bicycle, was introduced. The cumulative result of four years of engineering, competition and the skills of the best cruiser riders in the world. The incredible response from avid cyclists and quality bicycle dealers across the U.S. became the cornerstone for establishing Mongoose's® reputation as a quality and performance adult bicycle maker.

Now Mongoose® moves into its second decade of innovation and excellence producing a quality, reliable line of bicycles for the entire family. Each with its own high performance and quality standard to provide you with The Cycling Advantage, not just for today or tomorrow, but for years to come.



## miniscoot™



### Miniscoot™

More than a skateboard. Not quite a bicycle. Definitely the most fun you can have on two feet!

The Mongoose® Miniscoot™ combines state-of-the-art materials and components to produce an old-fashioned scooter built to today's quality and performance standards. Whether you're scooting around the neighborhood or rolling down the bike path, the Miniscoot™ is not only great transportation and exercise, it's great fun!

The 12" pneumatic skinwall tires, fiber-reinforced nylon wheels, and MX 901 rear caliper brake can tackle a variety of terrain with complete safety and control. The heliarc welded hi-tensile steel fork and 4130 chromoly perimeter frame will provide years of riding or freestyle fun.

The Miniscoot™ is bright chrome plated and trimmed and with a non-slip moulded running board and black accessories.

# FS-1™



Complete CPSC Equipment Included, but not Shown.

## FS-1™

The Mongoose® FS-1™ is a whole new bike for a whole new kind of riding. It can open your world to 'rock walks', 'track stands', 'boomerangs' and a whole series of other tricks, limited only to your imagination. Best of all, the FS-1™ is pure breed Mongoose®, built with the performance and dependability of Triple Butted 4130 Chromoly frame tubes and 1½" tubular chromoly fork legs.

The FS-1™ fork even has four built-in bosses which allow you to position the optional fork stands exactly where you want them. The Pro Class™ Stem with thru-the-center cable routing and the slick ACS Rotor keep your front end spinning without cable tangles. The Pro Class™ Freestyle Handlebars have an extra low cross bar with extra deep knurling for easy standing or over-the-bar tricks.

The Mongoose® FS-1™ is available in Brilliant Blue, Loud Lime, Steel Gray or Luminous Lavender, each with matching trim and white components.



High efficiency rear center pull brake is positioned out of the way, under the chainstay.



Complete CPSC Equipment Included, but not Shown.




Complete CPSC Equipment Included, but not Shown.



FS-1 Fork allows dual positioning of optional fork stands.



ACS Rotor and center cable routing allow full front end spins.



Extra deep knurling on the crossbar provides more traction for bar stands.

**M-1™ Coaster**  
**M-1™ Mini**  
**M-1™ Freewheel**

The Mongoose® M-1™ is the easiest and most affordable way to get rugged Mongoose® engineering, dependability and performance.

This year, Mongoose® adds a new M-1™ Freewheel to the already popular M-1™ Coaster and M-1™ Mini models.

All M-1™ models include the premium look and performance of Pro Steel™ wheels with the lightening holes and the bright colored rim bands. The Freewheel models feature dual front and rear MX caliper brakes for quick, safe stops, while the M-1™ Mini and Coaster models use a rear MX caliper brake along with a traditional pedal operated coaster brake.

The scaled down M-1™ Mini provides younger, smaller riders the safety of a frame size they can control, along with the advantages of a full size 20" wheel. The smaller profile of the frame is perfectly complemented by the specially proportioned M-1™ Mini handlebars.

The M-1™ Coaster is available in Brilliant Blue with matching trim or in White or Chrome with Black trim. The Freewheel is available in Chrome with Black trim and the M-1™ Mini comes in White with Black trim.



Complete CPSC Equipment Included, but not Shown.



Complete CPSC Equipment Included, but not Shown.

**Minigoose™**

The Minigoose™ provides state-of-the-art race performance and features in a mini-sized BMX machine. Features like an all chromoly frame and fork with Triple Butted top and down tubes to keep strength up and weight down. Low mass 1½" Pro Class™ Alloy Wheels, quick change Power Plate™, skinwall tires and heat treated Boron Steel cranks to provide acceleration performance previously available only on custom built "track" bikes. Dual front and rear hand brakes, M-1™ Vented saddle and alloy platform pedals make the Minigoose™ formidable competition on the track and still safe and fun to ride on the street.

Available in chrome with black accessories.



Complete CPSC Equipment Included, but not Shown.



**Mitygoose®**

The Mitygoose® packs big bike performance into a junior-sized 16" sidewalk bicycle. Quality, easy rolling, full ball bearing hubs, head seat and crank set; one-piece steel crank, tubular fork and large diameter (1½" tube) mainframe, provide big bike styling and performance. The sure stopping coaster brake, cross bar pad and adaptability for training wheels and rear hand brake make it the perfect choice for any junior-sized beginner or experienced rider.

The Mitygoose® is available in red or blue with matching accessories, or in chrome with black accessories.

# californian™



Complete CPSC Equipment Included, but not Shown.

## Californian TC™

The Mongoose® Californian TC™ is a fully equipped bicycle for the up-and-coming BMX racer or any performance-minded rider who appreciates quality and performance. Available in 1986 in a new White-Out finish or in brilliant high gloss chrome with black accessories.

Either version features famous Mongoose® Heliarc welded construction with extra large Triple Butted 4130 chromoly top and down tubes and 1" tubular chromoly fork legs.

Like the more expensive Rupe Edition, the Californian TC™ is performance equipped with Pro Class™ Series III hard anodized wheels, Pro Class™ Power Plate and the new high torque Pro Class™ Tubular Cranks. The standard Californian™ model features SR Cosmolite Heat Treated Boron Steel cranks.

Either way, the Mongoose® Californian™ will provide you with engineering, styling and performance in the finest tradition of bicycle motocross.



SR Cosmolite Boron Steel Cranks and quick change Power Plate™ are featured on standard Californian™ model.

# expert™



Complete CPSC Equipment Included, but not Shown.

## Expert™

The Mongoose® Expert™ puts on a whole new look for 1986. New graphics, bold new colors and the Expert™ performance features make it the perfect bike for every rider.

The Expert™ incorporates all of the important performance features and advantages of a premium BMX racing machine. Performance features, like the extra strength and rigidity of 1½" tube chromoly mainframe construction, quick-change spider and 44 tooth chainring and the quick stopping dual MX 901 front and MX 1001 rear hand brakes.

The patented Pro Class™ alloy wheels - unique lightening holes, not only show the color matching rim band but, also reduce performance-robbing weight without affecting critical rim rigidity or strength.

The Expert™ is available in bright chrome plate with Black accessories or in Brilliant Blue or Steel Gray with matching accessories.



Pro Class™ Alloy wheels reduce critical "rolling stock" for dramatic increases in acceleration performance.

# Eric Rupe



Complete CPSC Equipment Included, but not Shown.


## Eric Rupe Signature Edition

The Eric Rupe Signature Edition is Mongoose®'s finest 20" bicycle model. It is a production version of the Factory Works Bike that Eric Rupe piloted to two consecutive National #1 Pro Titles in the NBL (National Bicycle League).

For 1986, the Rupe bike features Triple Butted 4130 chromoly tubing which reduces weight to an absolute minimum while maintaining all important strength, rigidity and reliability. The responsive handling requirements of advanced riders are met by the precise frame geometry which provides more ground clearance and more knee room than any other Mongoose® frame.

Equipped with premium racing components, which include Pro Class™ Series III hard anodized wheels, sealed bearing hubs, Pro Class™ Tubular Chromoly Cranks and the patented quick-change Pro Class™ Power Plate for quick gearing changes.

The Eric Rupe Signature Edition frame is finished in bright, mirror-polished chrome plating and trimmed with black and chrome components. A frame and fork set is also available separately for custom building.



Chromoly and aluminum Pro Class™ Stem features plenty of gripping surface and thru-bolt cable routing capability.

# pro class™ 24



Complete CPSC Equipment Included, but not Shown.

## Pro Class™ 24

The Pro Class™ 24 is a 24" cruiser for those who demand unparalleled performance, quality, and componentry. It was developed and refined by the 1983 ABA National #1 rider, Brett Allen. The advanced engineering of the frame and fork geometry incorporates the crisp handling response of a 20" bicycle with the stability, control and speed of the larger 24" wheel.

Pro Class™ Series III hard anodized wheels not only imparts a tough scratch resistant finish, but it helps increase rim rigidity up to 21%. The other premium components include sealed bearing hubs, Pro Class™ Tubular Chromoly Cranks, an alloy and chromoly Pro Class™ Stem and the new deep-gripping SR MPT-100 bear trap style pedals.

The Pro Class™ 24 frame is finished in maintenance free chrome plate and trimmed with black and chrome components. A frame and fork set is also available separately for custom building.

Maybe you can be one of the new Pro Class™ 24 riders who will add to the unprecedented 1984 win of four NBL National #1 Cruiser Titles. Good Luck!



Pro Class™ Series III hard anodized wheels are 21% more rigid than non-hard anodized wheels.

# 1986 JUVENILE

MODEL	PRO CLASS 24	ERIC RUPE SIGNATURE EDITION	CALIFORNIAN TC	MINIGOOSE
FRAME	All tubes 4130 chromoly, triple butted 1 1/8" top, 1 1/4" down, 3/8" rear triangle	All tubes 4130 chromoly, triple butted 1 1/8" top & down tubes, 3/8" rear triangle	All tubes 4130 chromoly, triple butted 1 1/8" mainframe	All tubes 4130 chromoly, triple butted 1 1/8" mainframe
FORK	4130 chromoly 1 1/8" legs	4130 chromoly Heliarc Welded with 1" Tubular Legs	4130 chromoly Heliarc Welded 1" Tubular Legs	Patented axle retention drop out
HANDLEBAR	Pro Class chromoly 5 1/8" x 28"	Pro Class chromoly 8 1/8" x 27"	Pro Class Steel 8 1/8" x 27"	Mini-Steel 5 1/8" x 23 1/8"
STEM	Pro Class, alloy and chromoly with "thru-the-bolt" cable routing	SR 423 alloy and chromoly	SR 423 alloy and chromoly	SR 423
GRIP	Oakley "O" Wing			
BRAKES	DiaCompe MX901 Ft, MX1001 Rr, Tech 4 Lever	MX901 Ft, MX1001 Rr, Tech 4 Lever, Teflon Cables	630 Ft & Rr, Tech 4 style levers, Teflon Cables	MX901 Ft, w/HD 9mm bolt & recessed nut, Centerpull Rr, white; Tech V levers, color matched to frame
CRANK	Pro Class 3 pc. Tubular chromoly, 180 mm	(SR Cosmolite 175mm HT Boron steel on standard Californian model)	SR Cosmolite 165mm HT Boron Steel	SR Cosmolite 175mm HT Boron Steel
CHAINWHEEL		Alloy Power Plate 44 t. chainring		Quick Change Steel Spider, 42 t. Chainring
FREEWHEEL	Shimano DX 16T, chromoly, Chrome	Suntour 16T, chromoly, Chrome		Suntour 16T, chromoly, Chrome
PEDAL	SR MTP-100 alloy bear trap style	SR MP-474 alloy platform style	VP-777 nylon bear trap style	VP-800 white nylon platform style
HUBS	SR Sealed Bearing, smll flange, chrome	SR MH310, sealed mechanism w/track nuts	SR MH310, HD 1/8" Axles	SR MH310 HD 1/8" Axles
RIMS	Pro Class Series III Hard Anodized, 24 x 1.75	Pro Class Series III Hard Anodized, 20 x 1.75	Pro Class Alloy, 20 x 1 1/8	Nylon Mag style, fiber reinforced
TIRES	Comp III Skinwall 24 x 1.75	Comp III style, skinwall, 2.125 Ft 1.75 Rr.	Comp III style, skinwall, 20 x 1 1/8	Pro Class Alloy, 20 x 1.75
SEAT		M 1 Vented Nylon	M 1 Vented Nylon	Cheng Shin freestyle skinwall, 20 x 1.75
SEAT POST	Chromoly, 3/8" x 12" hinged alloy clamp	30° Laidback, chromoly 3/8" x 14" hinged alloy clamp	Steel, 3/8" x 12" Hinged alloy clamp	Steel, 3/8" x 12" Hinged alloy clamp
COLOR	Chrome, black trim	All white or chrome, black trim	Chrome, black trim	Blue, Grey, Lime or Lavender
*STANDARD ACCESSORIES		Color Coordinated Mongoose Pad Set, Stem, frame & bar		ACS Stem Rotor
WEIGHT	26 lbs.	24 lbs.	25 lbs.	28 lbs.
				25 lbs.

B M X Products, Company reserves the right to

# MODEL SPECIFICATIONS

FS-1 FREESTYLER	EXPERT	M 1 FREEWHEEL	M 1 COASTER M 1 MINI	MITYGOOSE	MINI SCOOT
All tubes 4130 chromoly, triple butted 1 1/8" mainframe	4130 chromoly 1 1/8" mainframe	Heliarc welded Hi-Tensile Steel 1 1/8" mainframe	Heliarc welded Hi-Tensile Steel 1 1/8" mainframe	Heliarc welded Hi-Tensile Steel 1 1/8" mainframe	Heliarc welded 4130 chromoly mainframe
Freestyle, 4130 chromoly, 1 1/8" legs w/4 stand bosses		Hi-Tensile Steel Heliarc Welded 1" Tubular Legs	Hi-Tensile Steel Heliarc Welded 1" Tubular Legs	Hi-Tensile Steel Heliarc Welded with 1" Tubular Legs	Hi-Tensile Steel Heliarc Welded with 1" Tubular Legs
		Patented axle retention drop out			
Pro Class Freestyle, chromoly non-slip crossbar, color matched to frame	Pro Class Steel 7" x 25 1/8"	Pro Class Steel 7" x 25 1/8" (Mini-Steel 5 1/8" x 23 1/8" on M 1 Mini)	Mini-Steel 5 1/8" x 23 1/8"	Pro Class Steel 7" x 25 1/8"	Pro Class Steel 7" x 25 1/8"
Pro Class Freestyle, thru-stem cable routing, color matched to frame		Polygon 104-40 alloy and chromoly	Double Clamp, alloy and steel	SR 423	
		Team Mongoose Grips New Softer Compound			
MX901 Ft, w/HD 9mm bolt & recessed nut, Centerpull Rr, white; Tech V levers, color matched to frame	MX901 Ft, MX1001 Rr, Tech 4 Levers, Teflon Lined Cables	Suntour Coaster Brake, MX1000 Rr hand brake	Suntour Coaster Brake	MX901 Rear only Tech 4 Lever	
SR Cosmolite 175mm HT Boron Steel	175mm Steel HT	170mm Steel HT (M 1 Mini 5 1/8")	One Piece Steel, 4 1/8"	NA	
Quick Change Steel Spider, 42 t. Chainring	Quick Change Spider, 44 t. Chainring	44 t. sprocket	36 tooth sprocket	NA	
		18 Tooth Coaster Brake Sprocket	16 Tooth Coaster Brake Sprocket	NA	
VP-800 white nylon platform style	VP-301 Nylon platform style		Rubber, 1/8" shaft	NA	
Full bearing HD 1/8" axles	Small Flange Steel HD 1/8" Axles	Small Flange Steel HD 1/8" Axles	Small Flange, Steel 28 hole, 80 gauge	Full bearing HD 1/8" axles	
Nylon Mag style, fiber reinforced	Pro Class Alloy, 20 x 1.75	Pro Steel 20 x 1.75	16 x 1.75, Steel 28 hole	Fiber reinforced Nylon Mag style	
Cheng Shin freestyle skinwall, 20 x 1.75	Comp III style skinwall, 2.125 Ft 1.75 Rr (M-1 Mini—1.75 only)	Gumwall 2.125 Ft 1.75 Rr (M-1 Mini—1.75 only)	Comp III style skinwall, 16 x 2.125	12 1/8" x 2 1/4" gumwall 45 PSI	
Dominator, white		M 1 Vented	Padded Aero style	NA	
30° Laidback, chromoly 3/8" x 14" alloy clamp	Steel, 3/8" x 12" Hinged alloy clamp	Steel, 3/8" x 12" Steel clamp, chrome	Steel, 3/8" x 9" steel clamp	NA	
Blue, Grey, Lime or Lavender	Chrome, black trim; Blue; or Grey	Blue; White or Chrome, black trim (M 1 Mini—White only)	Red or blue with matching trim or chrome w/black trim	Chrome, black trim	
ACS Stem Rotor			Mongoose Bar Pad	NA	
28 lbs.	25 lbs.	M 1 Coaster 27 lbs. M 1 Mini 26 lbs.	23 lbs.	18 lbs.	

upgrade or change specifications without notice.

Mitygoose®, Mongoose®, Pro Class®; and the Mongoose® are Registered Trademarks of BMX® Products, Company.



Pro 24™, Californian™, Expert™, M1™, and M1 Mini™; are Trademarks of BMX® Products, Company.

\* Pro Class® Wheel Patent Number 281,062.

Complete CPSC Equipment Included, but not Shown.

## A Word About This Catalog

A sincere effort has been made to compile as factual and useful a catalog of Mongoose® Bicycles as possible. However, BMX® Products, Company reserves the right to change any model, specification or equipment without notice. Since the printing of this catalog, some of the specifications may have been changed. Please consult your local Mongoose® Dealer for more information.



# Metra™



Complete CPSC Equipment Included, but not Shown.

## Metra™

The Mongoose® Metra™ is a quality engineered bicycle designed for comfort and spirited performance. The wide range 10-speed gear system and responsive Dia Compe brake cantilevers give the Metra™ "go anywhere" versatility. The patented alloy 26 x 1.5 Pro Class™ Wheels and combination tread tires will glide with precision and reliability over a dirt road, a city street or a bike path through the woods.



Internal cable routing is an extra Mongoose® quality feature.


# Metra™



Complete CPSC Equipment Included, but not Shown.

The specially contoured upright handlebars, padded spring saddle and ergonomic full grip brake levers unite the performance features to provide a comfortable and enjoyable riding experience. Rear rack mounts and water bottle bosses equip the Metra™ for commuting, transportation or recreation.

The Metra™ is finished in metallic blue in a ladies style with an 18" frame, or a mens style with a 19", 21" or 23" frame.



Light alloy 170mm cranks and 42-52 chainwheels provide the torque and gearing for a variety of riding.

# ATB

T.M.



Complete CPSC Equipment Included, but not Shown.

## ATB™

The ATB by Mongoose® is the most versatile and efficient bicycle available today. It unites state-of-the-art design, materials and gearing technology with the traditional cycling virtues of comfort, transportation and plain old fun!

Consider the Mongoose® ATB™'s precision, wide range 15-speed gearing, with its incredible 1:1 low gear; patented lightweight alloy Pro Class™ Wheels, a Mongoose® exclusive; or the unique skinwall tires which provide "fat tire" comfort with efficiency of a "highway" center rib to reduce pedaling effort to a minimum. The ATB™ has even been equipped for touring with front and rear mounts for racks and fenders and braze-on bosses for two water bottles (single bottle for Ladies model).



4130 chromoly unicrown design fork with 1 1/8" tubing reduces weight while increasing steering response and trackability.

# ATB


T.M.




Complete CPSC Equipment Included, but not Shown.

The nation's leading cycling magazine, "Bicycling", summed it up perfectly, "The Mongoose® All-Terrain, with its aggressive frame geometry and well matched components, is a sure and fast off-road handler..."

Men's ATB® models are available in 17", 19", 21½" and 22½" frame sizes. Ladies models feature a 17" or 19" frame and specially contoured handlebar for more comfortable riding. The 24" wheel model utilizes a scaled-down 17" frame for smaller riders. Mens and ladies models available in chrome or red; 24" available in chrome only.



Mountech II rear changer and Pro Comp cog ensure quick smooth shifts through the entire gear range.



Complete CPSC Equipment Included, but not Shown.

### ATB Pro™

The ATB Pro™ is the finest 26" all terrain machine Mongoose® has to offer. It is engineered with only one objective... *Performance!* Its innovative design and componentry reflect the uncompromising attention to detail that has made Mongoose® the leader in off road bicycles.

Innovative designs like the smooth lines of the all chromoly "unicrown" style fork, or details like the exclusive use of sealed bearing hubs and "O" ring sealed head and bottom bracket sets. The extra wide 18-speed Suntour XC gear system, Triple Butted top and down tubes, forged steel dropouts and brazed-on bosses for front and rear racks and dual water bottles give the bike its high performance appeal and incredible versatility.

The patented Pro Class™ Series III Hard Anodized Wheels represent the latest in lightweight wheel technology. Hard anodizing not only imparts a unique dark finish but, actually increases rim rigidity 21% over non-hard anodized rims.

The ATB Pro™ is available in 19" and 21½" frame sizes. Finished in durable, scratch resistant, low maintenance chrome.



Suntour CB6100 roller cam brakes are positioned on the chainstay for greater braking efficiency.



Ergonomic brake levers and Suntour fingertips provide effortless shifting and sure braking.



Sealed bearing hubs resist mud and dirt while the track axle nuts ensure maximum torque.

### 1986 ADULT MODEL SPECIFICATIONS

MODEL	ATB PRO™	ATB™	METRA™
SIZES	19", 21½"	MENS—17", 19", 21½", 22½" LADIES—17", 19" BOYS—17" w/24" wheels	MENS—19", 21", 23" LADIES—18"
FRAME	All tubes 4130 chromoly, Triple Butted mainframe, forged drop outs.	Triple Butted 4130 chromoly mainframe, forged drop outs.	Heliarc Welded, Hi-Tensile Steel, forged drop outs.
FORK	All chromoly, 1½" tubes, Unicrown design, forged drop outs.	4130 chromoly legs, 1½" legs, Unicrown design, forged drop outs.	Hi-Tensile Unicrown design, 1" legs, forged drop outs.
DERAILLEURS	Suntour XC Series FD3500 Ft Changer RD3600 Rr Changer LD3600 Finger Tips	Suntour Alpine Ft Changer Mountech II Rr Changer XC Sport shifters	Shimano FDz 202 Front Changer RDz 501GS Rear SL-AT50 Shifters
HANDLEBAR	Alloy 2½" x 27" Black anodized	Alloy 2½" x 27" Silver	Steel 5½" x 27" Chrome
STEM	SR MTS 101 Black Anodized	104-80 Black	
HEADSET	Tange Sealed Levin FL250S, W/"O" ring seal	Tange W/"O" Ring Seal Chrome Heat Treated	YST 8201 Heat Treated Chrome
GRIP	Contoured Foam		
BRAKE	Suntour XC Series CB6100 Cantilever CB6200 Lever Heliarc welded studs	DiaCompe 980 Cantilever, 280 levers; Heliarc welded studs	DiaCompe 981 Cantilever, Polygon ergonomic levers; Heliarc welded studs
CRANKSET	SR FXC-T310 175mm 28-38-48 KP4015 "O" Ring Sealed BB set	SR SXC-T310 175mm 28-38-48 170mm Ladies/ Boys "O" Ring BB set	SR CTC 170mm 42-50
CHAIN	DID Lanner, Silver		
PEDAL	SR MTP 110	Victor VP 707	Victor VP 301
FREEWHEEL	Suntour Pro Comp, 6 speed, silver, 14, 17, 19, 21, 26, 32	Suntour Pro Compe, 5 speed, silver, 14, 17, 20, 24, 28	Shimano 5 speed 14, 17, 20, 24, 28
HUB	SR MTH 100 High Flange, Sealed Bearing, Track Nuts	SR MH 310 Small Flange Sealed Mechanism, Track Nuts	SR MH 310 Small Flange Track Nuts
RIM	Pro Class Series III Hard Anodized 26 x 1.75	Pro Class Alloy 26 x 1.75	Pro Class Alloy 26 x 1.5
SPOKE	14 gauge, chrome		
TIRE	National 26 x 2.0, Skinwall high performance tread	Cheng Shin 26 x 2.0, off road design w/highway center rib	Cheng Shin Skinwall 26 x 1.5
SEAT	Vetta "Maxi" 03-315 Leather	Vetta 03-310 Vinyl	Viscount, full support, spring style
SEAT POST	SR CRE 101 post, 230mm (Ladies, boys-190mm) graduated-mm/in, SR 170 seat pin		Steel 230mm x 24.8
FINISH	Chrome	Chrome or Red	Blue
EXTRAS	Braze-on cable stops; bosses for two water bottles (single bottle on ladies model); bosses and dual eyelets for fenders and front and rear racks.	Braze-on cable guides; single water bottle bosses; rear rack bosses	
WEIGHT	32 lbs.	32 lbs.	30 lbs.

Weights vary depending on frame size.

Complete CPSC Equipment Included, but not Shown.  
Specifications Subject to Change Without Notice.

ATB Pro™, ATB™ and Metra™ are Trademarks of BMX® Products, Company.

\* Pro Class® Wheel Patent Number 281,062.