



ongoose &



Racing competition keeps Mongoose on the leading edge of performance.

Mangaose® is a company with a rich history of innovation, excellence and performance technology. From the development of the original 20" Motomag® wheel, to the introduction of the state-of-the-art aluminum composite Mangusta™ bicycles, Mongoose has always been committed to producing products that provide better performance, durability and value.

uring the early 70's, a new youth activity, involving high rise 20" bicycles, was developing in the vacant lots and fields of suburban Southern California. Bicycle motocross, or BMX as it became known, proved to be a rough and tumble pastime that took its toll on wheels and bicycles. To fill that need, the heavy duty, one-piece cast aluminum Motomag wheel and the Mongoose BMX bicycle were introduced. The Mongoose bicycle was not only the first competition-ready BMX bicycle available, it was the most affordable. This provided dramatically better availability and eliminated costly time consuming custom building. The value, affordability and availability of these two products helped provide the catalyst for turning BMX into a major youth sport and the launching of a new facet of the bicycle industry.



Rick Allison during his award winning routine at the IBMXF World Freestyle Championship, EXPO 86, Vancouver, Canada.



John Tomac's cycling skill has proven invaluable in the refinement of the entire all-terrain bicycles and Mangusta line.

Later, in 1980, Mongoose captured the first ever ABA National #1 Cruiser title. This signalled an evolutionary re-direction of Mongoose bicycles, from a strictly 20" bicycle, to larger wheeled, adult sized models. The development and refinement of 26" racing cruisers, and Mongoose's subsequent domination of the cruiser racing circuit in 1984 with six National #1 Cruiser titles, led to the introduction of adult sized Mongoose all-terrain bicycles, or ATB's.


he rough and tumble, off-road orientation of bicycle motocross, and the years of engineering and manufacturing expertise we developed, put Mongoose into an exclusive league of mountain bike manufacturers. Mongoose has a natural instinct for dealing with the rigors of ruts, potholes and rocks-all of the obstacles that make BMX riding exciting and all terrain riding challenging.

n the Spring of 1984, Mongoose again demonstrated its innovative engineering talents with the debut of the incredible Mongoose Miniscoot.™ The Miniscoot was an old idea, re-introduced with state-of-the-art manufacturing techniques and materials. The high-tech Miniscoots, made with aircraft quality 4130 chromoly and nylon-fiber composite wheels, are stronger, safer and easier to ride than any traditional scooter from years back. Deemed in many business circles as the "hula hoop of the 80's," the Miniscoot has made as big an impact on the bicycle transportation market as the original Mongoose BMX bicycle did.

In 1987, high technology has become the keynote, as Mongoose proudly introduces the Mangusta aluminum composite 12-speed road bicycle. Engineered in the Mongoose tradition of performance, quality and, most of all, value. The composite design takes best advantage of aluminum's light weight and chromoly's rigidity. The aluminum tubes have been bright anodized to prevent oxidation, then clear-coated to preserve and give greater depth to the unique and striking appearance.

Involvement in competition: the ultimate product test.

Whether it be through our mountain bike riders, BMX competitors, freestylists or road cyclists, our "eat-sleep-breathe" involvement has given us a keen sense of what winning performance is. It has shown us that reliability and confidence in a product can stimulate greater rider performance and enjoyment. Most importantly, it has taught us how to build that competitive advantage into every Mongoose bicycle we build, to give you better quality, performance and value.





MANGUSTA 5000



The Mangusta** 5000 combines performance componentry with the lightweight advantage of Mangusta's aluminium composite frame and aero contoured Unicrown chromoly fork. The 5000's components are selected from the Shimano Light Action group. Featuring SIS indexing derailleur system, Linear Response aero designed brake levers and Shimano cotterless alloy cranks. Computer designed Biopace chainrings, lightweight 32 spoke Araya alloy rim and IRC Roadlite EX skinside tires maximize your pedaling energy.

The Mangusta 5000 is available in Coral and bright anodized aluminium, clear coated for lasting beauty.



Araya 32 spoke allay rims faced with stainless spokes



Shimano's Light Action SIS system ensure positive gest selection.

MANGUSTA 3000





The Mangusta 3000 is also available in




Dia Compe OS 400 calipers provide responsive braking.

the 3000 is Mongoose 's most affordable package of quality componentry and the performance advantage of the lightweight Mangusta™ aluminium composite frame. Featuring the new Suntour Alpha 3000 AccuShift indexing derailleur system for effortless positive gear engagement. Dia Compe side pull brakes, Aero contoured brake levers, SR alloy cotterless cranks and Weinmann alloy rims give the 3000 its performance

The Mangusta 3000 is available in Fuchsia or Azure Blue with bright anodized aluminium maintubes, clear coated for lasting beauty.








Deore 'U' Brake, a sealed system for all weather performance.



Deore SIS indexing shifters provide positive shifting.



The ATB™ is Mongoose®'s premium all-terrain bicycle with top quality equipment and premium performance features. All-tube chromoly frame construction with Triple Butted maintubes and the Unicrown style chromoly fork set the ATB apart from ordinary mountain bikes for superior handling and durability.

The ATB is equipped with the performance designed Shimano Deore ensemble. It includes the quick, positive shifting SIS indexing derailleur system, responsive Deore rear "U" brake, front cantilever brake and comfortable anatomically designed Deore MT-60 brake levers.

The SR triple plateau alloy cotterless crank set provides the added efficiency of the new Ovaltech elliptical chainrings. The ATB keeps weight low and performance high with the narrow profiled Araya 7X (N) alloy rims, stainless steel spokes and the high performance skinwall 26 X 2.0 all terrain tires.

The ATB is available in both mens and ladies models in your choice of Laguna Blue, Aquamarine or scratch resistant Chrome.

Alta



he Mongoose Alta provides the best combination of performance and 18 speed go anywhere versatility. Featuring all tube chromoly frame construction and a chromoly Unicrown fork for a responsive, comfortable ride.

The Alta is equipped with the Shimano Light Action derailleur system and positive shifting SIS control. The Alta also includes an SR alloy crank set, Ovaltech chainwheels, Shimano Cantilever brakes and Araya 26 X 2.0 alloy rims.

Available in mens and ladies models in Laguna Blue or White Euro.




Shimano's Light Action SIS system ensure positive gear selection.



Shimapa AT-50 Cantilever brokes provide quick, smooth stops.

Hill Topper





Suntour AccuShift derailleur system means positive gear engagement.



A matching ladies Hill Topper is available with an 18' frame.

he Hill Topper™ is a value packed bicycle featuring Mongoose's famous Chromoly Mainframe construction and heliarc welded Unicrown style fork. The Hill Topper's quality equipment includes the new Suntour AccuShift 3000 indexing derailleur system, wide 18 speed gearing, Araya 7X(N) alloy rims and the new SR Ovaltech elliptical chainrings. The Hill Topper even includes rack mounts and water bottle bosses.


Available in Laguna Blue or Wildfire Red in both mens and ladies models.




Expert



he Mongoose® Expert™ gives you all the features of race ready bicycles costing much more. Important features like large diameter 1'/a" tubular chromoly mainframe construction and heliarc welded 1" tubular BMX fork. Race ready components include a quick change front chainwheel, dual front and rear caliper brakes and 175mm heat treated cranks. The patented Pro Class® alloy wheels give the Expert a performance edge and distinctive good looks. The Expert is available in Electric Blue, Classic Chrome or White Euro.




Heliarc welded 1 1/8" tubular chromoly means lightweight durability.



The patented Pro Class alloy wheel's reduced mass improve acceleration.

M-1 Spoke





he M-1™ Mag combines popular nylon mag style wheels with Mongoose® dependability for the hot new freestyle look. Quality Mongoose M-1 frame and fork, Pro Class® Steel handlebars and heat treated steel cranks make the M-1 a great performance value. The M-1 Mag is available in Malibu Mint with contrasting white mag wheels and trim.





M-1 Mini

he M·1™ Mini's full size 20" wheels and low profiled frame make it the perfect choice for smaller, younger riders. Dependable Mongoose® construction, Pro Class® Steel wheels and reliable coaster brake make the M·1 a long lasting and easily controlled 'first 20" bike.' The M·1 Mini is available in bright Electric Blue.

Lil' QT

the Lil OT; a classic girls bike built with Mongoose performance, durability and styling. The rugged heliarc welded frame, low profile handlebars and reliable coaster brake ensures years of safe, comfortable riding. Heavy Duty 36 spoke wheels give the Lil OT true BMX styling and durability. Available in Crystal Lilac.







he Mitygoose® builds big bike performance and style into the ultimate 16" sidewalk bicycle. Heliarc welded frame, tubular steel fork, 28 spoke wheels and sure stopping coaster brake add up to Mongoose® quality and value. Training wheel adaptability makes the Mitygoose the perfect beginners bike. Available in Electric Blue.







Pro Class - 24

The Eric Rupe Signature Edition 20" Frame and Fork set and the Pro Class® 24" Cruiser Frame and Fork set are for those riders who demand the exacting componentry that only custom built racing bikes can provide. These frame sets have captured multiple National #1 Pro and National #1 Cruiser titles.




Pro Miniscoot



Trevor Hernandez on Tahiti Green Pro Miniscoot.



with larger diameter 11/8" tubular chromoly frame rails, bigger 14" wheels and taller, wider Pro Class® freestyle handlebars. Want more? How about the new SR Spintech rotor and dual handbrakes with the incredible stopping power of the exclusive rear band brake. The Miniscoot Pro is available in Tahiti Green or Coral Reef.




Larger 14" wheels feature exclusive Band Brake.



SR Spintech stem provides thru the stem cable routing.


Miniscoot








Exclusive Band Brake, the quickest and safest in any weather.



New larger, reinforced foot deck for

The Mongoose Miniscoot, the original performance scooter, is now tricker than ever. Completely re-engineered with extra large diameter 11/8" tubular chromoly frame rails and a new larger deck with reinforced kicktail. Best of all, the Miniscoot now features an exclusive band brake system for the quickest, safest stops of any scooter. The Miniscoot is available in Laguna Blue, Electric Pink or Classic Chrome.

Decade Pro



Factory Pro Freestyler, Rick Allison, demonstrates a classic freestyle maneuver, a Decade.



Pro Class Series VI 48's, hard anodized, dimpled holes and stainless spokes.



Suntour XC Sport Cam brake gives you better stopping power.

he Mongoose® Decade™ Pro is Mongoose's ultimate freestyler, the same machine used by the Mongoose Factory Freestyle Team. Equipped with the latest state-of-the-art components for unparalleled performance. The Decade Pro frame features a kicktail design top tube platform providing a deep knurled standing surface for horizontal and vertical moves. The distinctive two-tone Electric Pink and bright chrome finish clearly identifies the Decade Pro from all other freestyle bikes.

The SR Spintech stem's efficient dual pull system coupled to the Suntour XC Sport Cam rear brake provide unsurpassed braking power and stopping control.

Don't forget the Pro Class® 48 spoke Series VI wheels-stronger than ordinary 48's because they're built with stainless steel spokes and hard anodized rims. The Decade Pro's new Dual Freewheel system changes from an ordinary freewheel hubs to a fixed to help you perform a whole new range of freestyle manuvers.


Decade Spoke



the Decade™ is Mongoose®'s newest freestyle machine. The heart of the Decade is the precision heliarc welded chromoly frame featuring a new kicktail top tube platform.

The precision components include the new SR Spintech rotor and Tech V brake levers with lock-up feature. The rear center pull brake is mounted below the chainstay to allow full use of the standing platform.

The Decade even gives you a choice of wheels. The Decade Mag with Skyway Tuff Wheels comes in Laguna Blue, Malibu Mint, White Euro or Classic Chrome. The Decade Spoke with Pro Class® 48 hole Series V alloy wheels comes in White Euro or Classic Chrome.



High efficiency rear center pull brake is mounted out of the way.




Pro Class 48 spoke Series V wheels feature sealed mechanism hubs.

Decade Mag



Factory Freestyler Karl Rothe





SR Spintech stem allows 360 degree handlebar spins.



Kicktail standing platform is deep knurled for extra traction.



Brake has standing platform and recessed mounting nut.




Levers have lock-up leature for extra

		1987 A	DULT M	ODEL SPECIF	CATIONS			
MODEL	ATB PRO*	ATB"	ALTA	HILL TOPPER	7000	5000	3000	
SIZES	Mens 18" (46cm) 20" (51cm)		18" (46cm), 20" (5 -18" (46cm)	51cmi, 22" (54cm)	20° (51cm), 21° (54	cml, 22%" (57cml, 23%" (6	Ocm), 25° (63cm)	
FRAME	All tubes 4130 chromo mainframe	My, triple butted	All tubes 4130 chromoly	chromoly main frame hi-tensile tail	Composite constructi	on with aluminum mainfram	e and chromoly tail	
HEAD/SEAT ANGLE	72"/72"		70°/70°			73°/74°		
DROPOUT	70° forged	chromoly	15°	forged chromoly	7			
FORK	All chromoly, 1" oval Unicrown design	4130 chromoly 1" oval Unicrown design	4130 chromoly 11%" legs Unicrown design	Heliarc welded Hi-tensile steel 11/4" legs. Unicrown design	All chromoly, Aero unicrov	Aero unicrown design Hi-tensile steel legs		
DROPOUT	Forged chromoly		70° vert	tical forged steel				
DERAILLEURS	Shimano Deore XT FD-M730 Front RD-M730 Rear	Shimano Deore FD-MT60 Front RD-MT60 Rear	Shimano Light Action FD-AXSS Front RD-M531 Rear	Suntour Alpha 3000 A3000 Front A3000GX Rear	Shimano 105 Series Shimano Light Action FDZ206 EC FDZ206EC RD-1050 Rear RD-L525 Rear		Suntour Alpha 3000 A3000 Front A3000 Rear	
SHIFTERS	SL-M730 SIS shifters	SL-MT60 SIS shifters	SL-MS55 SIS shifters	Alpha 3000 AccuShift	SL-1050 SIS	St. 434 StS	Alpha 3000 AccuShift	
HANDLEBAR	Alloy 2" rise Black anodized	Chromoly 2" rise		Steel 2" rise	Nitto Olympiad alloy	SR Alloy CTB-410	Steel	
	Suntour XC		Oromoly and	29/200		410mm (390mm-51/54)	DCA -T-	
STEM	1400 black		Citatoy are		Nitto Young alloy 60mm	SR CT-AH alloy -51, 80mm-54/57, 100mm-	DGA alloy 50/63	
HEADSET	Tange sealed FL270S W/"0" ring seal Ohrome		Sealed Type Chrome plated		Shimano HP-1050 "O" ring seal	Tange SE-3 Sealed	Sealed bearing chrome plated	
GRIP		Contou	red foam		Sugino BT-75 Oc	oth Handlebar tape	Padded vinyl	
BRAKE	Shimano Deore XT BR-M730 Front BR-M731 Rear	Shimano Deore BR-MT60 Front BR-MT61 Rear	Shimano AT50 Front and Rear	Dia Compe Cantilever 983D	Shimano SLR 105 Series BR-1050 calipers	Shimano SLR BR-L490 calipers	Dia Compe QS400 calipers	
LEVERS	Deore XT BL-M730 levers			Alloy All Terrain	BL-1051 alloy SLR Aero design	BL-L331 alloy SLR Aero design	AC260A alloy Aero design	
CRANKSET	Shimano Deore XT FC-M730 175mm 26–36–46 Biopace	SR SXC-T350 alloy cotteriess oval tech 175mm 28-38-48 (170mm-Ladies/Mens 18")			Shimano 105 Series alloy cotterless FC-1050 175mm (170mm-51/54) 42-52 Biopace	Shimano alloy cotterless FC-B126 175mm 42-52 Biopace	SR alloy cotterless SXC-310 175mm (170mm- 51/54) 42-52	
BB SET	BB-M730 sealed		Tange sealed 303		Shimano BB-1050 sealed	sealed		
CHAIN	Shimano CN-6120	Shimano U			Uni Glide Uni Glide		Sedis GT-7	
PEDAL	Shimano PN-M730	Victor VP 777 Shimano 6 speed		HTI-861	Shimano PD-1050 w/ clips & straps	Shimano POT-100 w/ clips & straps	Alloy w/nylon clips & straps	
FREEWHEEL	Shimano free hub cassette 6 speed, silver, 13, 16, 19, 22, 26, 30	Shimano 6 speed 14, 16, 18, 21, 24, 28		Suntour 6 speed 14, 16, 18, 21, 24, 28	Shimano 6 13, 14, 16,	Suntour 6 speed 14, 17, 20, 24, 26, 28		
HUB	Shimano HB-M730 front w/quick release FH-M730 Rear Sealed bearing	SR MCH-310 Sealed mechanism Track nuts		w flange alloy, alled mechanism	Shimano 105 Series HB-1050 QR Sealed quick release	Surve SI-S0 Sealed quick release	Low flange alloy Sealed quick release	
RIM	Araya RM-20 26 x 1.5 Black Anodized	Arayı	a Alloy 7X(N) 26	x 1.5	Araya 700 x 20C Black anodized 32 hole SS-40	Araya 700 x 20C Silver 32 hole SS-40	Weinmann 913 700 x 25C Silver 36 hole	
SPOKE	Stainless			The state of the s		14 G		
TIRE	IRC 26 x 2.0 Pro X-1 skinwall	Oheng Shin Skinwall 26 x 2.0	Oheng Shin Skinwall 26 x 1.5		IRC Triathkin skin side 700 x 20C	DE LOCALISTE DE LA CONTRACTOR DE LA CONT		
SEAT	Vetta "Maxo" Leather	Viscount padded		f vinyf	Selle Italia Turbo perforated leather	Vetta Mundial suede	Viscount viny/	
SEAT POST	DPG micro adjust all all 300mm	Ladies-190mm		Seat post, steel 230mm	SR CRE-101 micro adjust, graduated	DP alloy micro adjust	DP-S alloy/steel micro adjust	
SEAT PIN	Shimano quick release	Suntour QR-120	18"—230mm clamp 230mm clam					
FINISH	Black Euro	Laguna Blue, Classic Ovome, Aquamanne	Laguna Blue, White Euro	Laguna Blue, Wildfire Red	Aquamarine/Brite Anodized aluminum Clear coated	Coral/Brite Anodized aluminum Clear coated	Fuchsia/Brite Anodized aluminum, Azure Blue/Brite Anodized aluminum Oear coated	
EXTRAS	Braze-on cable stops; b and dual eyelets for fen	ders and front and rea		e on ladies modell; basses	Dual water bottle mounts, j touch up paint	oump peg		
WEIGHT	27 lbs	29 bs	30 lbs	32 bs	21 % bs	22 % b s	23 % As	
			Weig	hts vary depending on frame	sire			

Complete CPSC equipment included, but not shown. Specifications subject to change without notice.





*Complete CPSC equipment included, but not shown.

Frame (cm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	G	Н	(mm)
51	510	540	987	410	577	70	74°	72°	45
54	538	550	989	410	579	70	74°	73°	45
57	568	560	1000	410	590	70	74°	73°	45
60	598	580	1020	410	610	70	74°	73°	45
63	628	600	1041	410	631	70	74°	73°	45

			1987 .IIIVF	NILE MOI	DEL SPECIF	ICATIONS				
MODEL	CALIFORNIAN	DECADE PRO	DECADE FREESTYLER LAAG AND SPOKES		M 1 SPOKES M 1 MAG	M 1 MINI	LIL' QT	MITYGOOSE	MINI SCOOT	MINISCOOT
FRAME	All tubes 4130 chromoly, triple butted 11/4" mainframe	noty, triple chromoty, trip is butted 11%" maintraine		4130 chromoty 1%" mainframe	The state of the s		Heliarc welded Hi-tensile steel	Heliarc welded Hi- tensile steel 11/4" mainframe	Heliarc welded 4130 11/4" chromoly mainrails	
FORK	4130 chromoly Heliarc welded with 1" tubular legs	Freestyle, chromoly, stand boss	1%" logs w/4	Hi-tensile steel Heliarc welded 1" tubular legs			Hi-tensile steel Heliarc welded with 1" tubular legs	Hi-tensile steel Heliarc welded with 1" tubular legs foot peg mounts		
				_	nted axie retention drop or					
HANDLEBAR	Pro class Pro class free chromoty 814" x 27" chromoty non crossbar, colo to frame		rion slip color matched		Pro class steel Mini-ste 7" x 251/5"		%" x 23%"	Mini-steel 51/2" x 231/2"	Pro class steel 7" x 25%"	Pro class freestyle, chromoly
STEM	SR 427 alloy and chromoly	SR 428 Spin Tech w	with a magnal rotor		Polygon 104-40 alloy and chromoly		Double Clamp, alloy and steel	Polygon 104-40 alloy and chromoly	SR 428 Spin tech w/rotor	
GRIP				Mushroo	om type			•		
BRAKES	MX 901 ft, MX1001 rt, Tech lever, Teffon cables	MX982 ft, w/HD 9mm bolt & recessed nut, Suntour XC Sport roller cam rear, Tech V levers with lock feature	M. CREZ ft, w/HD 9mm bol 8 recessed nut, centerpull rr, leich V levers, with lock to oure	MX901 ft, MX1001 rr, Tech 6 levers, Teflon- lined cables	Coaster brake		Rear coaster brake	Rear band brake MX4 levers	Rear band brake It 980 FS thru stem cable routing Tech 6 levers	
CRANK	SR Cosmolite 175mm HT boron steel			175mm steel HT	170mm heat-treated steel	5%" heat-treated steel	One piece steel 51/2"	One piece steel, 41/2"	NA	
CHAINWHEEL	Pro class power plate 44 t. alloy chain ring	Tioga CD Sprocket 42 t	O. ck change steel sp der, 42 t. channing	Quick change steel spider, 44 t. channing	44 t sprocket	42 t. sprocket	40 t. sprocket	36 t sprocket	NA	
FREEWHEEL	Suntour 16 t chromoly, Chrome	16 t. Dual Freewheel with fixed hub lockup feature	Suntour 16 t. chro	moly, Chrome	18 tooth coaster brake sprocket		16 tooth coaster brake sprocket	NA		
PEDAL	SR MP-474 alloy platform style	VP-777 nylor	in be ir trap style		Nylon platfor	m style		Rubber, 1/2" shaft	NA	
HUBS	SR MH310, sealed mechanism w/track nuts	Sealed MechSansin HD 1/4" axles	Se illed mechanism HL1 14° axles	SR MH310 HD 16" axles	Small flange steel HD 1/4" axies		Small flange, steel 28 hole, 80 gauge	Full bearing HD 1/4" axies		
RIMS	Pro Class Senes III hard anodized, 20 x 1.75	Pro Class Series VI, hard anodized 48 spoke, 14 g stainless steel spokes	A: Class Series V 48 hole, all sy Si yway Tuff Wheels	Pro Class Alloy, 20 x 1.75	Pro steel 20 x 1.75 Nylon mag (M1 mag only)		16 x 1.75, steel 28 hole	Fiber reinforced Nylon mag style Integral rear band brake		
TIRES	Comp III style, Skinwall, 2 125 ft. 1.75 rr.		Pan I vestyle I, 20 + 1.75	Comp III style Skinwall, 2.125 ft, 1.75 rr.	Oheng Shin Investyle Skinwall, 20 x 1.75	20 x Gumi		Comp III style, Skinwall, 16 x 2 125	12½" x 2½" gumwali 45 PSI	14" x 21/4" gumwali
SEAT	M1 vented nylon Dominator, White		M1 vented			Padded Aero style	NA .			
SEAT POST	30° Laidback, chromoly %" x 14° alloy clamp		Steel, %" x 12", alloy clamp				Steel, %" x 9" steel clamp	NA		
COLOR	Black Euro Ovrome	Electric Pink/Ohrome	La xuna Blue, Malibu Mint, W vite Euro, Classic Oromi Sp sked wheel in White Euro and Classic Orome	White Euro, Electric Blue, Classic Otrome	Electric Blue, Classic Ohrome, Malibu Mint (mag only)	Electric Blue	Crystal Lilac	Electric Blue	Ohrome, black trim Laguna Blue . Electric Pink	Tahiti Green Coral Reef
STANDARD ACCESSORIES	Color coordinated Mongoose pad set, stem, trame & bar	Sealed head set					Mongoose bar pad	Mongoose bar pad		
WEIGHT	25 tbs	28% lbs	M. og 29% 85 Sp skes 28% 85	25 lbs	M 1 27 bs M 1 Mni 26 bs	M 1 mag 28 lbs	28 lbs	23 tbs	18 bs	21 lbs

MONGOOSE LIMITED WARRANTY

Mongoose bicycle frames purchased from an authorized Mongoose bicycle dealer are warranted by BMX Products Company ("BMX") to be free from defects in materials and workmanship under normal use for as long as the bicycle is owned by the original owner.

All original parts purchased from an authorized Mongoosa bicycle dealer, except tires, tubes and cables, are warranted by BMX to be free from defects in materials and workmanship under normal use for ninety (90) days from the date of purchase.

During each of the respective limited warranty periods, all original parts and bicycle frames subject to this limited warranty and determined by BMX to be defective in materials or workmanship, will be repaired or replaced by BMX, through an authorized Mongoose bicycle dealer, free of charge, except for shipping or other transporation charges and dealer labor charges (if applicable), which charges are not covered by this limited warranty.

This limited warranty applies only to Mongoose bicycles which were fully assembled by an authorized Mongoose bicycle dealer at the time of purchase. Mongoose bicycles should be inspected by an authorized Mongoose bicycle dealer every six months. In order to obtain limited warranty service, the bicycle, together with the bill of sale, or other dated proof-of-purchase document identifying the bicycle frame number, must be presented to an authorized Mongoose bicycle dealer.

For assistance in locating an authorized Mongoose bicycle dealer, please write to BMX Products Company, 75 Modular Avenue, Commack, NY 11725.

NOTICE: The user assumes the risk of any personal injuries, damage to or failure of the bicycle and any other losses if Mongoose bicycles are used in any competitive event, including bicycle racing, or in bicycle motocross, dirt biking, freestyling, or similar activities or training for such activities, or if Mongoose bicycles are altered or used for stunt riding, ramp jumping, acrobatics or similar activities, operated with multiple riders or used to tow another person or vehicle, or used with motors or any power driven aparatus. Any of the foregoing will invalidate this limited warranty and BMX shall not be liable for any failure, loss, damage or injury resulting from such uses or alterations.

BMX shall not be responsible for incidental or consequential damages. This limited warranty does not cover any personal injuries, damage to or failure of the bicycle or other losses due to accident, misuse, alteration, neglect, abuse, normal wear and tear, improper assembly, improper fit, improper maintenance or use of unauthorized replacement parts.

This limited warranty is the only warranty applicable to Mongoose bicycles, and is expressly in lieu of any other warranty. Any implied warranty, including any warranty of merchantability or fitness for a particular purpose, is limited in duration to the duration of this express warranty.

This limited warranty gives you specific legal rights and you may also have other rights which may vary from state to state. This limited warranty applies only to the United States.

© 1987 BMX® PRODUCTS, COMPANY