# CYCLES .









### INTRODUCTION

JACKSON CYCLES HAVE HAD A REPUTATION FOR BUILDING TOP QUALITY FRAMES FOR OVER 50 YEARS. ANY JACKSON BICYCLE IS SUPERBLY DESIGNED AND CONSTRUCTED BY SKILLED CRAFTSMEN, WHO ARE THEMSELVES CYCLING ENTHUSIASTS.
WHERE A JACKSON CYCLE DIFFERS FROM A MASS PRODUCED BIKE, IS IN THE PAINSTAKING ATTENTION TO DETAIL.

THE FRAMES ARE INDIVIDUALLY CONSTRUCTED AND ANY FINISH IS AVAILABLE E.G. ENAMEL, FLAMBOYANT, BRONZANTI METALLISED PAINTS, ETC. THE COLOUR SCHEME CAN BE ESPECIALLY CHOSEN. IN EFFECT JACKSONS OFFER A PERSONALISED DESIGNER SERVICE ENABLING YOU THE CUSTOMER TO SPECIFY YOUR EXACT NEEDS (COMPLETE BICYCLES IN THE CATALOGUE ARE SUGGESTED COMBINATIONS ONLY).

1988 MARKS THE RE-LAUNCH OF JACKSON CYCLES, A NEW IMAGE TO REFLECT OUR CONTINUED SUCCESS, IN ALL ASPECTS OF CYCLE SPORT AND LEISURE CYCLING.

AFTER 50 YEARS JACKSON CYCLES HAVE GAINED A WEALTH OF EXPERIENCE THAT LEAVES THE COMPETITION STANDING. WELCOME TO THE NEW JACKSON CYCLES CATALOGUE.

JACKSON CYCLES LTD., 148 HAREHILLS LANE, LEEDS, LS8 5BD. TEL: LEEDS (0532) 493022.



### NOTE

A REPAIR AND RENOVATION SERVICE IS ALSO AVAILABLE. PLEASE CONTACT JACKSON CYCLES FOR A FREE QUOTATION.

THE JACKSON POLICY OF CONTINUALLY UP-DATING AND IMPROVING THEIR RANGE MEANS THAT THE SPECIFICATIONS AND APPEARANCE OF ALL BICYCLES IN THIS CATALOGUE MAY BE SUBJECT TO ALTERATION AT ANY TIME



## Alana de la companya del companya de la companya del companya de la companya de l


### CONTENTS

PAGE

MESSINA TRIATHLON	3
GRAN MONTANA 531	
COL CLIMBER	
PATHFINDER (ATB)	
SUPER TOURIST	
SUPREME	
LADY MIXTE	
GRAND PRIX	
NOVARA LOW PROFILE	
LUGANO TIME TRIAL	11
MERLIN-MODENA	12
MERLIN-SAN MERENO	
VIGORELLI TRACK	
NUOVO 753 ROAD OR TRACK	13
RACING OR TOURING TRIKE	14
TOURIST TANDEM	







### **MESSINA TRIATHLON**

### FRAME SPECIFICATION

Reynolds 531 C Tubing.
Size to order, 19%" to 25%". Sizes above extra.
Angles 74° Head 74° Seat, or to order.
Itallian Liscia Lugs.
Campagnolo Super Record Dropouts.
Rear end width for 6 speed unless stated.
Finish colour to choice. Lugs outlined in colour and transfers.

### COMPLETE CYCLE SPECIFICATION

Shimano 105 Group Set SIS. Mavic M.A. 2 Rims. Michelin Hi-Lite Tyres. S.R. Bars & Stem. Milremo Saddle.



### **GRAN MONTANA 531**

### FRAME SPECIFICATION

Reynolds 531 D/B Tuning, Haden Lugs and Special Crown.
Size to order. 19" to 25" for 6 speed.

Size to order. 19" to 25" for 6 speed.

Angles 71° Head 72° Seat. Bracket height 11%".

Wheelbase approx. 43". Shimano Front and
Rear Dropouts.

Finish colour to choice and transfers.

### COMPLETE CYCLE SPECIFICATION

Shimano Deore Group Set. Saturae Rims. Specialized Tyres. S.R. Handle Bar Stem. S.R. Handle Bars. Madison G.11 Saddle. (Shimano U.Brake Extra).

### **COL CLIMBER**

### FRAME SPECIFICATION

As above but built with Reynolds 501 Tubing.

### COMPLETE CYCLE SPECIFICATION

Weinmann Rims. Deore Hubs. Specialized Tyres. S.R. Chainset. Dia Compe Brakes. Suntour Gears. Accushift Comar Saddle.

### **PATHFINDER**

### FRAME SPECIFICATION

Reynolds  $531\ \text{tubing},\ \text{Haden Lugs and Special}$  Crown.

Size to order 19" to 25" for 6 speed. Angles 71° Head 72° Seat. Bracket height 11%". Wheelbase approx. 43". Shimano Front and Rear dropouts.

Finish colour to choice and transfers.

### COMPLETE CYCLE SPECIFICATION

Araya Rims on Shimano Deore Hubs, Madison Ritchie Tyres.

Shimano Biopace chainset 48.38.28, Suntour XC9000 Gears.

Suntour XC9000 Brake Levers, Shimano XT Front Brake.

Shimano XT U Brake Rear.

Nitto Handlebars and Stem, Madison G11

Blackburn Rear Carrier, Poker Mudguards.

### STOP PRESS: NEW CYCLE

### EIGER 753

Specification as PATHFINDER but with the new Reynolds 753 ATB tubing.









### SUPER TOURIST

### FRAME SPECIFICATION

Reynolds 531 (ST) Tubing throughout.
Sizes to order 19½" to 25½". Sizes above extra.
Prugnat Italia Long Point Lugs. Fancy Cut.
Angles 72° Head 72° Seat, or to order.
Campagnolo Front and Rear Dropouts for 6 speed unless stated.
Finish colour to choice. Lugs outlined in colour and transfers.


### COMPLETE CYCLE SPECIFICATION

Specialized Tyres and Tubes. Stronglight 100 36.48 Chainset.
Weinmann Brakes. (Dia Compe or Shimano Brazed on extra)
Suntour S.V.X. F.R. Gears. S.R. Bars & Stem.

Madison G11 Saddle. Poker Mudguards.

Superchamp 58 Rims on L.F. Hubs.







### SUPREME

### FRAME SPECIFICATION

Reynolds 653 Tubing. Size to order. 19\" to 25". Investment Cast Lugs. Angles 74° Head 74° Seat, or to order. Special Italia Continental Oval Fork Blades. Cinelli Investment Cast Crown. For 6 speed unless stated. Allen Key Seat Fastening with Italian Seat

Cluster (Fast Back).

Campagnolo Super Record Dropouts or to choice. Fully Silver Brazed, Shimano 600 Alloy Headset. Finish and colour to choice. Chrome extra.

### COMPLETE CYCLE SPECIFICATION

Shimano 7400 Group Set. Mavic M.A. 40 Rims. Specialized Turbo Tyres. Cinelli Bars & Stem. Turbo Saddle.



### LADY MIXTE

### FRAME SPECIFICATION

Reynolds 531 Double Butted Tubing Sizes to order, Special Lug Set, fancy cut Angles 72° Head 72° Seat Twin lateral construction Campagnolo Front and Rear Dropouts

### COMPLETE CYCLE SPECIFICATION

Super Champion 58 Rims on L/F Hubs Specialized Tyres and Tubes Stronglight 100 36-48 Chainset Weinmann Brakes, Suntour SVX Front and Rear Gears S.R. Bars and Stem Madison L22 Saddle, Poker Mudguards.







### **GRAND PRIX**


### FRAME SPECIFICATION

Reynolds 531 C Tubing throughout.
Sizes to order. 19½" to 25½". Sizes above extra.
Prugnat Italia Long Point Lugs. Fancy cut.
Angles 73° Head 73° Seat, or to order.
Campagnolo Super Record Front and Rear
Dropouts.

Wrap over seat Stays for 6 Speed unless stated. Finish colour to choice. Lugs picked out and transfers.

### COMPLETE CYCLE SPECIFICATION

Shimano Ultegra group set. SIS Mavic MA 2 Rims. Michelin Hi-Lite Tyres S.R. Bars & Stem. Milremo Saddle.



### **NOVARA Low Profile**

### FRAME SPECIFICATION

Italian ORIA Special Tubing as used by Francesco Moser.

Size to order 20\%" to 23\%".

Angles 74° 74° or to order, Bottom Bracket height  $10\% \rlap{/}''$  .

Wheelbase 35" Cinelli Aero Internal Crown on Italian Special Rake fork, Shimano forged Vertical Dropouts.

Gear fittings brazed on for 6-speed, internal brake fitting within top tube, Allan Key Brake fittings, Allan Key Seat Post Fastening. Finish, colour to choice, or shaded finish as illustrated.

### COMPLETE CYCLE SPECIFICATION

Araya Rims on S.F. Ultegra Hubs.
SOYO Tubulars 24"F 27"R. Ultegra SIS Gears.
Ultegra Chainset.
Cinelli L.A. Bars. Cinelli 1A Stem.
Ultegra Pedals. Turbo Saddle.
Aero Gran Compe Brakes.









### **LUGANO TIME TRIAL**

### FRAME SPECIFICATION

Reynolds 653 Tubing.
Size to order. 19½" to 25".
Prugnat Special Lightened Lugs. Fancy fretted.
Angles 74° Head 74° Seat, or to order.
Special Italia Continental Oval Fork Blades on Haden Sceptre Crown.
Allen Key Seat Fastening.
Campagnolo Super Record Dropouts.
Fully Silver Brazed. For 6 speed unless stated.
Finish colour to choice. Lugs outlined in colour and transfers.

### COMPLETE CYCLE SPECIFICATION

Suntour sprint group set. 9000 Accushift. Mavic MA 40 Rims. Michelin Hi-Lite Tyres. Cinelli Bars & Stem. Turbo Saddle.



### MERLIN - MODENA

### FRAME SPECIFICATION

Reynolds 531 D/B tubing throughout. Sizes from 19½" to 25". 73° Angle Head, 73° Angle Seat or to order. Prugnat Long Point Lugs. Fancy cut. 1½" Fork Rake on Italia Fork Crown. Campagnolo Front and Rear Fork Ends.

### COMPLETE CYCLE SPECIFICATION

Shimano Ultegra Group Set SIS.
Mavic MA 2 Rims, Michelin Hi-Lite Tyres.
SR Bars and Stem, Milremo Saddle.
SR Seat Pin.

### MERLIN - SAN MERENO

### FRAME SPECIFICATION

Reynolds 531 D/B tubing.
Sizes from 19½" to 25".
73° Angle Head, 73° Angle Seat or to order.
Prugnat Long Point Lugs.
1½" Fork Rake on Cinnetti Italia Crown.
Shimano Front and Rear Fork Ends vertical.
Special Italia Seat Cluster.
Brazed on Gear Fittings.

### COMPLETE CYCLE SPECIFICATION

Mavic or Super Champion Rims on S/F Q/R Hubs. Specialized Tyres and Tubes or to order (extra). Suntour SVX Front and Rear Gears. SR or Stronglight Cotterless Alloy Chainset. SR Alloys Bars, Stem and Pedals, Weinmann Brakes.





### **VIGORELLI TRACK**

### FRAME SPECIFICATION

Reynolds 531 D/B Tubing throughout. Sizes and half size to order. 19½" to 25½". Prugnat long point lugs. Angles 74° Head 74° Seat, Bracket Height

10%" or 11" or to order.

Forks 1 Rake Round to Round. Special Fork Blades.

Dropouts Campagnolo Track.

Finish Colour to choice. Lugs outlined in colour and transfers.

Plating extra - see list.

### COMPLETE CYCLE SPECIFICATION

Mavic Sprint on L/F Hubs, Campagnolo. Lion Tubulars. SR Bars and Stem, Alloy. SR Track Alloy Cotterles C/set.

## **NUOVO 753 ROAD OR TRACK**



### **NUOVO 753 ROAD OR TRACK**

### FRAME SPECIFICATION

Reynolds 753 RD/B Tubing throughout. Size and half size to order, 20" to 24". 74° angle Head, 74° angle seat, or to order. Allen Key Seat. Special (Hand Fretted) Light Lugs.

1½" Rake Fork European oval section on Haden Sceptre Crown.

Campagnolo Super Record Dropouts, Road or Track.

Low Temperature Silver Brazed throughout. Brazed on Gear fittings for Front and Rear Gears under Bottom Bracket. For 6 speed unless stated.

Lightweight Headset.

Finish colour to choice. Lugs outlined in colour and transfers.

### COMPLETE CYCLE SPECIFICATION

Shimano 7400 Group Set.
Mavic M.A. 40 Rims. Specialized Turbo Tyres.
Cinelli Bars & Stem. Turbo Saddle.



### TOURING TRIKE

FRAME SPECIFICATION-

Reynolds 531 D/B Tubing.

Size to order.

Angles 72° Head 72° Seat, or to order.

Campagnolo Front Dropouts.

Sun Tour or Shimano Brake Fittings and Racer

Extension to Fork.

Journal type Rear Axle, single Wheel Drive. Two

Wheel Drive extra.

Rear Braking System extra.

Finish colour to choice. Lugs outlined in colour

and transfers.

### COMPLETE CYCLE SPECIFICATION

Superchamp 58 Rims.

Specialized Tyres. Stronglight 100 Chainset. Sun Tour S.V.X. F.R. Gears. S.R. Bars & Stem. Madison G.11 Saddle. Double Braking System

on Fork.

Rear Brake System Extra.

RACING MODEL ALSO AVAILABLE DETAILS FROM JACKSON CYCLES LTD.





### **TOURIST TANDEM**

### FRAME SPECIFICATION

Size to order. 531 Double Butted Tubing, Campagnolo Dropouts.

Double Twin Lateral Construction. Finish to choice.

Chrome Rear Handlebar Stem (extra). Wheelbase from 61". Weight from 12 lbs.

### COMPLETE CYCLE SPECIFICATION


Superchamp 58 Rims. Suzie Hubs. Specialized Tyres. T.A. Cross Over Chainset.


Shimano Deore Brakes. Suntour S.V.X Gears.

S.R. Bars & Stem. G.11 Saddle

S.R. Alloy Pedals. Poker Mudguards.

RACING MODEL ALSO AVAILABLE DETAILS FROM JACKSON CYCLES LTD.







Jackson Cycles Ltd, 148 Harehills Lane, Leeds LS8 58D Telephone: (0532) 493022 Photography: John Millar Assistant: David Shepherd Design & Art Direction: Michael Krage © 1988 JRJ Cycles Ltd