




Top-tube mounted open cables reduce friction in the front and rear changer cables and result in increased power to the rear brake by reducing casing compression.



	Α	В	C	D	E	F	G	Н
RAMPAGE	470	70	74	1056	432	560	290	45
MAGNUM	481	70	73	1040	425	540	293	45
SASQUATCH	520	71	73	1062	442	570	290	45
PINNACLE	517	71	74	1060	425	550	282	45
KOKANEE	515	71	73	1060	430	560	290	45
EUROSPORT	570	74	74	1000	410	569	265	45

- A SEAT-TUBE (mm)
- B HEAD-TUBE (°) C SEAT-TUBE (°)
- D WHEEL BASE (mm)
- E CHAIN-STAY LENGTH (mm) F TOP-TUBE LENGTH (mm)
- G B.B. HEIGHT (mm)
- H FORK RAKE (mm)



Deore XT STI Rapid Fire levers with single step down front shift ing and the new Servo Wave brake mechanism for fast cable pick up and improved braking response.

Lightweight, durable T7000 aluminum tig welded off-road frame produces a very rigid, responsive ride. Oversize headset for prolonged bearing life.



#### FRAME INFORMATION

utlined below is a brief scription of the key charteristics affecting a bicycle's rformance. Each model is ecifically designed to meet the eds of its intended user.

ie seat-tube length determines

the bike, as it governs the height of the top-tube from the around.

The head-tube angle and seat- The wheel base and chain-stay tube angle contribute to the control and responsiveness of the bicycle. Generally, a long the bicycle. Low angles generally produce a very smooth stable ride (especially at higher

bike capable of more technical riding (e.g. twisting trails, or high performance road riding).

length also affect the handling of wheel-base or chain-stay produces a stable ride in addition to providing some road

more agile responsive feel.

Bottom bracket height governs the centre of gravity of the bicycle and determines overall ground clearance.

For more detailed discussion of frame characteristics, consult your local NORCO dealer.

NORCO . . . from recreation to racing we cover a lot of ground.

Our 1991 line represents our continued commitment to producing high quality value packed bicycles for the whole family. From sturdy 20" wheel children's bikes to hi-tech racing equipment, we cover the full spectrum.

We have continued to provide our customers with no holds barred high-end products like the 1991 Rampage. Crafted in Japan from lightweight Tange Prestige chro-moly tubing, this race prepped unit features the latest shifting and braking innovations from Shimano.


Our children's line has been expanded to meet the needs of the active youth market, and we are pleased to present three new models in our Hybrid mountain-lite program.

Visit your local NORCO dealer today for all the



# RAMPAGE PRESTIGE Tested and perfected for offroad radicals.

The Rampage has been redesigned for 1991 and incorporates a longer toptube and Tange Switchblade forks. Featherweight, yet durable, this Tange Prestige frame delivers an agile, responsive ride. Key features include: new Deore XT Rapid Fire shifters with single step-down shifts, Servo Wave brake levers for faster cable pick up, Bullet proof Araya RM-17 rims and ultra aggressive Panaracer Smoke tires.



### MAGNUM Master the extreme.

This heat treated T-7000 tig welded oversized frame doesn't sacrifice strength or performance for weight reduction. Deore DX 21-speed Rapid Fire is equipped with Hyperglide shifting and round Superglide chainrings, durable Araya CV-7 welded rims with concave sidewalls for improved brake pad line-up, ground hugging Tioga Mud Dawg tires.




### SASQUATCH Bred to shred.

The full Tange chro-moly Sasquatch is built for the challenge and utilizes a sleek long radius tapered tubular fork. Note the refined Suntour XC LTD components featuring Xpress below bar shifting, durable Accushift Plus freewheel cogs and powerful balanced response canti-levers. The gel saddle helps to reduce road shocks while the Panaracer Smokes are your assurance of unparalleled traction.








### PINNACLE Potent!

Unique chro-moly main triangle with tapered oval tubes for increased lateral and fore/aft rigidity. The oversize headset increases bearing life by spreading the load over more balls and a larger surface area. Exage 400 21-speed Rapid Fire equipped for crisp responsive Hyperglide shifts. Complete with a deluxe SR "TCO" seatpost, comfortable gel saddle, tough Araya VP-20 alloy rims, and deluxe stainless spokes with quick release hubs.




added convenience.













### dependable excitement!

Our best selling junior bicycles feature hot new paint jobs and exciting new graphics. Shimano 12-speed Hyperglide equipped to help cover all types of terrain. The powerful Chang Star rear U-brake and front cantilevers utilize levers with reach adjusters for a custom fit to smaller hands. Also note the racing style handlebars and comfortable padded saddles!











# MICRO MOUNTAINEER They look small but they're big on fun!

Durable Micro Mountain frames with lots of standover height for the younger mountain bike enthusiasts. Easy shifting Shimano 6speed Hyperglide gearing. Reliable sidepull brakes with deluxe reach adjustable brake levers, long lasting gumwall tires and sturdy chrome plated mountain rims. See them soon at a Norco dealer near you.




### ARCTIC Tailored to your needs

Mid-priced deluxe hybrid with chro-moly main triangle. Note the comfortable rise from the alloy stem, easy shifting Shimano 200 rapid fire 21-speed, Hyperglide gearing, rugged unicrown fork, and the quick release front wheel for added convenience. Durable Araya alloy 700C rims and high volume skinwall tires provide a smooth comfortable ride.








### QUEST Hassle free versatility

Economical his and hers mountain-lite style bicycles. Durable fully lugged frames with deluxe unicrown forks and open top-tube cable routing. The hi-rise stems with flat racing style bar provide a comfortable controlled riding position. Additional key features include: 18-speed Shimano Hyperglide gearing, reliable


### EUROSPORT Lean, mean racing machine

Light-weight full chro-moly racing frame with a rigid Mangaloy fork. Available in a five size breakdown to come close to a custom fit. Positive shifting Shimano Exage 500 14-speed Hyperglide gearing with Biopace front cranks. Ultra powerful dual pivot SLR brake calipers with sleek Aero levers and deluxe Criterium bend bars. Tough Araya SS-45 alloy rims.





## ICTORY



### VICTORY Lively response

This spunky entry level racing bicycle takes advantage of the crisp shifting Shimano Exage 400 14-speed Hyperglide gearing and SLR Aero brakes. Comes complete with lightweight Araya SS-45 alloy rims, low profile racing pedals complete with clips and straps, sleek Vetta Mundial racing





### MONTEREY SL Affordable performance crafted in Japan

Economical recreation racing bicycle with durable Ishiwata chromain frame. Suntour 1 speed Accushift inde equipped. Durable Aray alloy rims with quick release hubs and long lastin Panaracer Dual tires Responsive blaze side-pubrakes with Aero lever and quick release for each

SPECIFICATIONS	RAMPAGE PRESTIGE	MAGNUM L/A	SASQUATCH	PINNACLE	BIGFOOT	KOKANEE
FRAME SIZES	17", 18.5", 20"	15.5", 17.5", 19.5"	17", 18.5", 20.5"	16", 18", 20", <mark>22"</mark>	16", 18", 20", 22"	16", 18", 20", 22"
FRAME	73 mm B.B. Shell. Tange Prestige oversize ATB 3-main tubes. Sloping top-tube, outer butted reinforced seat collar.	Full heat treated Tig welded aluminium T-7000 supersized 44 mm down-tube.	Tange Infinity double butted chro-moly Tig. welded. Sloping top- tube design with new 73 mm B.B. shell.	Tange double butted chro-moly "Max Style" ovalized tapered top, down-tube o-butted s-tube, lathe cut head-tube.	Tange chro-moly "Max Style" ovalized tapered top/down-tube, outer butted seat-tube.	Tange oversized chro-moly tubes) outer butted seat-tucut head-tube.
REAR STAYS	Tange full chro-moly. Fast Back style.	All light aluminum box section oversized.	Tange chro-moly with forged vertical ends.	Supersized tapered chainstay.	Supersized tapered chainstay.	Tubular (Fastback style).
FORK	Tange Prestige Switchblade 1-1/8".	Chro-moly supersized tubular 1-1/4".	Tange full chro-moly with long radius.	1-1/8" tubular chro-moly.	Full chro-moly tubular 1-1/8".	1" Hi-tensile tubular.
HEADSET	Shimano Deore XT. 1-1/8.	Shimano Deore XT supersized 1-1/4". Black.	Tange sealed mech. Black.	YST sealed mech. Black.	Sealed mech. Black.	Deluxe ATB. Black.
HANDLEBARS	Strong double butted L/A. Black bar.	Flat chro-moly bar in black finish.	Kusuki tapered flat bar. Chro-moly.	Flat chro-moly bar, tapered centre.	Flat racing bar.	Flat racing bar.
STEM	Tioga T-Bone full chro-moly. Internal cable routing.	Chro-mo Tioga style 105/135 mm top cable routing.	Chro-moly left side internal cable routing.	Full chro-moly Tioga style sloping top cap, side cable routing.	Full chro-moly tapered with drill hole.	Full chro-moly drill hole type
TAPE/GRIPS	Tioga Bio Grips.	Tioga "Bio Grips".	Tioga "Bio-Grips".	Axiom Power Grip w/hard end plug	Axiom Ergo Krayton.	Axiom "Ergo" Krayton.
SADDLE	Vetta Gel Turbo racing.	Vetta mundial vinyl.	Anatomic ATB Gel VL 169-LG.	Norco Gel ATB.	Norco Gel ATB.	Vetta anatomic vinyl.
SEAT POST	Deore XT Prestige chro-moly.	Kalloy oversized light aluminium.	SR "Tall Cool One" Sport.	SR "Tall Cool One" oversized. Black.	SR "Tall Cool One. Black.	"The Post" 4130 chro-mol
SHIFT LEVERS	Shimano Deore XT 7-speed SIS STI M092. Rapid Fire.	Shimano Deore DX STI 2-finger. STI-M070. Rapid Fire.	Suntour XC LTD Command 7-speed. Underbar.	Shimano Exage 500 STI 7-speed. Rapid Fire.	Shimano 500 LX STI 7-speed. Rapid Fire.	Shimano MO2O 7-speed Rapid Fire STI.
FRONT DERAILLEUR	Shimano Deore XT.	Shimano Deore DX.	Suntour XC LTD.	Shimano Exage 400 LX.	Shimano 300 LX.	Shimano 201 GS.
REAR DERAILLEUR	Shimano Deore XT 7-speed SIS. Direct mount type.	Shimano Deore DX 7-speed. Direct mount type.	Suntour XC LTD 7-speed. Direct mount type.	Shimano Exage 400 LX. 7 speed Direct mount type.	Shimano 300 LX. 7-speed. Direct mount type.	Shimano 200 GS.
FREEWHEEL	Shimano Deore XT 13-28T 7-speed Hyperglide cassette.	Shimano Deore DX 7-speed cassette 12-28T.	Suntour XC LTD 13-30T 7-speed cassette.	Shimano 7-spd 13-30T Hyperglide cassette.	Shimano 7-spd. 13-30T Hyperglide cassette.	Shimano 13-30T csst. Hy
CRANK SET	Full Deore XT with 26-36-46T Round rings. 170 mm or 175 mm. Superglide spacing.  Shimano Deore DX with 46-36-24T. Round Superglide 175 mm. Superglide spacing.		Suntour XC LTD 24-36-46T Black. Light-alloy cranks. Sealed mechanism B.B.  Shimano Exage 400 LX light alloy 28-36-48T Black Bio-Pace. Superglide rings.		Shimano Exage 300 LX light alloy. 170 or 175 mm 28-38-48T. Black. Superglide Bio-Pace.	Shimano Exage 200. 28-3 Bio-Pace Superglide. 175 with coated black rings.
BRAKE CALIPERS	Shimano Deore XT Low Profile cantilevers front and rear. Stainless tube cable routing.	Shimano Deore DX new Low Profile cantilevers.	Suntour CT-XLOO Low Profile cantilever front and rear.	Shimano 500 LX front cantilevers rear U-brake on small sizes.	Shimano 300 front cantis. Rear 300 canti Low Profile.	Shimano Exage 200 front o M352 U-brake seatstay n small sizes.
BRAKE LEVERS	New ST-M092 with fast cable "pick-up" cam design.	Shimano Deore DX 2-finger combo. Oversized cable. 2.0 x 6.0 mm SLR.	Suntour XCD mountain levers. Combo type "BRS" lined cables.	Shimano 500 LX STI combo full length levers. Oversized cables.	Exage 500 LX full length combo type. Oversize cables 2.0 mm.	Shimano 200 mountain le SLR cables.
PEDALS	Shimano Deore XT Low Profile comp. with clips.	Shimano Deore DX Low Profile comp. with clips.	MKS alloy body steel cage with clips and straps.	MKS light alloy body.	Plastic mountain. Pedals with reflectors.	Plastic mountain pedals with reflectors.
CHAIN	Shimano Deore XT narrow. Hyperglide.	Shimano Hyperglide narrow.	Suntour XCD narrow index.	1/2 x 3/32" Hyperglide. Made in Japan.	1/2 x 3/32" Hyperglide. Made in Japan.	1/2" x 3/32" Hyperglide in Japan.
HUBS	Deore XT quick release hub set. 7-spd cassette rear. 32 hole.	Shimano Deore DX quick release light alloy. 7-speed cassette rear.	Suntour XCD light alloy sealed mechanism. Rear 7-speed cassette.	Shimano Exage 500 light alloy. Both are quick release.	Shimano 300 LX light alloy. Rear 7-speed cassette.	Shimano light alloy. Front release. Rear 7-speed car
SPOKES	Asahi 14-15G double butted stainless.	14G stainless with brass nipples.	Asahi stainless 14G with brass nipples.	14G stainless with brass nipples.	14G with brass nipples.	14G with brass nipples.
RIMS	Araya RM-17 super hard anodized.	Araya #CV-7 black anodized.	Araya #CV-7 Black anodized, L/A.	Araya VP-20 light alloy anodized.	Araya VP-20 light alloy anodized.	Araya MP-22 light alloy ar
TIRES	Panaracer "Smoke" 26 x 2.1". Black skinwall.	Tioga Mud Dawg 26 x 1.95". Skinwall.	Panaracer 26 x 1.0 "Smoke". Black skinwall.	26 x 2.1 skinwall on/off mtn. tires.	26 x 2.0. Skinwall on/off mtn. tires.	26 x 1.90 on/off skinwall mountain tires.
WEIGHT	27-1/2 lbs.	28 lbs.	28-1/2 lbs.	30 lbs.	31.5 lbs.	32 lbs.
COLOUR	Shiny Black with Coral decals.	Pearl White with Black trim.	Matte Aztec Blue with Black 1/2 and 1/2. White/D.G. Yellow/Coral (3 tone fade).	Shiny Black w/Electric Blue trim, Violet w/DG Pink & Aqua splatter.	Elec Blu. w/Coral splat./White splash, Matte Plum/w Black trim, Shiny Black.	Matte Peacock Blue/Shin Shiny Blk, Neon Yel.w/Con Electric Blue splatter
		F 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Cult braze one and reflectors	Bouble H-D mounts, nump peg	Complete with full compliment of	Complete with HaO brazer