# RALEIGH RACE and ROAD




OUR WHEELS ARE YOUR WINGS

## RACE

PAGES 4 - 7

A RANGE OF SPEED MACHINES BUILT FOR OUT AND OUT PERFORMANCE, WITH THE LOOKS AND EQUIPMENT TO MATCH THEIR WINNING EDGE.



## ROAD

PAGES 8 - 15

CLASSICALLY ELEGANT, CHIC AND TOTALLY COSMOPOLITAN. A RALEIGH WILL ALWAYS BE THE MOST ADMIRED BIKE AROUND TOWN.



PARTS AND ACCESSORIES

PAGES 16 - 17

# OUR WHEELS ARE YOUR WINGS

Cycling means so many different things to so many different people.

For some, it's the adrenalin pumping ecstasy of being first past the post.

For others, it's the smooth cruise through the becalmed traffic jam on the way to the shops.

But whatever factors prompt them to take up two wheel travel, there is a shared motivation.

Cycling is acknowledged to be the transport of the 90s.

Environmentally sound and personally health giving, a bicycle offers the chance to enjoy a unique sense of freedom.

The new ranges of Race and Road bicycles from Raleigh are made in Nottingham, England, with each machine being designed and built to enhance the enjoyment its owner will get out of cycling.

And while styles and equipment are amazingly varied, the same technological excellence goes into each and every one.

Read the brochure, then visit your local Raleigh dealer.

Whatever it is you want out of cycling, you can trust Raleigh to deliver.



These are the speed machines which look every inch the part. Yet they are sweet tempered enough to glide elegantly through a stalled traffic jam.


Designed and built for out and out performance, they make the ultimate use of your stamina and muscle power.

The gearing and the variable riding positions give you total control over your bike.

And that's whether you're pumping uphill, flying down-hill or finding those few extra MPH on the finishing straight.

Raleigh Racers prove to you something you always wanted to believe.

That you're a better rider than you thought you were.





### **ECLAT**

Full Shimano RX 100 14 speed index race ensemble.

D

- Reynolds 501 double butted racing frame with forged ends and Unicrown fork.
- Anodised alloy rims with Shimano quick release hubs.
- Shimano alloy low profile racing pedals with clips and straps.
- Recessed brake calipers and linear response levers.
- · Colour: Iridescent Red
- Frame sizes: 21", 231/2", 25"

#### **ELAN**

- Reynolds 501 butted racing frame with Unicrown fork and forged ends.
- Anodised alloy rims with Shimano quick release hubs.
- Shimano 300 EX 14 speed index race ensemble.
- Recessed brake calipers and linear response levers.
- Shimano alloy low profile pedals with clips and straps.
- Exclusive Purple Mint Rain paint finish.
- Frame sizes: 21", 231/2", 25"



#### RACE BIKES: SIZING CHART

FRAME SIZE	INSIDE LEG RANG		
21"	29-33"		
231/2"	32-36"		
25"	34-38"		

See page 19 for further sizing details

m

## RECORD SPRINT

- · Close clearance racing frame with Reynolds 501 butted tubing, Unicrown forks and forged ends.
- Sachs-Huret Classic 1500 12 speed index gearing system.
- · Weinmann braking system with black alloy calipers and black Aero levers.
- · Low profile pedals with clips and straps.
- · Engraved black alloy handlebar and black light alloy stem.
- · Colour: Gloss Black

Ш

Frame sizes: 21", 23<sup>1</sup>/<sub>2</sub>", 25"



## PRO RACE

- Shimano 12 speed index gearing system.
- Close clearance racing frame built with Reynolds 501 butted tubing and high quality forged ends.
- Alloy wheels with quick release hubs.
- Low profile pedals with clips and straps.
- Black Aero race saddle and black alloy seat pin.
- Colour: Fluorescent Green and Gloss Black
- Frame sizes: 21", 231/2", 25"







ILEIGH

## SCORPIO

Raleigh CAD designed, responsive, close clearance racing frame.

D

- Shimano 12 speed index gearing system.
- Lightweight alloy rims with quick release alloy front hub.
- Low profile pedals with toe-clips and straps.
- Recessed alloy brakes with black hooded alloy levers.
- Colour: Fluorescent Yellow and Purple on
  White
- Frame sizes: 21", 231/2", 25"



- Shimano 12 speed index gearing system.
- Lightweight recessed alloy brakes, alloy handlebar, stem, hubs and cranks.
- Raleigh CAD designed, responsive, close clearance racing frame.
- Dynamic Fluorescent Orange, Grey and White colour finish.
- Frame sizes: 21", 231/2", 25"

The wonderful thing about the Raleigh range is that there is genuinely something for everyone who rides.

With these bikes in particular, you can see how precisely "form follows function".

So bikes which are intended for short shopping trips have bags of storage capacity.

Big, easy-rolling wheels give a bike classic elegance, whereas small, busy wheels make a bike chic and cosmopolitan.

For some, the City Bike means one thing.

Raleigh's traditionally styled, classically elegant and universally admired bicycle-about-town. Much imitated but never matched.


But then all roads lead to Raleigh eventually.





## **EXCEL**

- 12 speed index gear system with stem mounted levers for a fast, precise gear change.
- Lightweight alloy brakes, handlebar, stem and cotterless chainset give strength and performance benefits.
- Cushioned handlebar tape and padded ladies' sports saddle.
- Colour: Warm White with Indigo Blue and Avocado.
- Frame sizes: 19", 20", 22"



- Drop handlebars and brake lever extensions for a choice of comfortable riding positions.
- Convenient stem mounted gear lever and
   5 wide ratio gears to cope with a variety
   of road terrains.
- Lightweight mudguards for stylish protection in the rain.
- Colour: Warm White with Vaporised
   Magenta
- Frame sizes: 17", 19", 20", 22"

#### ROAD BIKES: SIZING CHART

ROMA/PLAZA		25-32"
17"	-	25-29"
18"	- 1	26-30"
19/191/2"	46.0	27-31"
20"	-	28-32"
21"	29-33"	29-33"
22"	-	30-34"
23"		31-35"
231/2"	32-36"	1 -
25"	34-38"	-

See page 19 for further sizing details

## LULU

- Delicate shaded leaf graphics, integrated into the Warm White and Pastel Purple paint finish for long lasting looks.
- 6 speed index gears with handlebar control for easy gear changing.
- Semi-raised handlebar, lightweight mudguards and ladies' padded saddle give practical and comfortable riding.
- Frame sizes: 17", 19", 20"



## CANDICE

- Stylish Mixte frame with elegant twin top tubes.
- Uniquely integrated graphics combined with a Warm White and Violet paint finish.
- 6 speed index gears for precise gear changing plus a semi-raised handlebar for an improved riding position.
- Colour matched rear carrier with strap and an alloy propstand, are practical extras for everyday use.
- Frame sizes: 19", 21", 23"









# CAMEO & COURIER

- Unique halogen lighting system with a longer, brighter beam, plus a rear lighting facility for continued visibility when stationary.
- Sturmey Archer 3 speed hub gear ensures reliable, all-weather gear changing.
- Complete with enamelled, heavy duty luggage carrier with strap and alloy propstand.
- Colour: Deep Metallic Red
- Frame sizes: Cameo: 191/2", 21"

Courier: 21", 231/2", 25"

# CHILTERN & CHILTERN LADY

- Full deep section mudguards and wraparound chainguard to protect rider and clothing.
- Simple and reliable 3 speed Sturmey
   Archer hub gear.
- Alloy propstand for easy parking.
- Colour: Chiltern: Gloss Black
   Chiltern Lady: Paris Blue
- Frame sizes: Chiltern: 21", 23<sup>1</sup>/<sub>2</sub>", 25"
   Chiltern Lady: 18", 19<sup>1</sup>/<sub>2</sub>", 21"





As you've come to the logical decision of settling on a Raleigh racer, you won't want to spoil the effect with second-rate or inappropriate parts and accessories.

ш

S

U

Raleigh's choice of saddles, pedals, toe-clips and straps, wedge bags and waterbottles and cages are styled to the bikes.

And they look right because they are right.

Maintaining your bike should be a pleasure rather than a chore, so nuts, bolts and add-ons are genuinely compatible, which makes them easier to fit.

All of this is accomplished with tools made for the job. (There's even a fold-away Maintenance Stand to hold the bike in position while you work on it).

As Raleigh have gone to such great lengths to give their Team Raleigh riders superbly comfortable and distinctive clothing, it seemed sensible to make it available to all our riders.

So now you can ride around in perfectly tailored, immensely practical and eye-catching race gear, colour coordinated to stand out in any company.

And look every inch the part.



THE BEST THING NEXT TO A RALEIGH



S



Riding a bike on today's busy roads calls for more than competence, it requires a certain flamboyance.

One needs to be seen.

So Raleigh have introduced a range of reflective items to help you stand out, whatever the conditions. Besides tabards, arm bands, leg bands and Sam Browne belts, there are brightly coloured fluorescent jackets which have the added advantage of being waterproof.

Helmets and helmet covers aren't merely for decoration either. They are ultra lightweight without compromising their prime function. Protection.

Whatever use you put your bike to, your cycle can be accessorised as well.

Carriers, bags and panniers vastly increase your payload and give you somewhere to stow the Puncture Repair Outfit and necessary tools and waterproofs.

(If the weather looks threatening).

To make your Raleigh even more comfortable to ride, you may like to try a sprung saddle from our range or choose a set of sponge handlebar grips, which are softer on the hands without forfeiting contact and control.

Now your bike is exactly the way you want it, hold onto it.

By securing it with a heavyduty lock from the Raleigh range.



THE BEST THING NEXT TO A RALEIGH S

S

D

m

S

### A BRILLIANT PAINT JOB

Raleigh have got paintwork down to a fine art. Our own Laboratory staff and Design Department develop the most exciting, innovative and original new colours, finishes and graphics. We have the most sophisticated cycle finishing plant in the world. Here, the technology is on a par with that used by car manufacturers. Up to four coats of finish are applied, after the tubes have undergone a 15 stage priming process to prevent corrosion, including total submersion in electrophoretic primer to coat them inside and out. To ensure the strength of the Raleigh finish is double that of most other bikes, we mainly use dry powder paint finishes which are fused together at very high temperatures.

#### TOP GEAR

U

Gears are used to reduce the effort required to pedal. Sturmey Archer hub gears are easy to use and are virtually maintenance free. Where performance is important there are derailleur gears which provide between 5 and 14 gears to cope with the ups and downs of British roads. Most Raleigh Race bikes are fitted with indexed derailleur gears which provide greater speed and accuracy when changing gear.

#### YOU'VE GOT TO HAND IT TO US

Raleigh offer you a choice of handlebar styles. The sporty 'drop' handlebars on racers enable the rider to adopt a low hand position at speed or a high grip for climbing hills. The semi-raised bar is designed for stability and responsive steering control.

#### THE RALEIGH CYCLE PROTECTION REGISTER

To help you should you be unfortunate enough to have your bike stolen, Raleigh can register your new bike, FREE, on our unique customer computer. You have a much better chance of recovering it if you have recorded the frame number and its specifications for ease of identification.

See your Raleigh Bicycle Guide for details.

#### THE RALEIGH GUARANTEE

All Raleigh Bikes conform to BS6102 (British Standard for Bicycles). They are so well constructed, we guarantee the frames and forks for a full 15 years and all our bikes carry a one year parts warranty. See your Raleigh Bicycle Guide for details.

#### ECLAT 14

main tubes and forged ends FORK Raleigh Unicrown with forged ends WHEELS 700C silver anodised alloy with Shimano alloy quick release hubs TYRES 700 x 20C narrow profile gumwall MUDGUARDS Clearance for narrow guards HANDLEBAR/STEM Engraved alloy bar with Sakae light alloy stem and white cushion tape BRAKES Shimano RX 100 recessed calipers with linear response levers DERAILLEUR Shimano RX 100 14 speed index system with down tube levers CHAINSET Shimano RX 100 52/42T with 170mm cranks
FREEWHEEL Shimano 13-14-15-17-19-21-23T cassette PEDALS Shimano alloy low profile with toe-clips and straps SADDLE White Aero race SEAT PIN Alloy with single allen bolt adjustment EXTRAS Frame fitting inflator

#### ELAN 14

APPROX WEIGHT 241/2 lbs (231/2" frame)

FRAME 74° parallel geometry with Reynolds 501 butted main tubes and forged ends FORK Raleigh Unicrown with forged ends WHEELS 700C silver anodised alloy rims with Shimano alloy quick release hubs TYRES 700 x 20C narrow profile gumwall MUDGUARDS Clearance for narrow guards HANDLEBAR/STEM Engraved alloy bar with Sakae light alloy stem and white cushion tape BRAKES Shimano 300 EX recessed calipers with linear response levers DERAILLEUR Shimano 300 EX 14 speed index system with down tube levers CHAINSET Shimano 300 EX 52/42T with 170mm cranks
FREEWHEEL Shimano 13-14-15-17-19-21-23T cassette PEDALS Shimano alloy low profile with toe-clips and straps SADDLE White Aero race SEAT PIN Alloy with single allen bolt adjustment EXTRAS Frame fitting inflator.

## **RECORD SPRINT 12**

White water bottle with grey alloy cage

APPROX WEIGHT 25 lbs (231/2" frame)

FRAME 74° parallel geometry with Reynolds 501 butted main tubes and forged ends FORK Raleigh Unicrown with forged ends WHEELS 700C black alloy rims with black alloy quick release hubs TYRES 700 x 20C narrow profile gumwall MUDGUARDS Clearance for narrow guards HANDLEBAR/STEM Engraved black alloy bar with black light alloy stem and black cushion tape BRAKES Weinmann recessed black alloy calipers and black Aero levers DERAILLEUR Sachs-Huret Classic 1500 12 speed index system with down tube levers CHAINSET Sakae 52/42T black Roundtech alloy with steel rings FREEWHEEL 14-15-17-19-21-24T PEDALS Black low profile with toe-clips and straps SADDLE Black Aero race EXTRAS Frame fitting inflator. Spoke protector disc. Black water bottle and black alloy cage APPROX WEIGHT 25 lbs (231/2" frame)

#### PRO RACE 12

FRAME 74° parallel geometry with Reynolds 501 butted main tubes and forged ends FORK Raleigh Unicrown with forged ends WHEELS 700C black alloy rims with alloy quick release hubs TYRES 700 x 25C narrow profile gumwall MUDGUARDS Clearance for narrow guards HANDLEBAR/STEM Engraved alloy bar with black alloy stem and black cushion tape BRAKES Weinmann recessed black alloy calipers with black alloy hooded levers DERAILLEUR Shimano 12 speed index system with down tube levers CHAINSET Sakae 52/42T alloy with steel rings FREEWHEEL 14-15-17-19-21-24T PEDALS Black low profile with toe-clips and straps SADDLE Black Aero race EXTRAS Frame fitting inflator. Spoke protector disc. Black water bottle and cage APPROX WEIGHT 25 lbs (231/2" frame)

### SCORPIO 12

FRAME/FORK Raleigh racing geometry, 18-23 Hi-Tensile steel tubing with brazed fork WHEELS 700C polished alloy rims with alloy hubs, quick release front hub TYRES 700 x 25C narrow profile gumwall MUDGUARDS Clearance for narrow guards HANDLEBAR/STEM Engraved alloy bar with light alloy stem and fluorescent yellow cushion handlebar tape BRAKES Recessed alloy sidepull with black alloy hooded levers DERAILLEUR Shimano 12 speed index system with down tube levers CHAINSET Sakae 52/42T alloy with steel rings FREEWHEEL 14-15-17-19-21-24T PEDALS Black low profile with toe-clips and straps SADDLE White Aero race EXTRAS Frame fitting inflator. Spoke protector disc. White water bottle with grey alloy cage APPROX WEIGHT 26 lbs (231/2" frame)

#### **MERCURY 12**

FRAME/FORK Raleigh racing geometry, 18-23 Hi-Tensile steel tubing with brazed fork WHEELS 700C chrome plated steel rims with alloy hubs TYRES 700 x 25C gumwall MUDGUARDS Clearance for narrow guards HANDLEBAR/STEM Engraved alloy bar with light alloy stem and white cushion tape BRAKES Recessed alloy sidepull with extension levers DERAILLEUR Shimano 12 speed index system with down tube levers CHAINSET 52/42T steel chainrings with alloy cotterless cranks FREEWHEEL 14-15-17-19-21-24T PEDALS Steel sports with reflectors SADDLE White Aero race EXTRAS Frame fitting inflator. Spoke protector disc. APPROX WEIGHT 27 lbs (231/2" frame)

#### EXCEL 12

FRAME/FORK Raleigh Sportif frame and fork

WHEELS 19" frame – 650 x 28 chrome plated steel with
alloy hubs. 20", 22" frame – 700C chrome plated steel
with alloy hubs TYRES Whitewall tyres to suit wheel size
MUDGUARDS Silver impact resistant with black centre
stripe HANDLEBAR/STEM Engraved alloy with white
alloy/steel stem and white cushion tape BRAKES Alloy
sidepull with extension levers DERAILLEUR 12 speed
index gear system with stem mounted levers
CHAINSET Sakae 52/42T alloy cotterless with black steel
chainrings and plastic disc FREEWHEEL 14-16-18-2124-28T PEDALS Black resin with reflectors
SADDLE White padded ladies' sports EXTRAS Inflator.
Spoke protector disc APPROX WEIGHT 28 lbs
(20" frame)

#### CHLOE 5

FRAME/FORK Raleigh Sportif frame and fork

WHEELS 17" frame – 600 x 28 chrome plated steel.

19" frame – 650 x 28 chrome plated steel with alloy hubs.

20", 22" frame – 700C chrome plated steel with alloy hubs

TYRES Whitewall tyres to suit wheel size

MUDGUARDS Silver impact resistant with black centre

stripe HANDLEBAR/STEM Engraved alloy with

alloy/steel stem and white tape BRAKES Alloy sidepull

with extension levers DERAILLEUR Sachs-Huret 5 speed

with stem mounted lever CHAINSET 46T steel chainwheel

with 170mm steel cotterless cranks and disc (150mm

cranks on 17" model) FREEWHEEL 14-17-20-24-28T

PEDALS Black resin with reflectors SADDLE White

padded ladies' sports EXTRAS Inflator. Spoke protector

disc APPROX WEIGHT 291/2 lbs (20" frame)

## LULU 6

FRAME/FORK Raleigh Sportif frame and fork WHEELS 17 frame - 600 x 28 chrome plated steel. 19' frame - 650 x 28 chrome plated steel with alloy hubs. 20° frame - 700C chrome plated steel with alloy hubs TYRES Whitewall tyres to suit wheel size MUDGUARDS Silver impact resistant with black centre stripe HANDLEBAR/STEM Chrome plated Raleigh raised bend with alloy/steel stem. White finger grips BRAKES Alloy sidepull with white levers DERAILLEUR 6 speed index gear system with handlebar mounted lever CHAINSET 46T steel chainwheel with 170mm cotterless cranks and disc (150mm cranks on 17" model) FREEWHEEL 14-16-18-21-24-28T PEDALS White bow style with reflectors SADDLE White padded ladies' sports EXTRAS Inflator. Spoke protector disc APPROX WEIGHT 30 lbs (20" frame)

## CANDICE 6

WHEELS 19" frame – 650 x 28 chrome plated steel with alloy hubs. 21", 23" frame – 700C chrome plated steel with alloy hubs TYRES Whitewall tyres to suit wheel size MUDGUARDS Silver impact resistant with black centre stripe HANDLEBAR/STEM Chrome plated Raleigh raised bend with alloy/steel stem. White finger grips BRAKES Alloy sidepull with white levers

DERAILLEUR 6 speed index gear system with handlebar mounted lever CHAINSET 46T steel chainwheel with 170mm steel cotterless cranks and disc FREEWHEEL 14-16-18-21-24-28T PEDALS Black resin with reflectors SADDLE White padded ladies' sports EXTRAS Enamelled rear carrier with luggage strap. Alloy propstand. Inflator. Spoke protector disc APPROX WEIGHT 32 lbs (21" frame)

#### CAPRICE SHOPPER

FRAME/FORK Ladies' curved frame with front basket holder and tubular fork WHEELS/TYRES 26 x 13/8" chrome plated steel with whitewall tyres MUDGUARDS Enamelled spearpoint section HANDLEBAR/STEM Northrounder steel bend with alloy/steel stem. White finger grips BRAKES Steel sidepull calipers with alloy levers GEAR Sturmey Archer 3 speed hub gear with trigger control CHAINSET 46T steel chainwheel with 170mm steel cranks
CHAINGUARD Wrap-round style PEDALS White bow style with reflectors SADDLE White padded tourist EXTRAS Detachable bow fronted shopping basket.
Enamelled rear carrier with luggage strap. Inflator.
Alloy propstand APPROX WEIGHT 37 lbs (21" frame)

## CAMEO

WHEELS/TYRES 26 x 13/8" chrome plated steel with whitewall tyres MUDGUARDS Enamelled spearpoint section HANDLEBAR/STEM Northrounder steel bend with alloy/steel stem. Black finger grips BRAKES Alloy calipers with alloy levers GEAR Sturmey Archer 3 speed hub gear with trigger control CHAINSET 46T steel chainwheel with 170mm steel cranks
CHAINGUARD Wrap-round style PEDALS Black bow style with reflectors SADDLE Black padded tourist EXTRAS Enamelled heavy duty rear carrier with luggage strap. Tyre driven dynamo lighting set. Battery supported rear tail light. Rear wheel dressguards. Alloy propstand.

Inflator APPROX WEIGHT 36 lbs (21" frame)

FRAME/FORK Ladies' curved frame with tubular fork

## COURIER

FRAME/FORK Gents 73° parallel frame with tubular fork
WHEELS/TYRES 26 x 1 3/8" chrome plated steel with
amberwall tyres MUDGUARDS Enamelled spearpoint
section HANDLEBAR/STEM Northrounder steel bend with
alloy stem. Black finger grips BRAKES Alloy calipers with
alloy levers GEAR Sturmey Archer 3 speed hub gear with
trigger control CHAINSET 46T steel chainwheel with
170mm steel cranks CHAINGUARD Wrap-round style
PEDALS Black bow style with reflectors SADDLE Black
padded tourist EXTRAS Enamelled heavy duty rear
carrier with luggage strap. Tyre driven dynamo lighting set.
Battery supported rear tail light. Frame fitting inflator.
Alloy propstand APPROX WEIGHT 37 lbs (231/2" frame)

#### CHILTERN

FRAME/FORK Gents 73° parallel frame with tubular fork
WHEELS/TYRES 26 x 1³/8" chrome plated steel rims with
amberwall tyres MUDGUARDS Enamelled spearpoint
section HANDLEBAR/STEM Northrounder steel bend
with alloy stem. Black finger grips BRAKES Steel sidepull
calipers & alloy levers GEAR Sturmey Archer 3 speed hub
gear with trigger control CHAINSET 46T steel chainwheel
with 170mm steel cranks CHAINGUARD Wrap-round style
PEDALS Black bow style with reflectors SADDLE Black
padded tourist EXTRAS Alloy propstand. Frame fitting
inflator APPROX WEIGHT 34 lbs (23¹/2" frame)

#### CHILTERN LADY

FRAME/FORK Ladies' curved frame with tubular fork
WHEELS/TYRES 26 x 13/8" chrome plated steel rims with
whitewall tyres MUDGUARDS Enamelled spearpoint
section HANDLEBAR/STEM Northrounder steel bend
with alloy/steel stem. White finger grips BRAKES Steel
sidepull calipers and alloy levers GEAR Sturmey Archer 3
speed hub gear with trigger control CHAINSET 46T steel
chainwheel with 170mm steel cranks
CHAINGUARD Wrap-round style PEDALS Bow style with
reflectors SADDLE White padded tourist EXTRAS Alloy
propstand. Inflator APPROX WEIGHT 35 lbs (21" frame)

#### ROMA

and steering stop WHEELS/TYRES 20 x 1.75" chrome plated steel rims with whitewall tyres

MUDGUARDS Raleigh feature section

HANDLEBAR/STEM Semi-rise handlebar with adjustable swan neck stem. White finger grips BRAKES Steel calipers and levers GEAR Sturmey Archer 3 speed hub gear with trigger control CHAINSET 46T steel chainwheel with cotterless steel cranks CHAINGUARD Wrap-round style PEDALS White bow style with reflectors SADDLE White padded tourist EXTRAS Floral flapover bag (optional). Alloy propstand APPROX WEIGHT 33 lbs

FRAME Low step-over U-frame with integral rear carrier

## PLAZA

FRAME Low step-over U-frame with integral rear carrier, frame folding mechanism and steering stop

WHEELS/TYRES 20 x 1.75" chrome plated steel rims with whitewall tyres MUDGUARDS Raleigh feature section

HANDLEBAR/STEM Semi-rise handlebar with adjustable swan neck stem. White finger grips BRAKES Steel calipers and levers GEAR Sturmey Archer 3 speed hub gear with trigger control CHAINSET 46T steel chainwheel with cotterless steel cranks CHAINGUARD Wrap-round style PEDALS White bow style with reflectors SADDLE White padded tourist EXTRAS Quick release saddle and handlebar levers. Alloy propstand

APPROX WEIGHT 331/2 lbs

#### SIZE

The nominal frame size is the measurement from the top of the seat tube (where the saddle pin fits into the frame) down to the centre of the bottom bracket axle (the axle which carries the pedal cranks). With the correct frame size, you should be able to sit on the saddle and just touch the ground on either side, but you must be able to reach the handlebars comfortably.

It is sometimes worth considering a smaller frame with the saddle slightly raised in order to obtain a more comfortable reach.

m

0

The sizing charts throughout this brochure give a guide to frame sizes against inside leg measurements. We recommend, however, that all bicycles are tried for size before purchase.

#### RACE BIKES: SIZING CHART

E INSIDE LEG RANGE
29-33"
32-36"
34-38"

#### **ROAD BIKES: SIZING CHART**

FRAME SIZE	INSIDE L	EG RANGE LADIES'
ROMA/PLAZA	-	25-32"
17"		25-29"
18"	-	26-30"
19/191/2"		27-31"
20"	=	28-32"
21"	29-33"	29-33"
22"	1 -	30-34"
23"	-	31-35"
231/2"	32-36"	-
25"	34-38"	-



#### OUR WHEELS ARE YOUR WINGS

All the bicycles shown in this catalogue are available from your Raleigh stockist.

E. H. GAMMANS & SON

10 Buckingham Road
SHOREHAM-BY-SEA
West Sussex. BN43 5UA
Tel. 0273 452445
VAT: N8: 198 2515 86

#### Raleigh Industries Ltd., Nottingham NG7 2DD, England.

Colours printed in this catalogue are as near as possible to the manufactured Raleigh product. For an accurate comparison, we recommend you see the actual product on display at your Raleigh stockist.

Due to our policy of continual improvement, product specification and appearance may change while this catalogue is still in use.

Issue Date: February 1992

Designed and produced by Cross Hill Conwill.

Photography by Sanders Nicolson, John Higginson and Andrew Hall.