



# HAS THE FRAME FOR YOU



Granny Issue



Late 60's





YETI A.R.C.

WHETHER YOU ARE A WORLD CLASS RACER, THE TERROR OF THE SPORT CLASS, OR A HARDCORE ENTHUSIAST, YETI BUILDS EACH AND EVERY ONE OF OUR FRAMES AS THOUGH YOU WERE A MEMBER OF OUR WORLD CHAMPIONSHIP WINNING, FACTORY RACE TEAM. WE DO NOT COMPROMISE QUALITY MATERIALS OR HANDMADE CRAFTSMANSHIP EXPENSIVE LESS TO FRAMES PRICED FOR THE MASSES. INSTEAD, WE USE YETI SPECIFIED CUSTOM-DRAWN TUBING, PRECISION MACHINING, AND COMPUTER-CONTROLLED TUBE BENDING TO CONSTRUCT WHAT WE BELIEVE ARE THE FINEST FRAMESETS AVAILABLE. AT YETI WE DON'T BUILD REPLICAS AND WE DON'T QUIT WHEN THE OTHERS GO HOME.


# BE PROUD OF YOUR PRO FRO F.R.C.

All YETI bicycles are handmade in Durango, Colorado by an eccentric crew of passionate craftsmen. And this is not strictly a bunch of tech weenies, they also eat dirt!



YETI "Pro For Racing Only"

The Yeti Pro F.R.O. is our benchmark frame design, the latest in a series of progressively innovative Yeti racing framesets. The Yeti Pro F.R.O. has been through seven years of changes and continues to improve, while still remaining one of the most stable and predictable chromoly frames on the handmade market. It is constructed of a Yeti-designed, seamless, double-butted, chromoly tubeset from Tange, which allowed us to shave a full half pound from the frame. The Pro F.R.O. has traditional Yeti features including racer-friendly geometry, Yeti-cross cable routing and a one-piece computer-bent tail section with ample tire clearance. In a world of exotic materials and custom framesets that cost as much as your first car, Yeti has chosen to keep a frame in our line-up that not only satisfies your every handling dream, but is also considerate of your bank account. Some say nothing rides like steel, we say nothing rides like a Yeti.



	14"	16"	17.5"	19"	20"	22"
A	20.5"	22.4"	22.6"	22.9"	22.7"	23"
В	72°	71°	71°	71°	71°	71°
C	74°	72°	72°	72°	73°	73°
D	40.4"	41.6"	41.6"	41.6"	41.6"	41.6"
E	17.2"	17.2"	17.2"	17.2"	17.2"	17.2"
F	11.0"	11.5"	11.5"	11.5"	11.5"	11.5"
G	1.25"	1.25"	1.25"	1.25"	1.25"	1.25"



Jimmy Deaton, three-time Mammoth Mountain Kamikazi Downhill Champion & Shipping Engineer.



Frank Wadelton, Welder Extraordinaire and Manic Downhill Master .



Heath Franklin, Dual Slalom Specialist and Disciple to F.T.W.

When man first rode the earth the elevated bike was the obvious choice for maximum tire clearance.

By the 1800s man introduced chain drive and realized that chain suck was an unacceptable phenomenon.


# TEN WILLIAM TEN WI




ALWAYS DISMOUNT FOR HORSES

## **YETI Ultimate**


Originally built as a project bike for **Mountain Bike Action Magazine**, this bike has gone on to become the most widely copied design in the industry. Although the imitations are flattering, the project bike was not perfect. Yeti has taken the necessary extra steps to bring the elevated design into the winner's circle. The addition of a computer-bent tail section and down tube has added strength and rigidity where it is needed; there's no chain suck or swaying bottom brackets here. Standard Yeti-cross cable routing and generous tire clearance round out the entire package. Whether you are bombing down the gnarliest, most mind-twisting single tracks or grunting up the steepest, most technical climbs on race courses throughout the world, the Yeti Ultimate will elevate you to the top.





WHEN I FIRST
DISCOVERED MY
THEORY OF EVOLUTION
I TALKED TO JOHN
AND THE BOYS AT YETI
AND KNEW THEY
COULD DO WONDERS.

		5-1-1		
	16"	17.5"	19"	20"
A	22.4"	22.6"	23"	23.25"
В	71°	71°	71°	71°
C .	73°	73°	73°	73°
D	41.5"	41.5"	41.5"	41.5"
E	16.5"	16.5"	16.5"	16.5"
F	11.5"	11.5"	11.5"	11.5"
G	1.25"	1.25"	1.25"	1.25"



After coming this far you deserve the best!

# Darwin's


Theory on the elevated chainstay bicycle.

# CRAZED ELDER BUILDS 1st A.R.C.



YETI A.R.C. "Alloy Racing Composites"

In keeping with our usual fanatic fashion, Yeti and our factory race team spent a full year researching, designing, and racing on the A.R.C. prior to releasing this frame to the public in the beginning of '92. In its first year of production the Yeti A.R.C. won more NORBA National, Grundig Cup and World Cup events than all of the competition combined. You won't find the harsh, buckboard ride of typical straight-gauge, 6000 series Aluminum in our flagship! The A.R.C. is masterfully constructed of Easton's 7005 Series ProGram Varilite tubing throughout the entire frame. Yeti called upon the wizardry of Easton Aluminum's Chuck Teixeira to draw an exclusive tubeset to our exacting requirements, which actually yielded a tube that is 25 percent stiffer and lighter than chromoly. We put the material where it matters, and the racers where they belong: on the podium.



	14"	16"	17.5"	19"	20"
A	20.5"	22.6"	22.8"	23.1"	23.1"
В	72°	71°	71°	.71°	71°
C	74°	73°	73° :	73°	73° .
D	40.0"	41.75"	41.75"	41.75"	41.75"
E,	16.8"	16.9"	16.9"	16.9"	16.9"
F	11.0"	11.5"	11.5"	11.5"	11.5"
G	1.25"	1.25"	1.25"	1.25"	1.25"

F. T. W.




AMERICAN
HERO

NOTE!



Some trademark controversy over the usage of the name "ARC" has arisen in the last few months. Noah has filed suit in District 36. A court ruling is expected by the end of the year.

# WE ARE HEREBY SUSPENDING YOU &




	16"	17.5"	19"	20" ,
A	22.6"	22.81	23.1"	23.2"
В	71° *	71° *	71° *	71° *
C	73° *	73° *	73° *	73° *
D	42.2"	42.2"	42.2"	42.2"
E	17.2"	17.2"	17.2"	17.2"
F	11.5"*	11.5"*	11.5"*	11.5"*
Ģ	1.5"	1.5"	1.5"	1.5"

\* Dimension may vary slightly due to suspension set-up



YETI A.R.C.-A.S. "Active Suspension"


Yeti isn't introducing rear suspension because it's "the thing to do." We are taking full advantage of our relationship with world class motocross racers and their sophisticated motorcycle suspensions, to refine what other manufacturers are choosing to call "rear suspension". The Yeti A.R.C.-A.S. is built around the same race-proven geometry and material with which our original A.R.C. continues to wreak havoc on race courses around the world. Available with your choice of damping: Yeti/I.R.C. elastomer or Risse air/oil. The A.R.C.-A.S. is easily dialed to rider weight and to course conditions, cross country and downhill alike.



# HIGH SCHOOI




While most companies are choosing your suspension for you, Yeti offers you the best of both worlds: two interchangable options. The Yeti/IRC Elastomer shock utilizes a custom-formulated elastomer material that gives a wide range of damping characteristics with virtually maintenance-free action. The state-of-the-art Risse air/oil shock offers simple adjustability, light weight and race-winning performance.



When Missy's mother heard that she had been suspended, she assumed the worst.

Missy Is from the East. didn't like school, hated studying, did things her own way and rode the Yeti/IRC elastomer suspended A.R.C. to first place in the Reebok Dual Eliminator.




MISSY "THE MISSILE" GIOVE:

Winner, 1992 Mammoth Mtn. Reebok Challenge Winner, 1992 Mammoth Mtn. Kamikazi Downhill New course record: 5:00:42. Top Speed: 53.5 mph New course record: 4:54:20. Top Speed: 56 mph


JAMMIN' JIMMY DEATON:

**Jimmy** Is from the West, loved school, did his homework, will try anything once and rode the Risse air/oil suspended A.R.C. to first place in the Mammoth Mountain Kamikazi Downhill.

# Do Not Leave Home Without It



TEAM YETI JERSEY "ALWAYS FLY THE RIGHT COLORS"



TEAM YET! WINDBREAKER "KEEPS THE RAIN OFF AND THE WIND OUT"



TEAM YETI SHORTS "REAL MEN WEAR CHAMOIS"



YETI-MAN "T" "THE YETI LIVES"




When you're in a pinch YETI shorts work well up or down.



ICE-AX "T" THE ORIGINAL CHOICE"



SOMEWHERE ON THE '93 HORIZON



YETI RACE BANNERS AVAILABLE NOW

"ANTI-MELANOMA DEVICE"



YETI HANDLEBAR "WE'LL NEVER STÉER YOU WRONG"



HANDLING" YETI SHOT GLASSES


"FOR THE

BEVERAGE OF YOUR CHOICE"



Bitchin' New Stuff

THEY JUST DON'T BUILD THINGS LIKE THEY USED TO!





YETI TOOL SHEDS




# HARDWARE

IF YOU WANT TO RUN THE SAME RACE-WINNING PARTS COMBINATIONS THAT TEAM YETI WINS WITH EVERY DAY, THEN TAKE A LOOK AT THE YETI-READY SPEED PIKS.



SPEED GRIPS



ICE-AX WATER BOTTLES



YETI CYCLES WILL BE OFFERING
SELECT PARTS FROM GRAFTON
PERFORMANCE AND RINGLE'
COMPONENTS WHICH WILL BE
CUSTOM FITTED FOR OUR FRAMES
TO OUR DEMANDING
PERFORMANCE SPECIFICATIONS.

### GRAFTON

SPEED CASE SEALED BEARING BOTTOM BRACKETS

JOYSTICKS PRECISION CRANKSETS

SPEED CONTROLLERS BRAKESETS

### RINGLE

TI-STIX SKEWER SETS

ULTRALIGHT H20 CAGES

MOBY POST SEAT POSTS


SUPER BUBBA SUSPENSION HUBS

# YETI

YETI/IRC TIRES




ANSWER/MANITOU SUSPENSION FORKS






CHRIS KING SEALED BEARING HEADSETS "SIMPLY THE CADILLAC"



THE CHOICE OF SERIOUS COFFEE BRINKERS"



"PARKER, WOULD YOU JUST GET A GRIP?!!

# TRACK FACTS

EACH YETI FRAMESET INCLUDES FRAME, OUR LEGENDARY STRAIGHT-BLADE FORK (MANITOU SUSPENSION FORK OPTIONAL), EVOLUTION HEADSET, CABLE FERRULES AND ASSEMBLY INSTRUCTIONS. ALL YETI FRAMESETS ARE SOLD WITH A LIMITED ONE-YEAR MATERIAL AND WORKMANSHIP WARRANTY. DON'T BE A KOOK, PROMPTLY FILL OUT AND RETURN YOUR WARRANTY CARD OR PERISH IN THE FLAMES OF IGNORANCE. ALL YETI FRAMESETS ARE FINISHED WITH AN ELECTROSTATIC EPOXY POWDER COATING. YETI ALSO OFFERS POWDER COATING SERVICE TO CUSTOM FRAMEBUILDERS AND PRIVATE PARTIES. CONTACT MR. RICK KRAMER OF YETI CYCLES FOR FURTHER DETAILS.

SEATPOST DIAMETER: 26.8mm
HEADSET DIAMETER: 1.25"
REAR AXLE SPACING: 135mm

BOTTOM BRACKET WIDTH: PRO F.R.O. & ULTIMATE 68mm;

ENGLISH STANDARD THREADING A.R.C. & A.R.C-A.S. 73mm;

ENGLISH STANDARD THREADING

FRONT DERAILLEUR CLAMP DIAMETER:

PRO F.R.O. & ULTIMATE

28.6mm/1.125"

A.R.C. & A.R.C.-A.S. 31.8mm/1.25"

STRADDLE HEIGHTS: CALL FOR DETAILS.



NO RUNS, NO DRIPS, NO IMRON. TAKE YOUR CHOICE.



UNITED KINGDOM

CYCLELAND MARK PEARCE TEL. 44-081-290-0807 FAX. 44-081-464-8550



ACTIVE PRO STUFF ANDREAS NYBERG TEL. 46-31-183358



U.S.A YETI CYCLES BRETT HAHN TEL. 303-259-1914 FAX. 303-259-4550



SPAIN
DIRT RACING PRODUCTS
MIGUEL ROJO
TEL. 34-1-383 04 26




HONG KONG
FLYING BALL BICYCLE CO.
SHEUNG LUM LEE
TEL. 852-381-3661 OR 5919
FAX. 852-397-4406



ITALY 107 IMPORT S.R.L. DANIELE CAMERANA TEL. 39-11-899-0063 FAX. 39-11-899-0063



SWITZERLAND MTB CYCLETECH AG BERNARD GAUDY TEL. 41-31-44 08 04 FAX. 41-31-43 58 18



SINGAPORE
MOUNTAIN BIKE PRO CTR.
DENISON SEAH
TEL. 65-242-3818
FAX. 65-272-8793



AUSTRIA MOTOPART DAOUD AL-ZUBEIDI TEL. 43-222-67 66 28 FAX. 43-222-67 06 96



NORWAY SYKKELDELISK KARL AUBERT TEL: 47-2-42 60 20, FAX: 47-2-41 33 45



GERMANY
GERMAN'S MTN. BIKES
GERMAN MÖHREN
TEL. 49-6221 16 65 18
FAX. 49-6221 16 65 19



INDONESIA
INDOCANA IMPORT & EXPORT
BILL'HUSADA
TEL. 604-327-1021
FAX. 604-327-1718



AUSTRALIA
SPEKTRUM SPORTS ENTERPRISES
ANDREW BLOXHAM
TEL. 61-2-44-7204
FAX.61-2-449-7605




BELGIUM AEROLINE STEPHAN JOURQUIN TEL, 32-54-32 81 04 FAX. 32-54-32 64 08



AEROLINE STEPHAN JOURQUIN TEL. 32-54-32 81 04 FAX. 32-54-32 64 08





JAPAN INOAC SPORTS INC. MR. KITAMURA TEL. 81-052-581-3290 FAX. 81-052-581-0750





HANDMADE IN DURANGO

