
# Standard Byke Company





'Stronger Than All' is the name. Using the geometry of our Bicycle Motocross frame and fork and the strength of our Lengthy/Shorty frame and fork we have produced the new king of the 20"

vorid. 4130 Chromoly throughout, 1/4" dropouts, 11/2" top tube diameter, machined one-piece steer tube with 114" fork legs or oversized 114" head tube with a special S.T.A. Stem. Chief Boot Knocker Moliterno put in overtime to design this monster that also is available in custom sizes and cus-

om paint. Stock with 990 mounts and cantilever mounts are also available. Other pluses are: peg mounts for the ork, the unique seat tube, top tube, and seat stay contruction that blend the tubing into the

nighest quality frame and fork set ever produced on this planet.



How much will it take to feel safe?" Standard forks are the strongest forks nanufactured today. A machined, one-piece ,extra thick, chromoly steer ube are the center of the fork strength. Succulent 1100 chromoly legs with 1/4" laser cut chromoly dropouts eg mounts are optional for the forks vailable in chrome only. Sizing for " head tubes available also.











Standard produces this machined, onepiece 48 hole coaster brake shell. Made to work with Suntour coaster brake parts. This is the strongest shell of its kind. Machined from solid steel into a Standard coaster shell and available only in Standard's show chrome



Strip Bar is made from 1" tubing with 7/8" inserts for the grips and stem. Both bars offer a low cross

bar height. These are without a doubt the strongest and best feeling handlebars available today. Yes!






I" to the left 7/8" to the right

Producing the worlds greatest pegs isn't easy. It takes hundreds of hours to test, grind, and all out "try to destroy" our steel Hand Grenades. These puppies are big! 1348 dia. by 4" wide add up to the number one peg used by flatlanders today! But how can you perfect the perfect peg? Make it out of aluminum! Hand Grenades are also available in lightweight aircraft aluminum (only 3 ounces per peg!).

vailable in chrome plated steel or hand polished aluminum.



What can be said about these that haven't been said already? The often imitated but never duplicated Spaced Thread and Tight Thread have become what others measure all other axle pegs by. And these pegs measure at 4"x 114". Available in Spaced Thread for smooth grinds and Tight Thread to grip your shoe. Both styles have a lifetime guarantee against crushing and are available in a 5" length with 114" dia or 11/2" dia.. Available in chrome only.





Standard has saved you from disaster! These 1140 Chromoly heat-treated high-performance axles rule! Available in unsealed 24 thread, unsealed 26 thread, front sealed, and rear sealed sizing. Standard axles only prove the further success of the world's number one Freestyle/BMX bicycle company. Accessories galore!

Standard. It's more than high quality frame, fork, handlebars, and accessories, it's of riders who want a company dedicated to them. Standard Bykes makes riders feet the way they should feet: Important and boundless. Close to their hero's and dreams. What does it feel like to trust something completely? It feels like ecstasy

### AND LENGTHY



The 1995 Standard Lengthy and Shorty. The highest quality frame and fork set ever produced. Quarter-inch thick dropouts, Oversized tubing, Unique brake routing, head tube gusset, chainstay gusset, and machined onepiece fork steer tube are only a few of the features

offered on the frame and fork that made BMX PLUS! say"...The two years Standard put into testing this frame have definitely paid off big time...." The Standard Shorty and Lengthy frame has a lifetime warranty! The Lengthy<sup>6</sup> and Shorty<sup>8</sup> are available in triple plated show chrome and custom paint.







This is the number one BMX frame in the world today. A classic design with revolutionary technology. Tange Prestige and Reynolds 531 double butted tubing, chrodropouts, 21" top tube length, tapered chainstays from 7/8" to 3/4", flared 1" seat tube, and

a 74.5 degree head tube angle prove that this frame rocks the free world. We don't stop there. Custom sizes, Custom materials (aluminum, titanium alloy, etc.), cantilever mounts, oversized 1000 head tube with an aluminum Standard stem or a machined threaded steer tube just to

name a few variations. Finishes available are triple plated show chrome, Robo Show Grey, Metallica Red, Flame Blue, or any custom paint or powder coated finish. Any takers?



They say you're only as fast as you are smart. Well you'd have to be a fool not to see the difference in Standard's Industrial Chain. By far the strongest chain available for BMX or Freestyle. Giant thick pins keep you together in your time of need. Don't be left behind with a broken chain...be ahead with a Standard Industrial Chain.



#### MASTERGUARD



To serve and protect. The Standard MasterGuard has lasted while others have failed. Produced from bulletproof Kevlar the MasterGuard will help protect your sprocket and make your life easier. Mounting hardware included.

"Knarps, man...Knarps!" The little top Gyrocable shorteners. Just clip these on and worry not for they will last and last. And they even come with a custom allen wrench. So don't be a dork keep you cables short.



#### YRO HOOD



Standard Gyro Hood is a neoprene cover for your gyro. Keep your gyro clean by wrapping that rascal, protect yourself from the minor cuts and bruises caused by those sharp edges. Available in assorted colors.

Seatposts! Standard has got 'em. 100% chromoly shafts crafted by the experts. Made in the traditional 1" diameter with 7/8" inserts and unbelievable



strength and durability. Available in chrome only.

## UNBREAK



Plop this piece into your coaster shell, replace your coaster brake shoes with this and you're set. The Unbreak will turn your hub into an anti-back pedal freewheel with no worries. Fakie to fakie baby!

Standard Byke Company 4112 Himmel Dr. Davenport, Love 52852 phone(319) 322-3617 for 319) 324-0219