
WAINVIERBAN

MOUNTAIN & HYBRID 1995




FOR 1995 UNIVEGA BRING YOU 3 FRAMESET MATERIALS WHICH ARE . . . STRONGER - LIGHTER - FASTER IN '95.

BORALITE B_4C — A space-age material made from advanced metal matrix. Its superior strength make it the frame material for the next century. Looks like Univega engineers are way ahead of their time again.

ALUMINUM — Intelligent frame builders favour this material over any other in the battle for lightweight dominance. Aluminum's extraordinary low density properties have elevated this material to the top for weight-conscious riders. For 1995 there are four new aluminum Universal mountain bikes for serious off road performance.

CHROMOLY — Cycling purists have been crafting fast, well built bicycles with steel tubing for over a century. Advanced steel alloys, like Racelite double-butted chromoly on our 1995 Alpina Range continue to lead the field in performance and price. Steel's compliant ride and unsurpassed surface durability make a material that is tough to beat.

THE UNIVEGA MOUNTAIN BIKE TEAM



THE TEAM WILL BE AT ALL THE MAJOR RACE SERIES IN 1995. IF YOU WANT TO KNOW MORE ABOUT UNIVEGA, COME AND MEET THE TEAM WHERE THEY WILL BE HAPPY TO TALK TO YOU.

BORALITE B4C



Tunivega suspension specific MTB w/TIG-welded B4C advanced metal matrix composite tubing, sloping T/T and forged dropouts. Sold as frame only.

BORALYN



univega suspension specific MTB w/TIG-welded B₄C advanced metal matrix composite tubing, sloping T/T and forged dropouts. Sold as frame only.

DUAL ACTION PRO



Shecs

Frame Univega active suspension MTB; TIG-welded 7005 aluminum w/Bi-Axial Power Oval D/T, self-lubricating pivots and dropout links and oil-dampened adjustable Fox air shock. Fold Shown w/Rock Shox JUDY (only available with Mag 21). Investigate Shimano Deore LX/XT derailleurs w/Shimano Deore LX Rapid Fire Plus shifters. Confidence Shimano Deore LX; HyperGlide-C 42/32/22t. Wheels 32-hole Mavic 230 alloy rims w/Shimano Deore LX hubs and stainless-steel spokes. Types Ritchey Mad Max front/Climb Max rear; 26" x 2.1". Budges Shimano Deore LX. Accessories Concept XL bar ends, VP101 clipless pedals. First 17", 19". Traine finish Sapphire Blue.

ALUMINUM 708-X



Specs

Frame Univega suspension specific MTB w/Tig-welded 7005 aluminum, sloping T/T, Bi-Axial Power Oval D/T, and replaceable forged dropout. Tech Shown w/Rock Shox JUDY (Available only with MTB Unicrown 1.3/.7 butted cromoloy fork). Treeting 24-speed Shimano LX/XT derailleurs w/Shimano LX Rapidfire Plus shifters. Crimbal Shimano Deore LX; HyperGlide-C 42/32/22t. Wheels 32-hole Mavic 230 alloy rims w/Shimano Deore LX hubs and stainless-steel spokes. Types Ritchey Mad Max front/Climb Max rear; 26" x 2.1". Budges Shimano Deore LX. Accessors Concept XL bar ends, VP101 clipless pedals. Joses 17", 19". Frame finish Polished Alloy.

A L U M I N U M 7 0 6 - X



Specs

Frame Univega suspension specific MTB w/Tig-welded 7005 aluminum sloping T/T, Bi-Axial Power Oval D/T, and replaceable forged dropout. Fire Shown w/Rock Shox Mag 21 (available only with MTB Unicrown 1.3/.7 butted chromoly fork. Fraction 24-speed Shimano STX-RC/Deore LX derailleurs w/SRT-600i Grip Shift. Franked Shimano STX-RC; HyperGlide-C 42/34/24T. Wheels 32-hole Mavic 236 alloy rims w/Shimano Deore LX hubs and stainless-steel spokes. Types Ritchey Mad Max front/Climb Max rear; 26" x 2.1". Bhales Shimano STX-RC cantilevers w/Dia-Compe PC-7 levers. Fire 17", 19". Frame fraish Deep Purple.

ALUMINUM 701



Spec.

Frame Univega suspension specific MTB w/Tig-welded 6061 T-6 heat-treated aluminum and sloping T/T. Josh Shown w/26" MTB unicrown w/Formula 1.3/.7 butted chromoly fork. Investigate Shimano Alivio/STX derailleurs w/Shimano Alivio shifters. Crankot Shimano Alivio; HyperGlide-C; 42/34/24/T. Wheels 36-hole Araya VP-20 alloy rims w/Shimano Acera-X QR hubs and stainless steel spokes. Types 26" x 1.95" Maxxis skinwall. Brakes Shimano Alivio. Accesseus concept bar ends. Sees 14.5", 17", 19", 20.5". Frame finish Purple Blue/Mirror.

A L P I N A 5 0 9



Frame Univega suspension specific MTB w/Formula Race Lite double-butted chromoly tubing, Max Mudroom chainstays, sloping T/T, bi-Axial Power Oval D/T, Forged Vertical Dropouts, and water bottle braze-ons. For 26" MTB unicrown w/tapered formula 1.3/7 butted chromoly. Investigate 24-speed Shimano Deore XT Derailleurs w/Gripshift SRT600i shifters. Combact Shimano Deore XT; HyperGlide-C 42/32/22T #hoch 32-hole Mavic 230 alloy rims w/Deore XT hubs and stainless steel DB spokes. Types Ritchey Mad Max front/Climb Max rear Kevlar; 26" x 2.1". Brakes Shimano Deore XT. Jecustics Concept Clipless pedals. Size 17" only. Frame finish Titanium Matte.

ALPINA 507



Frame Univega suspension specific MTB w/Formula Race Lite double-butted chromoly tubing, Max Mudroom chainstays, sloping T/T, bi-Axial Power Oval D/T, forged vertical dropouts, and water bottle braze-ons. Feek 26" MTB unicrown w/tapered formula 1.3/.7 butted chromoly. Theology. 24-speed Shimano Deore LX/Deore XT derailleurs w/Deore LX Rapidfire Plus shifters. (marked Shimano Deore LX, HyperGlide-C 42/32/22t. Wheel 32-hole Mavic 230 alloy rims w/Deore LX hubs and stainless steel spokes. Types Ritchey Mad Max front/Climb Max rear, 26" x 2.1". Bukes Shimano Deore LX. Sees 14.5", 17" 19", 20.5". Frame finish Harvest Petrol.

ALPINA 505



Frame UNIVEGA SUSPENSION SPECIFIC MTB W/FORMULA RACE LITE DOUBLE-BUTTED CHROMOLY TUBING, MAX MUDROOM CHAINSTAYS, SLOPING T/T, BI-AXIAL POWER OVAL D/T, FORGED VERTICAL DROPPOUTS, AND WATER BOTTLE BRAZE-ONS. Fraid. 26" MTB UNICROWN W/TAPERED FORMULA 1.3/.7 BUTTED CHROMOLY. Fraid 24-SPEED SHIMANO DEORE STX-RC/LX DERAILLEURS W/SRT-6001 GRIP SHIPT. Fraid-Schimano STX-RC; 42/34/24T HYPERGLIDE-C. #hecb. 32-HOLE MAVIC 236 ALLOY RIMS W/DEORE LX HUBS. Fraid-Schimano STX CANTILLEVERS W/VERSA PC-7 LEVERS. Fraid-17", 19", 20.5". Fraine finish Gun Metal/ Deep Purple.

ALPINA 503



Frame UNIVEGA SUSPENSION SPECIFIC MTB W/FORMULA RACE LITE DOUBLE-BUTTED CHROMOLY TUBING, MAX MUDROOM CHAINSTAYS, SLOPING T/T, BI-AXIAL POWER OVAL D/T, FORGED VERTICAL DROPOUTS, AND WATER BOTTLE BRAZE-ONS. Josh 26": MTB UNICROWN; FORMULA 1.1 CHROMOLY. Internal, 21-speed Shimano Alivio/STX-RC Derailleurs w/Shimano STX RapidFire Plus SHIFTERS. Cranksof Shimano STX; HyperGlide-C 42/34/24T. Which 32-hole Mavic 236 alloy rims w/Shimano Alivio hubs and stainless-steel spokes. Types Maxxis 26" x 2.0" skinwall. Brakes Shimano Alivio. Sees 17", 19", 20.5". Frame finish Forest Green.

ALPINA 501



Specs

Theme UNIVEGA Suspension specific MTB W/Formula Race Lite double-butted chromoly tubing, Max Mudroom chainstays, sloping T/T, Bi-Axial Power Oval D/T, forged vertical dropouts, and water bottle braze-ons. José 26" MTB unicrown; Formula 1.1 chromoly, Treedoam 21-speed Shimano Acera-X/STX derailleurs w/MRX-100 Grip Shift.

Currised Shimano Alivio; 42/34/24t. Wheels 36-hole Araya VP-20 alloy rims w/Shimano Acera-X-QR hubs and stainless steel spokes. Types Top Gear 26" x 1.95" black skinwall.

Bules Shimano Alivio cantilevers. Jeses Men's: 14.5", 17", 19", 20.5". Jume firesh Titanium Matte.

R O V E R 3 0 5



Specs

Jame 26" Univega MTB design w/Formula Chromoly tubing and sloping T/T. Ind. 26" MTB unicrown; chromoly w/safety dropouts. Investigate 21-speed Shimano Acera-X/Alivio derailleurs w/Gripshift MRX-100 shifters. Cumbest 170mm Shimano Acera-X; 42/34/24t. Wheels 36-hole Araya VP-20 alloy rims w/Shimano Acera-X-QR hubs. Types Top Gear 26" x 1.95" all-terrain. Budges Shimano Altus. Sees Men's: 17", 19", 21". Traine finish Sapphire Blue/Grey.

R O V E R 3 0 3



Frame 26" Univega MTB design w/Formula chromoly tubing and sloping T/T. Fish 26" MTB unicrown; high-tensile steel w/safety dropouts. The proposition of the propositi

ROVER 301



. Specs

Frame 26" Univega MTB design w/sloping T/T; high-tensile steel. Josh 26" MTB unicrown; high-tensile steel w/safety dropouts. Involved 18-speed Shimano Tourney derailleurs w/QS60 Grip Shift. Involved 170mm cotterless alloy; 48/38/28t. Wheels 36-hole 26" x 1.50" alloy rims w/low-flange hubs. Jopes Top Gear 26" x 1.95" all-terrain. Brakes Shimano Altus cantilevers w/alloy levers. Handlelar Men's: Top Gear MTB; Women's: Top Gear 65mm rise. Joses Men's: 17", 19", 21"; Women's: 16". Jume finish Ti/Burgundy.

ACTIVA COUNTRY



Traine Universa Hybrid design W/Chromoly tubing, water bottle bosses, and rack fittings, July 700c unicrown w/safety dropouts. Inchain 21-speed Shimano ALTUS/ALTUS DERAILLEURS W/MRX-100 GRIP SHIFT. Countries 170mm Shimano ALTUS; 38/32/24T. Heads 36-hole 700c anodized alloy rims W/Shimano ALTUS front hub AND ACERA REAR QR HUB. Types TOP GEAR ROAD HOG; 700x35c. Budeo Shimano Altus Cantilevers W/Top Gear alloy Levers. Handlebur Stem TOP GEAR MTB. Sizes MEN'S: 57 AND 60CM; WOMEN'S: 47CM. Frame finish SAPPHIRE BLUE.

WIN WIETEAN **GUARANTEE**

UNIVEGA BRANDED BICYCLES ARE GUARANTEED AGAINST MANUFACTURING OR MATERIAL DEFECTS FROM THE DATE OF ORIGINAL PURCHASE FOR A PERIOD OF:

- 10 YEARS ON THE FRAME
- 1 YEAR ON ALL OTHER COMPONENTS

THIS GUARANTEE DOES NOT COVER NORMAL WEAR AND TEAR, MODIFICATION, MISUSE, ACCIDENT, NEGLECT, IMPROPER MAINTENANCE OR COMMERCIAL USE.

LABOUR COSTS WILL BE MET IN RESPECT OF THE FRAME FOR A PERIOD OF 12 MONTHS FROM THE DATE OF PURCHASE PROVIDED THE REPAIR HAS BEEN CARRIED OUT BY AN APPROVED DEALER. ALL OTHER COMPONENTS ARE GUARANTEED ON A PARTS ONLY BASIS FOR 12 MONTHS FROM THE DATE OF PURCHASE.

THIS GUARANTEE DOES NOT SEEK TO DIMINISH A CONSUMER'S STATUTORY RIGHTS.

REGULAR SERVICE IS RECOMMENDED TO ENSURE ROADWORTHINESS AND TO PROLONG THE LIFE OF YOUR BICYCLE.

No bicycle is indestructible. This bicycle is therefore guaranteed for normal riding conditions.

No responsibility is accepted for personal injuries or damage to the bicycle resulting from accidents, crashes, misuse or lack OF REGULAR MAINTENANCE.

ANY DAMAGE INCURRED AS A RESULT OF RACING, STUNT RIDING, OR OTHER SIMILAR ACTIVITIES WILL BE CONSIDERED THE OWNER'S RESPONSIBILITY.

PROOF OF PURCHASE IS THE OWNER'S RESPONSIBILITY.

TEAM CLOTHING









TEAM WINTER TIGHTS HEAVYWEIGHT 100% ANTI-GERM MICROFIBRE MATERIAL Sixes S, M, L



RACE SHIRT





TEAM SHORTS ANTIGERM MICROFIBRE MATERIAL Sixes S, M, L



UMGM TEAM RACE MITTS TOP TECHNICAL SPECIFICATION NOENE PALM, SUPERB SHOCK ABSORPTION Sizes: S - XL




TEAM THERMAL JACKET HEAVYWEIGHT 100% POLYESTER THREE POCKETS IN REAR Sizes S. M. L



UNIVEGA IS REGISTERED WITH THE R M R So is RACE LEGAL CLOTHING.



Authorised Univega Dealer:



ALL UNIVEGA CONFORM FULLY TO BS6102 PARTS 1 & 2.

E. REECE

Are continually developing their products and therefore reserve the right to alter components and specifications without notice. Please check and confirm the latest specification with your dealer before purchase.