
MIDDLEBURN

PRODUCT CATALOGUE



DESIGNED & MANUFACTURED BY
MIDDLEBURN ENGINEERING LTD. HAMPSHIRE. ENGLAND
INTERNATIONAL SALES: FAX +44 1420 23796

MIDDLEBURN



Machined
Masterpieces

Table of Contents

CRANKS:

- RS2 MTB Cranksets
- RS3 MTB Cranksets
- RS4 ROAD Cranksets
- RS2 Tandem Cranksets

HUBS:

- Front Suspension Hub (MTB, Road)
- Rear Suspension Hub (MTB, Road)


CHAINRINGS:

- Standard Rings (ATB, CD)
- HARDCOTE Rings (NEW!)
- Downhill Rings (NEW!)
- SlickShift Rings (NEW!)
- STX Adapters (NEW!)

VARIOUS:

- One-Key Release Bolts
- · Cable Oilers
- Bullet Valve Caps

Middleburn RS2 Cranks



Product:

MIDDLEBURN RS2 Cranks

Weight:

Standard MTB (175mm)

395g

Micro/Compact drive (175mm)

385g

Sizes:

170mm & 175mm

Features:

Lightweight

Reduced 'Q' Factor.

Square Drive Crank/ Spider interfaces.

 Interchangeable spider for MTB, Road and Micro/Compact Drive

Materials:

Crank & Spider: 7075 T6 Aluminium Alloy


Retainer Bolts: High Tensile Steel Nickel Plated

Spacers: HE30 Aluminium Alloy

Colours:

Anodised silver crank arms with the following colour Spiders: Blue, Red, Purple, Black, Silver,

Gold & Green



Product:

MIDDLEBURN Spiders

Weight:

Standard MTB

56g - PCD74mm,110mm

Micro/Compact

45g - PCD56mm/58mm,94mm

Road

72g - PCD130mm

Colours:


Blue, Red, Purple, Silver, Gold, Green and Black

Compatibility:

Either 5/4 arm spider patterns (eg. Ritchey

Logic & Sugino)

Middleburn RS3 CRANKS



Product:

MIDDLEBURN RS3 Cranks

Weight:

Standard MTB

175mm

416g

Micro/Compact drive

175mm

405g

Sizes:

170mm ,175mm & 180mm

Features:

- Lightweight and very stylish
- Low profile, 160mm 'Q' factor
- Increased rigidity with 107mm axle compatibility
- Square Drive Crank/Spider interfaces
- Interchangeable spider for MTB, Road and Compact Drive


Materials:


Crank & Spider: Aerospace 7075 T6 Aluminium Alloy

Spider: Aerospace 2014A T6 Aluminium Alloy

Colours:

Anodised silver crank arms.





MTB

Compact

Product:

MIDDLEBURN RS3 MTB Spiders

Weight:

Standard MTB 56g

PCD 74mm, 110mm

Compact

47g

PCD 58mm, 94mm


Features:

3D dished webbed spider gives incredible

stiffness/weight ratio

Colours:

Middleburn RS4 CRANKS



Product:

MIDDLEBURN RS4 Cranks

Weight:

172.5mm 412g


Sizes:

170mm ,172.5mm, 175mm, 180mm

Features:

- Uses 103mm B/Bracket Axle
- Low 'Q' Factor (145mm)
- Square Drive spider location
- Lighter More Efficient Design
- Spider available in 7 wild anodised colours, with silver anodised crank arms
- Webbed spider for increased stiffness
- Compatible with all major drivetrain systems
- Machine cut threads & square taper
- Incidental lengths from 170 to 180mm

Middleburn RS2 Tandem Cranks



Product:

MIDDLEBURN RS2 Tandem Cranks

Sizes:

170mm, 175mm. (Mixed sets available)

Weight:

Approx. 1100gms a set.

Features:

Chainrings from 20T to 56T available

Spider, Chainrings, & Outer bolts available in 7 colours

 3 formats of spider for MTB, Compact (Triple) or Road (Double)

NEW Lower profile reduced 'Q' factor

Materials:

Crank arms: CNC machined from aerospace 7075-

T6 Aluminium Alloy

Spider: CNC machined from aerospace HE15-T6

Aluminium Alloy

Retainer bolts: High tensile nickel plated

Spacers: HE30 Aluminium Alloy

Accessories:

Self Extractor Bolts:

TiN coated Titanium/Aluminium

22g

Stainless / Aluminium

369

Cross-Over Rings:

COMPACT


30-46T

MTB

34-52T

ROAD

39-56T



Product:

MIDDLEBURN Spiders

Weight:

Standard MTB

56g

PCD 74mm,110mm

Micro/Compact

45g

PCD 56mm/58mm, 94mm

Road

72g

PCD 130mm

Colours:


Blue, Red, Purple, Silver, Gold, Green and Black

Compatibility:

Either 5/4 arm spider patterns (eg. Ritchey Logic &

Sugino)

Middleburn Rear Suspension Hub



Product:

MIDDLEBURN Rear Suspension Hub

Weight:

265g

Sizes:

28•32•36 Hole Versions Available

Features:

Lightweight


- 1 Needle roller unit, 3 sealed cartridge bearings
- 15mm tubular spindle for increased stiffness
- 4 ratchet pawls with individual springs
- Asymmetric flange geometry for optimum spoke configuration
- Oil port & syringe supplied for easy maintenance
- Compatible with Shimano hyperglide cassettes
- Effective labyrinth seal & selective lip sealing minimises friction and dirt ingress

Materials:

CNC machined from 2014 T6 Aluminium Alloy Cassette body - 6AI - 4V Titanium Alloy

Colours:





Product:

MIDDLEBURN Slick-Shift Chainrings

Sizes:

22.32.42 Teeth (Compact Drive Only)

Features:

'Gappy-tooth' technology

Continuous power transfer whilst shifting

Machined ramps for effortless shiftings

Pick-up pins lift the chain under full Load

• Stainless steel pins won't rust

Quieter shifting, Stealth the opposition!


Material:

CNC machined from 2014A-T6 Aluminium Alloy

Colours:

Year	Crank	Part No.	O ter BCD	inner BOO	No of Teeth	M/Rum Outer	M/Burn Adapter	M/Rum Inner
1994		FC-MC11	95	58	34T	NO	CR5034	YES
1994	STX	FC-MC30	95	58	34T	NO	CR5034	YES
1994	STX	C-MC31d	95	58	34T	NO	CR5034	YES
1995	STX	FC-MC32	94	58	32T	YES	CR5032	YES
1995	STX-RC	FC-MC33	94	58	32T	YES	CR5032	YES
1996	STX	FC-MC34	94	58	32T	YES	CR5132	YES
1996	STX-RC	FC-MC36	94	58	32T	YES	CR5132	YES

Middleburn STX Adapters



Product:

MIDDLEBURN STX Adaptors

Weight:

80g

Sizes:

32 & 34 Teeth

Features:

Lightweight

Quick and easy replacement

Long lasting

Materials:

CNC machined from 2014-T6 Aluminium Alloy


Finish:

Silver anodised.

Compatibility:

Please consult chart to confirm

Middleburn Self Extractor Bolts



Product:

MIDDLEBURN Self-Extract Bolts

Weight:

Stainless 369

Titanium 22g

Features:

Lightweight

6mm Allen key

· Aluminium Bronze anti friction washers

• Titanium Nitride (TiN) coating prevents seizing

 Quick easy maintenance: no heavy tools required to remove your crank

Materials:

• 6Al - 4V Titanium Alloy with TiN coating

316 Stainless Steel

Caps- 2014A T6 Aluminium Alloy


Colours:

End caps - Blue, Red, Purple, Green, Silver, Gold, and

Black

Middleburn Chainrings


MIDDLEBURN Advanced chainrings combine two major design features; firstly computer generated tooth profiles and secondly CNC machined surfaces. The former allows the tooth form to be controlled precisely, resulting in a unique tooth profile for any given ring size. Most other manufacturers simply join adjacent teeth together as the tooth profile becomes further apart resulting in a flat surface alien to roller chain geometry, hence Middleburn chainrings ensure the best possible load surface is obtained. Pressed rings automatically have less load surface available due to the method of their production. CNC machining results in true cut surfaces optimising the chain to ring contact area resulting in improved power transfer and increased durability. Hand finishing further removes any rough surfaces left by the manufacturing process which would otherwise increase friction.



Rough stamped surface on standard rings increases friction & chain wear.


CNC machined for optimum load surface reduces friction & increases power transfer.






Middleburn ring


Computer generated tooth profile



Standard expath



Low friction exit path



Product:	Sizes:	Weight:
inner MTB	24-28 *	24T - 20g
Middle MTB	34-40 *	36T - 40g
Outer MTB	46-52 *	46T - 66g
Micro/Comp.	20,22,24,26	
	30,32,34,36	
	40,42,44,46	20T - 17g
Road	39,42,44	W. 324
	52,53,54,56	39T - 39g

^{*} Indicates 1 tooth increments

Materials:

Aerospace 2014T6 Aluminium Alloy


Chainring bolts:

Aluminium (9g) ,Stainless Steel (16g)

Colours:

Blue, Red, Purple, Green, Black, Gold and Silver

Middleburn Hardcote chainrings - longer lasting!




This revolutionary new PTFE impregnated hard coating adds much increased life and reduced friction to our already durable chainrings as an option to colour anodising.

- This 50μ deep coating has a coefficient of friction of $\underline{10}$ times better of that of normal hard anodising.
- The wear resistance is 4 times that of hard anodising (as found on rims).

The comparisons above are based on hard anodising which is much harder than that found on chainrings and other components. This can be seen by the wear rate on normal silver rims as opposed to grey "CD" rims.

The performance of this coating is such that it is used in suspension and steering components by a majority of the current top F1 motor racing teams.

Middleburn Downhill Chainrings



Product:

MIDDLEBURN Downhill Chainrings

Sizes:

48 - 62 Teeth Compact./Standard

Features:


- CNC Machined from 10mm plate for incredible strength and rigidity
- Integral chain guard to eliminate chain throw
- Computer generated tooth profiles for accurate chain engagement
- Unique tooth profile for any given ring size increases durability
- Smooth full load surface

Material:

2014-T6 Aluminium Alloy

Colours:

Middleburn Bullet Valve Caps



Product:

MIDDLEBURN Bullet Valve Caps

Sizes:

Schraeder & Presta

Features:

• 9mm Replica (Schraeder) - Arnie'd love 'em!

• Presta .22 Calibre

Machined from billet aluminium

Available in 7 flavours

· Functional, fun, & funky!


• Terminate the opposition!

Material:

2014-T6 Aluminium Alloy

Colours:

Middleburn Cable oilers



Product:

MIDDLEBURN Cable Oilers

Weight:

0.99

Sizes:

3.6mm (new Shimano), 5mm & 6mm diameters

Features:

Lightweight

• Oil port to take GT85 and WD40 spray nozzles.

Quick and easy maintenance

Materials:

2014 T6 Aluminium Alloy with Nitrile rubber 'O' ring

Colours:

DISTRIBUTORS

DENMARK Master Consult ApS Skaffervej 8 st. DK-2400 Kobenhavn NV

Tel: +45 35 82 30 32 Fax: +45 35 82 30 34

FINLAND MT-Bike Koulukatu 40 80100 Joensuu

Tel: +358 73 224891 Fax: +358 73 224892

FRANCE
Sunex
Quartier La Palud
Lot No. 4
83600 Frejus

Tel: +33 94 53 00 03 Fax: +33 94 52 18 38

GERMANY Bike Trading Neudorfer Strasse 195 47057 Duisburg

Tel: +49 203 370152 Fax: +49 203 370124

ISRAEL Isgad Agencies & Trade Ltd., Kibbutz Gaash 60951 Israel

Tel: +972 9 563170 Fax: +972 9 560165 ITALY
Motor Quality
Via Venezia ang, via Carducci
20099 Sesto San Giovanni
Milano

Tel: +39 222 409631 Fax: +39 222 476420

JAPAN A & F 1-1-9 Okubo Shinjuku-ku Tokyo 169

Tel: +91 3 3209 7575 Fax: +81 3 3209 7497

SCANDINAVIA Scandinavian Sports Connection Holmgaten 26 791 71 Falun

Tel: +46 23 138 90 Fax: +46 23 290 04

SPAIN
Esports Jorma
Av. Francesc Cairat s/n
Sant Julia De Loria
Andorra

Tel: +376 844133 Fax: +376 843022

UK Zoobits Units 18-19, Enterprise Estate Station Road West Ash Vale Hants GU12 5QJ

Tel: 01252 378110 Fax: 01252 378120