

BIKES





Kona Mountain Bikes, is headquartered in Ferndale, Washington and Vancouver, BC. The Pacific Northwest rainforest region provides us with climate and terrain that is very brutal on equipment. Our core Design Group is aided and abetted by a serious group of employees who make a habit of riding off-road every day in every type of rideable (and nearly rideable) condition.

The Kona name comes from our fascination with volcanic things. We're located on the Northern edge of the volcanic Cascade

Mountains, which runs down the Pacific Coast from Canada to Southern California.

The Hawaiian Islands are a volcanic chain so the Kona name connection came along naturally.

Kona was founded in 1988 by long-time riders and racers who had previously founded and worked for Ritchey, Marin & Rocky Mountain Bicycles. The original Kona bicycles were custom machines based on our own preference in high-performance off-road bikes. This tradition of making thoughtful, reliable, well-balanced Mountain Bikes is still the cornerstone of the Kona way.



BUCK A BIKE!



For every Kona Mountain Bike sold in the UK, Second Level Sport, will contribute £1 to Sustrans. Sustrans, is a national charity which designs and builds routes for people. The National Cycle network will be a 6,500 mile series of linked routes, half traffic free and half on roads. The whole network is scheduled for completion by 2005, with 2,500 miles finished by the year 2000. For more information call 0117 929 0888. Kona believes that riders and the cycle industry should work together to make the world a bike friendly place. Kona USA has so far contributed over \$50,000 to cycling organizations with it's Buck-A-Bike campaign.






The Heart of the Bicycle is the Frame.

We're constantly evaluating and adjusting our frame designs as rider demands and technology change. Rather than re-inventing the mountain bike every season based on the latest trend, the Kona way is to fine tune our proven designs. While the sloping top tube layout that we pioneered nine years ago is no longer unique to our frames, the subtle refinements are.

WHAT & WHY

- Long, sloping top tube provides room for body movement, optimum breathing and proper position.
 It also provides a great deal of stand-over clearance for exceptional bike control.
- 2) Short 16-3/4" chainstays provide the perfect balance between stability and power in or out of the saddle.
- 3) Lower attachment of the seat stays produces shorter tubes that have less flex during braking and acceleration.
- 4) Three inch extended seat tube above the top tube to correctly proportion the seat/handlebar relationship for the individual rider.
- 5) Long head tube provides a strong support for top and down tube, helps to distribute trail shock and prolongs headset bearing durability. It also provides a more ergonomic seat/handlebar relationship and is designed to accommodate the latest in suspension fork design.





The original Kona Suspension Experience design is used on the King Kikapu and U'hu. These frames were designed and prototyped exclusively by the Kona Design Group for Kona Mountain Bikes. The main features are:

- 1 SEMI-UNIFIED, LINEAR RATE REAR END: The frame has a shock leverage ratio of 2.45:1, producing over 3.5" of rear wheel travel. Bottom bracket, chainstay and rear axle travel up and down as one unit eliminating the bio-pace effect on climbs. Driving forces are isolated in rear triangle. Rear triangle pivots are close to bottom bracket, minimizing seat tube accordion effect and improving torsional rigidity.
- COLD-FORGED SWING ARM: Kona is the only unified design with swing arm. The swing arms isolate the shock from lateral loads, eliminating stress induced stiction and allowing the leverage rate to be linear.
- 3 CUSTOM VALVED FOX SHOCK: Because the Kona suspension design has a constant leverage rate, the shock unit has been custom valved by Fox to optimize compression and rebound performance. Internal negative spring eliminates stiction in the initial 1/8" of shock stroke.
- 4 INTERRUPTED SEAT TUBE. Not interrupted for shock/linkage interference, but for movement of the secondary seat tube while keeping Kona's 425mm chainstay length.
- (5) EXTRA: Two sets of bottle bosses. Larger oversize pivots. Lower pivot is adjustable by two pinch bolts. Gussets to strengthen pivots. Uni-seat stays. The unified rear stays allow very little deflection of brake bosses. Forged seat stay pivot/brake cable stop. Has positive feel to brakes and less lateral flex.

The new Kona Suspension design is also a product of the Kona Design Group. The U'i and Manomano frames are a rising rate design built around a coil-over shock:

- 1 LEVERAGE RATIO: of 2.06:1, the rear wheel has almost 3" of available travel.
- NO POGO: The pivot is located 5mm above the horizontal wheelbase plane to minimize any bio-pace effects caused by changes in the effective chainstay length. This location keeps the average drivetrain length very consistent.
- © CUSTOM VALVED SHOCKS: Shock Works (U'i) and Fox Vanilla (Mano) coil-over rear shocks are specifically tuned for Kona. The 16" frames are equipped with a 450 lb spring. The 18", 19" & 20" frames have 550 lb springs. Both shocks have a large range of preload adjustment.
- COLD-FORGED SWING ARM






Altitude Cycles, Chico, California. The Caldera, Hot and Ku, are handcrafted by the USA's number one manufacturer of performance mountain bike frames.

VeloGraphics, Bellingham, Washington, Kona Custom frames are painted one at a time in the color(s) of your wildest dreams using Sikkens Polyurethane paint.







Sandvik 3-2.5 Titanium Alloy tubing Kona Multi-shape tube design/gussetted Shimano XTR components

Control Tech stem & Syncros seatpost

Mavic 217 rims, DT spokes, handbuilt

Aerospace Grade tubing, Good forever

Comfort, resilience, rigidity

Finest components - period

The strongest & lightest

These wheels are unreal



Made in USA

Taper-butted Easton Aluminum frame

Marzocchi Bomber Z2 fork

Shimano XTR or XT component kits

Cook Bros crankset



Handcrafted, #1 quality, paint options

Light, lively, very strong

Extra plush, easy service

Options are what custom is all about

Precision USA quality



Meaning: At high temperature, angry, pungent, passionate, excited, very skillful.

Reynolds 853 air-hardened steel tubing Made in USA

Marzocchi Bomber Z1 or Z2 fork

Custom paint options

DT spokes, hand-crafted wheels



Lightest steel tubing made, very strong The tubing is extremely difficult to work

Very plush - pick 3" or 4" of travel

Attain Beatitude

Achieve Nirvana

Frame: 4.0 lbs/1.8kg
Fork: 3.1 lbs/1.4kg
Bike: 24.2 lbs/11.0kg

A deep cauldron-like cavity on summit of volcano.

WELLET

Altitude Heat-treated Cromoly tubing

Made in USA

Rock Shox Indy XC fork

Shimano Deore LX V-Brakes

Shimano Deore XT/LX Rapidfire shifters



Light, rigid, strong

Small batches, high quality

One piece Magnesium lower legs

Powerful Linear Pull system

Smooth, superlative shifting



CANDIAGE P

Kona Suspension Design
Double-butted Easton Aluminum frame
Fox Alps 5R air/oil rear shock
Marzocchi Bomber Z1 fork

Shimano Deore XT crankset

KUA

Plush, active & efficient Light, lively, very strong Plush, light, adjustable

The King of DH forks — 4" of travel Strong & light spiderless design

Frame: 5.5 lbs/2.5kg Fork: 3.3 lbs/1.5kg Bike: 26.7 lbs/12.1kg

Say: Yoo Hoo! And mean it.

WELLE

Kona Suspension Design
Marzocchi Bomber Z2 fork
Fox Alps 5 air/oil rear shock
DT Stainless spokes

Azonics World Force Riser handlebar



Efficient power transfer without altering chainline

Extra plush, easy service

Plush, light, reliable

Swiss spokes are the best

High control position - stable & strong

Frame: 5.7 lbs/2.6kg
Fork: 3.2 lbs/1.45kg
Bike: 26.9 lbs/12.2kg

Meaning: Great! Or four thousand times four thousand.

CALLY SEP

Double-butted Aluminum frame NEW Kona Suspension Design Fox Vanilla rear shock

Shimano Deore LX/STX Rapidfire shifters

Shimano LX V-Brakes & Avid Speed Dial levers



WELLY

Light, lively, very strong

No pogo and plush — 3" of travel

Bomb-proof coil-over design

Smooth, superlative shifting

Powerful Linear Pull system

Frame: 5.7 lbs/2.6kg Fork: 3.2 lbs/1.45kg Bike: 27.2 lbs/12.3kg

Pronunciation: YOO-EE. Hawaiian for Beautiful.


Double-butted Aluminum frame

Rock Shox Quadra 5 fork

Grip Shift 400/Shimano STX shifters

Curve OM brakes

Mavic 238 double-wall Aluminum rims



Light, lively, very strong

Comfortable suspension; low maintenance

Smooth shifting, easy service

High power system

Strong & reliable wheels

Frame: 3.4 lbs/1.55kg Fork: 3.3 lbs/1.5kg Bike: 23.4 lbs/10.6kg

Pronunciation: KOO-LA. Meaning: Gold.

Taper-butted Easton Aluminum frame Marzocchi Bomber Z2 fork Shimano XTR rear derailleur

Shimano XT V-Brakes & Rapidfire shifters


Mavic 217 rims

Light, lively, very strong Extra plush, easy service The King of Derailleurs Brake & shift simultaneously

Strongest cross-country rim made

Frame: 3.4 lbs/1.55kg Fork: 3.1 lbs/1.4kg

Bike: 24.8 lbs/11.2kg



TATELY SEP

Taper-butted Easton Aluminum frame
Rock Shox Indy XC fork

Shimano Deore XT/LX Rapidfire shifters

Shimano LX V-Brakes & Avid Speed Dial levers

Dia Compe STC threadless "Aheadset"



Light, lively, very strong

One piece Magnesium lower legs

Smooth, superlative shifting

Powerful Linear Pull system

Adjustable on the trail

Frame: 4.0 lbs/1.8kg Fork: 2.7 lbs/1.2kg Bike: 23.8 lbs/10.8kg Not an incendiary device.

VAN TELEVISION OF THE PERSON O

Columbus MAX Nivachrom frame

Rock Shox Indy SL fork

Sugino Mighty 900 crankset

Shimano XT V-Brakes & Avid Speed Dial levers

Mavic 217 Double-wall rims



Strength of steel, rigidity of Aluminum

Lightweight Easton legs

Rigid cold-forged design

Powerful Linear Pull system

Strongest cross-country rim made

Frame: 3.9 lbs/1.77kg Fork: 1.7 lbs/0.8kg

Bike: 22.7 lbs/10.3kg



THE STATE OF THE S

Columbus Cyber Nivachrom frame
Shimano Deore XT Rapidfire shifters
Shimano LX V-Brakes & Avid Speed Dial levers

Mavic 221 Double-wall rims Wellgo WPD-700 clipless pedals



WESS

Light, lively, very strong
Smooth, superlative shifting
Powerful Linear Pull system
UB sidewall finish for enhanced braking

Construction of Chimens and Athle

Easy step-in & Shimano compatible

Frame: 3.6 lbs/1.6kg Fork: 3.2 lbs/1.45kg Bike: 25.5 lbs/11.6kg

The secret password is...

WELLEY.

Double-butted Aluminum frame
Rock Shox Indy XC fork
Shimano STX 8-speed hub & freewheel
Avid Single Digit brakes & Speed Dial levers
Shimano Deore LX crankset



WEST

Light, lively, excellent acceleration
Low friction, double seal system
24 gears — wider gear ratios
Powerful Linear Pull system
Lightweight spiderless design

Frame: 3.6 lbs/1.6kg Fork: 2.3 lbs/1.04kg

Bike: 24.9 lbs/11.3kg

Pronunciation: KO-AH. A highly valued Hawaiian hardwood. Also means fearless.

CANDIAGE .

Double-butted Aluminum frame

Grip Shift 400/Shimano STX shifters

Curve OM brakes

Mavic 238 double-wall Aluminum rims

Dia-Compe threadless "Aheadset"



WESS

Light, lively, excellent acceleration

Smooth shifting, easy servicing

High power system

Strong & reliable wheels

Adjustable on the trail

Frame: 4.5 lbs/2.04kg Fork: 3.2 lbs/1.45kg

Bike: 26.6 lbs/12.1kg

SIMPES GEN

A Cinder Cone is built with loose pyroclastic material surrounding a volcanic vent.

Kona Cromoly butted tubing throughout

Rock Shox Indy C fork

Shimano STX 8-speed hub & freewheel

Avid Single Digit brakes & Speed Dial levers

Dia-Compe threadless "Aheadset"



Strong, light & reliable frame

Low friction, double seal system

24 gears - wider gear ratios

Powerful Linear Pull system

Adjustable on the trail

Frame: 4.5 lbs/2.04kg Fork: 2.3 lbs/1.04kg

Bike: 25.9 lbs/11.8kg



A dome-shaped volcanic landform.

TATELY SEP

Kona Cromoly butted tubing throughout Grip Shift 400/Shimano LX/STX shifters Curve OM brakes

Mavic 238 double-wall Aluminum rims

Kona Scratch & Sniff tires



WES

Strong, light & reliable frame

Smooth shifting, easy service

High power system

Strong & reliable wheels

Lightweight knobbies - sure traction

Frame: 4.7 lbs/2.1kg Fork: 3.2 lbs/1.45kg Bike: 27.3 lbs/12.4kg

Welcome to the World of Suspension.

WELLER

Rock Shox Quadra 5 fork
Grip Shift 400/Shimano STX shifters

Dia-Compe threadless "Aheadset"
Kona Aluminum butted handlebar



Strong, light & reliable frame
Comfortable suspension; low maintenance
Smooth shifting, easy service
Adjustable on the trail

Thoroughly tested, lightweight steering

Frame: 4.7 lbs/2.1kg Fork: 2.3 lbs/1.04kg

Bike: 26.7 lbs/12.1kg



WELLET

Kona Cromoly butted tubing throughout
Grip Shift 400/Shimano Acera-X shifters
Shimano Alivio/Acera-X brakes
US-made Sun No.5 Aluminum rims

Stainless steel spokes



WES

Strong, light & reliable frame
Smooth shifting, easy service
Powerful & secure system
Improved braking, strong wheels
Strong, no-rust wheels



CANTILL STREET

Kona Cromoly butted tubing throughout

Single speed

Cyclone BMX cold-forged crankset

Kona Scratch & Sniff tires

Stars & Bars paint



Strong, light & reliable frame

Who needs gears?

Powerful, simple & strong

They're stinky

Damn it looks good

Frame: 3.1 lbs/1.4kg
Fork: 1.5 lbs/0.7kg

Bike: 20.9 lbs/9.5kg

WEYER

Meaning: Forbidden.

WELLEY.

Columbus Genius Nivachrom tubing

Kona Mudshark fork

TE

Campagnolo Veloce component group

Mavic CXP-12 rims/DT spokes

Dia-Compe threadless "Aheadset"



WES

Good enough for Ernesto

It's straight


Because of Tullio


Light, strong wheels


Adjustable on the trail

MOUNTAINShock

The Core of Kona features Six Fine Suspension Forks.












ROCK SHOX INDY XC
MCU Elastomer/Coil Spring Suspension
One-piece magnesium lower assembly
Butted steel stanchions
Travel: 2.5 inches
Weight: 3.3 lbs





SHIMANO

Shimano, is one of the primary sponsors of the Kona Factory Team, which gave our racers an opportunity to thoroughly test the new components and improved designs during the 1996 race season. We have





M

Shimano Rapidfire SL Shifters.

C

0

Shimano Rapidfire SL shifters are now made as separate shifter units in Deore XT and Deore LX. This allows more individual preference for shift/brake lever positioning and simpler servicing. Matched with Shimano derailleurs, chains and freewheels, the function is fast, precise and smooth. One very important benefit of Rapidfire is simultaneous shifting and braking, particularly important for high-speed technical riding and racing.





Shimano Deore V-Brakes.

Shimano Deore XT and Deore LX V-Brakes provide more braking power and control through longer cantilever arms and direct 90 degree cable action. Shimano Deore XT has a Parallel-Push mechanism for more uniform pad wear. These brakes are very powerful, enabling very quick stops and turns.

Shimano Deore Cranks.

Shimano Deore XTR, Deore XT and Deore LX cranks have a new, spiderless design for considerable weight savings. The chainrings are driven from the bottom bracket spindle for better power transfer. Shimano Deore XTR uses a special, splined hollow B/B spindle, Shimano Deore XT and Deore LX use a standard bottom bracket design.

GRIP SHIFT



AVID

n

Avid Single Digit Brakes.

These powerful, linear brakes direct the full force generated by long, cold-forged arms directly to the rim via Kool Stop Thin Line pads. The brakes pivot on precision 2024 aluminum spring tensioners instead of the frame bosses.



Grip Shift SRT Shifters.

At 135 grams per set, the Grip Shift SRT 600 and 400 are among the lightest and most efficient shifters on the market. Because of a short grip rotation, the full range of gears is available in a single twist. Delrin is used extensively to reduce

shifting effort and to provide a solid feel. While both the SRT models are equipped with stainless steel springs and cables, the SRT 600 has an inboard seal, detenting barrel adjuster and aggressive grip.



Avid Speed Dial Levers.

The new "L" levers are designed specifically for linear pull brakes. The cold-forged blades are equipped with the Avid "Speed Dial" feature that allows a rider to easily fine tune brake feel while on the trail.







Mavic 217 rims.

Mavic of France is the world's leading manufacturer of bicycle rims. They are featured on most Kona models. They have two center walls instead of one, and the 217 and 221 rims are machined down to a perfect parallel braking surface.

DT Stainless Steel spokes.

The key to performance and reliability of Kona wheels are in the quality of the rims and spokes. DT stainless steel spokes from Switzerland, are the finest available, enabling us to build perfect and strong wheels. 14

gauge diameter is used on the rear for strength, and 15 gauge on the front for weight savings.



Scratch and Sniff tires. Yes, they are stinky.

Sniff, is a 26 x 2.10 front tire with large, wide-spaced knobs for excellent direction control. The center knobs form a flying "V" to push mud forward. Lightweight at only 575 grams, Sniff works well in mud but excels in hard pack conditions.

Scratch, is a directional 26x2.10 tire, with extremely wide knob spacing for the best possible mud clearing. Center knobs are a paddle-style grouping for positive traction. These knobs angle up sharply on the traction side and more moderately on the mud clearing side. Scratch, also works well in hard pack conditions and weighs only 575 grams.

Dia Compe Aheadset.

Dia Compe, is the leader in headset design and the inventor of the threadless Aheadset system. The beauty of the design is that it is lightweight, strong, and can be adjusted on the trail with a 5mm allen key. We feature the STC and ALC headsets with fully sealed, replaceable bearings.





Tahoma Sonne 4 stem.

Every stem on each Kona model and size has a specific length and rise to accomodate most riders. The Aluminum, cold-forged Sonne stem design

works perfectly with the Dia Compe Aheadset system and can be quickly changed by your Kona dealer to provide a perfect fit for comfort and performance.



Curve 2014 handlebar.


The Curve handlebar is made from seamless triple-butted 2014 aluminum alloy. This 2000 series alloy provides exceptional strength and fatigue life. The wall thickness ranges from 1.2mm to 2.0mm. The one piece alloy shim protects the bar from stress risers at the clamping area. Weight for the handlebar is 163 grams plus the 13 gram shim.



Azonics World Force Riser handlebar.

King Kikapu and U'hu suspension models use the Azonics 1-1/2" World Force Riser bar. Material is 2014 Aluminum - extremely fatigue resistant. Weight is 330 grams. Width is 26", providing superior leverage and bike control.


G E O M E T R Y



HEI HEI, KU, HOT, KULA, EXPLOSIF, AA, MUNI-MULA, KILAUEA, CINDER CONE, KOA, LAVA DOME


Frame Head Seat Top Chain Wheel Fork Stand-Crank Stem Size Angle Angle Tube Stay Base Offset over Length Length (A) (B) (C) (D) (E) (F) Height

	(4)	(D)	(0)	(0)	(1)	(1)	neight		
14"	70.5°	74°	21.5	16.75	40.6	1.54	24	170	80/6
16"	70.5°	74°	22.0	16.75	41.1	1.54	26	170	105/6
17"	71°	74°	22.5	16.75	41.5	1.54	27	175	105/6
18"	71°	74°	23.0	16.75	42.0	1.54	28	175	120/6
19"	71°	73°	23.5	16.75	42.2	1.54	29	175	120/6
20"	71°	73°	24.0	16.75	42.7	1.54	30	175	135/6
21"	71°	72.5°	24.5	16.75	43.0	1.54	31	175	135/6



FIRE MOUNTAIN, HAHANNA

Frame Head Seat Top Chain Wheel Fork Stand- Crank Stem Size Angle Angle Tube Stay Base Offset over Length Length (A) (B) (C) (D) (E) (F) Height 21.0 16.75 40.3 1.74 170 120/12 70.5° 74° 21.5 16.75 40.8 1.74 170 120/12 22.5 16.75 41.7 1.74 175 120/12 23.0 16.75 41.9 1.74 175 120/12 23.5 16.75 42.4 1.74 175 135/12



KING KIKAPU, U'HU

	(A)	(B)	(C)	(D)	(E)	(F)	Height		
16"	72°	74.5°	22.0	16.9	41.0	1.6	28	170	105/6
18"	72°	74.5°	23.0	16.9	42.0	1.6	30	175	120/6
19"	72°	74°	23.5	16.9	42.4	1.6	30.7	175	120/6
20"	72°	74°	24.0	16.9	42.9	1.6	31.4	175	135/6

MANOMANO, U'I


 Frame Size
 Head Angle Angle (A)
 Tube (B)
 Clain Stay (D)
 Wheel Base (E)
 Fork Stand- Offset over Length
 Crank Length
 Stem Length

 16"
 71.5°
 74.5°
 22.0
 16.75
 41.0
 1.6
 28
 170
 105/6

 18"
 71.5°
 74.5°
 23.0
 16.75
 42.0
 1.6
 30
 175
 120/6


 19"
 71.5°
 74°
 23.5
 16.75
 42.4
 1.6
 30.7
 175
 120/6

 20"
 71.5°
 74°
 24.0
 16.75
 42.9
 1.6
 31.4
 175
 135/6



A'HA

Frame Head Seat Top Chain Wheel Fork Stand- Crank Stem Size Angle Angle Tube Stay Base Offset over Length Length (B) (C) (D) (E) (F) Height 16" | 70.5° | 72.5° | 22.3 | 17.9 41.8 1.74 28 170 80/6 70.5° 72.5° 23.5 17.9 43.1 1.74 30 175 80/6 20" 70.5° 72° 24.5 17.9 44.1 1.74 175 80/6



KAPU

Frame Size*	Head Angle (A)	Seat Angle (B)	Top Tube (C)	Chain Stay (D)	Wheel Base (E)		B/B Height (G)
49	73°	74°	53.0	41.0	97.1	4.5	26.8
52	73°	74°	54.0	41.0	98.0	4.5	26.8
54	73.5°	73.5°	55.0	41.0	98.3	4.5	26.8
56	73.5°	73°	56.0	41.0	98.7	4.5	26.8
58	73.5°	73°	58.0	41.0	100.7	4.5	26.8
60	74°	73°	59.0	41.0	101.0	4.5	26.8

*Size designation - equivalent to center to center (horizontal



S P E C I F I C A T I O N S

MODEL	KING KAHUNA	KU	нот	CALDERA	KING KIKAPU	U'HU	MANOMANO	U'I	KULA	AA
FRAME	Kona 3-2.5 Titanium Multi-shape/Gussetted	Easton Elite Aluminum	Reynolds 853	Altitude Cromoly Heat-treated	Easton Elite Aluminum	Easton Elite Aluminum	7005 Butted Aluminum	7005 Butted Aluminum	Easton Elite Aluminum	Easten Elite Aluminum
FORK/SHOCK	Marzocchi Bomber Z1	Marzocchi Bomber Z2	Marzocchi Bomber Z2	Rock Shox Indy XC	Marzocchi Bomber Z1 Fox Alps-5R	Marzocchi Bomber Z2 Fox Alps-5	Rock Shox Indy XC Fox Vanilla	Rock Shox Quadra 5 Shock Works	Marzocchi Bomber Z2	Rock Shox Indy XC
HEADSET	Dia Compe ATC	Dia Compe STC	Dia Compe STC	Dia Compe STC	Dia Compe ALC	Dia Compe STC	Dia Compe STC	Dia Compe ST-2	Dia Compe ALC	Dia Compe STC
CRANKS	Shimano Deore XTR 42-32-22	Cook Bros Cold-forged	Cook Bros Cold-forged 42-32-22	Shimano Deore LX 42-32-22	Shimano Deore XT 42-32-22	Shimano Deore LX 42-32-22	Cyclone 349 42-32-22	Cyclone 345 44-32-22	Sugino Mighty 900 42-32-22	Sugino Mighty 900 42-32-22
BOTTOM BRACKET	Shimano Deore XTR	Shimano UN-71	Shimano UN-71	Shimano UN-52	Shimano UN-71	Shimano UN-52	Shimano UN-52	Shimano LP-26	Shimano UN-71	Shimano UN-52
PEDALS	Shimano Deore XT Clipless	Shimano Deore LX Clipless	Shimano Deore LX Clipless	Shimano Deore LX Clipless	Wellgo WPD-700 Clipless	Wellgo WPD-700 Clipless	Wellgo WPD-700 Clipless	Fasten NWL-90K	Wellgo WPD-700 Clipless	Wellgo WPD-700 Clipless
CHAIN	Shimano IG-90	Shimano IG-70	Shimano IG-70	Shimano IG-70	Shimano IG-70	Shimano IG-51	Shimano IG-31	Shimano IG-31	Shimano IG-71	Shimano IG-51
FREEWHEEL	Shimano Deore XTR 12-32 8-speed	Shimano Deore LX 11-30 8-speed	Shimano Deore LX 11-30 8-speed	Shimano Deore LX 11-30 8-speed	Shimano Deore XT 11-30 8-speed	Shimano Deore LX 11-30 8-speed	Shimano STX 11-30 8-speed	Shimano IG-50 11-28 7-speed	Shimano Deore XT 11-30 8-speed	Shimano HG-70 11-30 8-speed
FRONT DERAILLEUR	Shimano Deore XTR	Shimano Deore XT	Shimano Deore XT	Shimano Deore LX	Shimano Deore XT	Shimano Deore LX	Shimano STX	Shimano Acera-X	Shimano Deore XT	Shimano Deore LX
REAR DERAILLEUR	Shimano Deore XTR	Shimano Deore XT	Shimano Deore XT	Shimano Deore XT	Shimano Deore XTR	Shimano Deore XT	Shimano Deore LX	Shimano STX	Shimano Deore XTR	Shimano Deore XT
SHIFTERS	Shimano Deore XTR Rapidfire	Shimano Deore XT Rapidfire	Shimano Deore XT Rapidfire	Shimano Deore LX Rapidfire	Shimano Deore XT Rapidfire	Shimano Deore XT Rapidfire	Shimano Deore LX Rapidfire	Grip Shift SRT-400	Shimano Deore XT Rapidfire	Shimano Deore LX Rapidfire
BAR	Curve 2014	Curve 2014	Curve 2014	Curve 2014	Azonics World Force Riser	Azonics World Force Riser	Kona Slim 165	Aluminum Bulge	Curve 2014	Curve 2014
STEM	Control Tech	Tahoma Sonne 4	Tahoma Sonne 4	Tahoma Sonne 4	Tahoma Sonne 4	Tahoma Sonne 4	Tahoma Sonne 4	Tahoma Sonne 4	Tahoma Sonne 4	Tahoma Sonne 4
BRAKES	Shimano Deore XTR V-Brakes	Shimano Deore LX V-Brakes	Shimano Deore LX V-Brakes	Avid Single Digit 20	Shimano Deore XT V-Brakes	Shimano Deore LX V-Brakes	Shimano Deore LX V-Brakes	Curve OM	Shimano Deore XT V-Brakes	Shimano Deore LX V-Brakes
BRAKE LEVERS	Shimano Deore XTR	Shimano Deore LX	Shimano Deore LX	Avid Speed Dial 1.9L	Avid Speed Dial 3.0L	Avid Speed Dial 1.9L	Avid Speed Dial 1.9L	Curve OM	Avid Speed Dial 2.0L	Avid Speed Dial 1.9L
FRONT HUB	Shimano Deore XTR	Shimano Deore XT	Shimano Deore XT	Shimano Deore LX	Javva the Hub	Javva the Hub	Kona 999	Shimano Altus	Javva the Hub	Javva the Hub
REAR HUB	Shimano Deore XTR	Shimano Deore XT	Shimano Deore XT	Shimano Deore LX	Shimano Deore XT	Shimano Deore XT	Shimano STX-RC	Shimano Acera-X	Shimano Deore XT	Shimano Deore LX
RIMS	Mavic 217	Mavic 221	Mavic 221	Mavic 221	Mavic 217	Mavic 221	Mavic 238	Mavic 238	Mavic 217	Mavic 221
SPOKES	DT Stainless 15G & 14G	DT Stainless 15G & 14G	DT Stainless 15G & 14G	DT Stainless 15G & 14G	DT Stainless 15G & 14G	DT Stainless 15G & 14G	15G front & 14G rear	15G front & 14G rear	DT Stainless 15G & 14G	DT Stainless 15G & 14G
FRONT TIRE	Sniff 120 tpi	Sniff 120 tpi	Sniff 120 tpi	Sniff 120 tpi	Sniff 120 tpi	Sniff	Sniff	Sniff	Sniff 120 tpi	Sniff
REAR TIRE	Scratch 120 tpi	Scratch 120 tpi	Scratch 120 tpi	Scratch 120 tpi	Scratch 120 tpi	Scratch	Scratch	Scratch	Scratch 120 tpi	Scratch
SADDLE	Selle Italia Max Flite	Selle Italia Expedia	Selle Italia Expedia	Selle Italia Expedia	Selle Italia Expedia	Selle Italia Expedia	Selle Italia Expedia	Selle Italia Triax	Selle Italia Expedia	Selle Italia Expedia
SEATPOST	Syncros	Kona O-Beam	Kona O-Beam	Kona O-Beam	Kona O-Beam	Kona O-Beam	Kona Race Light	Kalloy SP-242	Kona O-Beam	Kona Race Light
COLOR	Buff	Custom	Custom	Molotov Red / Poopsy Blue	Ball Burnished	Ball Burnished	Indy Red	Yellow	Bomber Red	Silver
SIZES	16, 17, 18, 19, 20	14, 16, 17, 18, 19, 20	14, 16, 17, 18, 19, 20	16, 18, 19, 20	16, 18, 19, 20	16, 18, 19, 20	16, 18, 19, 20	16, 18, 19, 20	14, 16, 17, 18, 19, 20, 21	14, 16, 17, 18, 19, 20, 21
WEIGHT	22.3 lbs (10.1 kg)	23.3 lbs (10.6 kg)	23.9 lbs (10.9 kg)	24.2 lbs (11.0 kg)	26.7 lbs (12.1 kg)	26.7 lbs (12.1 kg)	26.9 lbs (12.2 kg)	27.2 lbs (12.3 kg)	23.4 lbs (10.6 kg)	24.8 lbs (11.2 kg)
EXTRAS					Partition		F (2) 3 (3)	Clips/Straps	TO RESID	



S P E C I F I C A T I O N S

MODEL	EXPLOSIF	KILAUEA	MUNI-MULA	КОА	CINDER CONE	LAVA DOME	FIRE MOUNTAIN	HAHANNA	A'HA	KAPU
FRAME	Columbus MAX	Columbus CYBER	7005 Butted Aluminum	7005 Butted Aluminum	Kona Butted Cromoly	Kona Butted Cromoly	Kona Butted Cromoly	Kona Butted Cromoly	Kona Butted Cromoly	Columbus Genius
FORK/SHOCK	Rock Shox Indy SL	Project Two TB	Rock Shox Indy XC	Project Two	Rock Shox Indy C	Project Two	Rock Shox Quadra 5	Project Two	Project Two	Kona Mudshark
HEADSET	Dia Compe ALC	Dia Compe STC	Dia Compe ST-2	Dia Compe ST-2	Dia Compe ST-2	Dia Compe ST-2	Dia Compe ST-2	Dia Tech SBN	Dia Compe ST-2	Dia Compe ST-2
CRANKS	Sugino Mighty 900 42-32-22	Shimano Deore LX 42-32-22	Shimano Deore LX 42-32-22	Cyclone 349 42-32-22	Cyclone 349 42-32-22	Cyclone 349 42-32-22	Cyclone 345 42-34-24	Cyclone 345 42-34-24	Cyclone BMX-1511	Campagnolo Veloce
BOTTOM BRACKET	Shimano UN-52	Shimano UN-52	Shimano LP-26	Shimane LP-26	Shimano LP-26	Shimano LP-26	Shimano LP-26	Shimano LP-26	Cyclone BMX-BMX2	Campagnolo Veloce
PEDALS	Wellgo WPD-700 Clipless	Wellgo WPD-700 Clipless	Fasten NWL-90K	Fasten NW-90K(S)	Fasten NWL-90K	Fasten NW-90K(S)	Fasten NW-90K(S)	Fasten NW-90K(S)	Fasten BMX	Campagnolo Veloce
CHAIN	Shimano IG-71	Shimano IG-51	Shimano IG-31	KMC UG-50	Shimano IG-31	Shimano IG-31	KMC UG-50	KMC UG-50	KMC	Campagnolo Veloce
FREEWHEEL	Shimano Deore LX 11-28 8-speed	Shimano Deore LX 11-30 8-speed	Shimano STX 11-30 8-speed	Shimano HG-30 11-30 7-speed	Shimano STX 11-30 8-speed	Shimano IG-50 11-28 7-speed	Shimano HG-30 11-28 7-speed	Shimano HG-30 11-28 7-speed	Shimano 18T 1-speed	Campagnolo Veloce 12-24 8-speed
FRONT DERAILLEUR	Shimano Deore XT	Shimano Deore LX	Shimano STX	Shimano STX	Shimano STX	Shimano STX	Shimano Acera-X	Shimano Acera-X		Campagnolo Veloce
REAR DERAILLEUR	Shimano Deore XT	Shimano Deore XT	Shimano Deore LX	Shimano STX-RC	Shimano Deore LX	Shimano Deore LX	Shimano STX	Shimano Acera-X		Campagnolo Veloce
SHIFTERS	Shimano Deore XT Rapidfire	Shimano Deore XT Rapidfire	Grip Shift SRT-600	Grip Shift SRT-400	Grip Shift SRT-600	Grip Shift SRT-400	Grip Shift SRT-400	Grip Shift SRT-400		Campagnolo Veloce
BAR	Curve 2014	Curve 2014	Kona Slim 165	Kona Slim 165	Kona Slim 165	Kona Slim 165	Aluminum Bulge	Aluminum Bulge	Kona Cruiser	TTT Forma
STEM	Tahoma Sonne 4	Tahoma Sonne 4	Tahoma Sonne 4	Tahoma Sonne 4	Tahoma Sonne 4	Tahoma Sonne 4	Tahoma Sonne 4	Tahoma Sonne 4	Tahoma Sonne 4	Velocity Road
BRAKES	Shimano Deore XT V-Brakes	Shimano Deore LX V-Brakes	Avid Single Digit 2.0	Curve OM	Avid Single Digit 2.0	Curve OM	Shimano Acera-X	Shimano Acera-X	Curve OM	Campagnolo Veloce
BRAKE LEVERS	Avid Speed Dial 2.0L	Avid Speed Dial 1.9L	Avid Speed Dial 1.9L	Curve OM	Avid Speed Dial 1.9L	Curve OM	Shimano Alivio	Shimano Alivio	Curve OM	Campagnolo Veloce
FRONT HUB	Javva the Hub	Javva the Hub	Kona 999	Kona 999	Копа 999	Kona 999	Shimano Altus	Shimano Altus	Sovos	Campagnolo Veloce
REAR HUB	Shimano Deore XT	Shimano Deore XT	Shimano STX-RC	Shimano Acera-X	Shimano STX-RC	Shimano STX	Shimano Acera-X	Shimano Acera-X	Sovos	Campagnolo Veloce
RIMS	Mavic 220	Mavic 221	Mavic 238	Mavic 238	Mavic 238	Mavic 238	Sun No.5 Orange	Sun No.5 Orange	Sun No.5 Orange	Mavic CPX-12
SPOKES	DT Stainless 15G & 14G	DT Stainless 15G & 14G	15G front & 14G rear	15G front & 14G rear	15G front & 14G rear	15G front & 14G rear	15G front & 14G rear	15G front & 14G rear	14G Stainless	DT Stainless 15G & 14G
FRONT TIRE	Sniff 120 tpi	Sniff	Sniff	Sniff	Sniff	Sniff	Sniff	Sniff	Sniff	Tioga Pro-Line
REAR TIRE	Scratch 120 tpi	Scratch	Scratch	Scratch	Scratch	Scratch	Scratch	Scratch	Scratch	Tioga Pro-Line
SADDLE	Selle Italia Expedia	Selle Italia Expedia	Selle Italia Expedia	Selle Italia Expedia	Selle Italia Expedia	Selle Italia Expedia	Selle Italia Triax	Selle Italia Triax	Selle Italia Triax	Selle Italia Turbo Lite
SEATPOST	Kona O-Beam	Kona Race Light	Kona Race Light	Kona Race Light	Kona Race Light	Kona Race Light	Kalloy SP-242	Kalloy SP-242	Kona Race Light	Kona Race Light
COLOR	Mustard	Plumb Blue	Indy Red	Orange Metallic	Indy Blue	Forest Green	Indy Blue	Burgundy	Stars and Bars	Happy Go Lucky Green
SIZES	14, 16, 17, 18, 19, 20	14, 16, 17, 18, 19, 20	14, 16, 18, 19, 20, 21	14, 16, 18, 19, 20, 21	14, 16, 17, 18, 19, 20	14, 16, 18, 19, 20	14, 16, 18, 19, 20	14, 16, 18, 19, 20	16, 18, 20	49, 52, 54, 56, 58, 60cm
WEIGHT	23.8 lbs (10.8 kg)	22.7 lbs (10.3 kg)	25.5 lbs (11.6 kg)	24.9 lbs (11.3 kg)	26.6 lbs (12.1 kg)	25.9 lbs (11.8 kg)	27.3 lbs (12.4 kg)	26.7 lbs (12.1 kg)	25.5 lbs (11.6 kg)	20.9 lbs (9.5 kg)
EXTRAS			Clips/Straps	Clips/Straps	Clips/Straps	Clips/Straps				

INTERNATIONAL DISTRIBUTORS

ARGENTINA Megacycles Gascon 5675, Mar del Plata 7600 Tel 23-074-2169 AUSTRIA · Rosner & Temper · Grillgasse 30 a, 1110 Wien · Tel 222-749-33-05 AUSTRALIA · Group Sportif · 20 Harker Street, Burwood, Victoria 3125 · Tel 3-9888-9882 BENELUX • Team Sporting Goods • Bredastraat 121, B-2060 Antwerpen • Tel 3-226-9145 CANADA . The Bicycle Group . 343 Railway Street, Vancouver, BC, V6A 1A4 . Tel 604-684-4933 DENMARK • Ettol Sport • Grenaavej 670, DK-8541 Skoedstrup/Aarhus, Denmark • Tel 458-699-2000 ENGLAND Second Level Sport Clockhouse Lane, Bedfont, Feltham, Middx, TW1480A • Tel 0784-251000 ESTONIA • Ski & Surf House AS • Meriälja fee 5, Tallinn, Estonia EE0019 • Tel 372-6-300-125 FINLAND Mountain Bike Keskus Lauttasaarentie 54, SF-00200 Helsinki Tel 90-6925840 FRANCE • Chapak-Cham S.A. • 175 rue Joseph Cugnot, Z. I. Grezan, 30000 Nimes • Tel 04-66-26-21-72 GERMANY O Kona MTB GmbH O Im Tal 1, 78176 Blumberg • Tel 7702-4387-0 ISRAEL • Harry Pick Enterprises • 168 Iben-Gevirol Street, Tel-Aviv • Tel 3-544-2123 ITALY • Inkey SRL • Viale Monegrappe 312, 50047 Prato • Tel 574-575854 JAPAN Triangle Co., Ltd. • 1037 Sakasegawa, Sakai, Osaka, Japan 590-01 • Tel 81-722-93-3743 KOREA Bumil Trading Co. • Koex 4G-23 No. 159, Samsung-Dong, Kangnam-Ku, Seoul 135-731 Tel 2-551-6992 NEW ZEALAND . Kona New Zealand . PO Box 1194, Queenstown . Tel 3-442-5763 NORWAY • Hard Rocx • Sterndalen 9-11, 1345 Osteras • Tel 67-14-7240

POLAND • TWR • 31–153 KRAKOW, ul Szlak 26 • Tel 012-32-21-19

SINGAPORE • Thong Chaun Impex • Block 631 Aljunied Road, CWT Warehouse Bay A, Singapore 389840 • Tel 842-5133

SOUTH AFRICA • Sportscraft Marketing • Box 413, Cramerview 2060, Johannesburg • Tel 11-789-7810

SPAIN • Motor Dealer • Parque Ind. Europolis, Edif. Bruselas, calle Z, bloque 4, nave 1, 28230 Las Rozas • Tel 637-7097

SWEDEN • Sjöberg Trading • Enhagsslingan 19, 183 39 TÄBY, Sweden • Tel 8-758-05-50

SWITZERLAND • Chris Sports Systems • Christian Battig AG, Lindauerstr, 25, CH-8317 Tagelswangen ZH • Tel 052-355-14-84







KONA MOUNTAIN BIKES

Kona USA • 2455 Salashan, Ferndale, Washington, 98248 • Tel 360-366-0951 Fax 360-366-2254