

he dream of a dreamer, Yeti Cycles was started on a shoestring twelve years ago and remains one of the biggest little companies in the business. Yeti's racing heritage reads like the Who's Who of Professional Mountain Biking, from the inaugural World Cross-Country Champion to countless professional athletes who choose to race, train and play on our products. Yeti has remained unwavering in our quest to provide the finest quality product with the most cutting-edge designs...all in the name of fun! Yeti's dedication to the craft and to the sport allows the professional racer, the aspiring expert and the fanatical enthusiast to benefit equally from our efforts. The biggest reward in all of this is knowing that we provide a top quality product at a fair price and that we continue to have a following that borders on cult status.

We are proud to know how seriously Yeti owners regard our bikes and it is this support that feeds our drive on a daily basis. Yeti is committed to supporting the sport of mountain biking with the continued development of world-class bicycles, components and accessories. A lot of things have changed and a lot of our friends have come and gone, but the tribe will not split and the Yeti will not hide. Thanks to those who know, and welcome to those who are new.

YETI CYCLES






YETI · F.R.O. Alloy

o, you've never been able to justify the premium price tag that a Yeti commands, but you won't sleep until you can experience the satisfaction of riding a real mountain bike. Your day has arrived!

Yeti has and will always stand for handcrafted quality. We use only the finest materials and designs to represent form and function from the ground up. In our relentless pursuit to build the finest mountain bikes on the planet for those who can truly appreciate who we are and what we do, we found an equation that allows us to provide the quality we live for at a price you can afford.

The F.R.O. Alloy is constructed from a 7005 tubeset that has been custom drawn to Yeti's demanding specifications. Yeti framebuilders use the same race-proven geometry that has been used in the top-of-the-line A.R.C. for seven years. The SYMMETRY tail section is a new spin on our trademark one-piece loop tail. SYMMETRY allows gobs of tire and mud clearance, while providing powerful, flex free braking under the loads of today's super cantilever brakes.

The F.R.O. Alloy is our commitment to being handmade in America with quality materials and a sensible price.



YETI · A.R.C.



he A.R.C. is our flagship hardtail, using Yeti Custom Easton 7005 ProGram Taperwall aluminum. This model is a refined version of the frame that Juli Furtado rode to victory here in Durango at the inaugural World Cross Country Championships and later to countless National and World Cup crosscountry wins. The A.R.C. is also the first choice of Team Yeti to roost dual slalom courses around the world.

To some, oversized aluminum frames mean a rigid, buck-board ride and limited frame life. Nothing could be further from the truth when we combine the advantages of Easton 7005 series ProGram Taperwall aluminum with our trademark Yeti loop tail. Truly the best of both worlds, the A.R.C. gives you the torsional rigidity and responsiveness you want from a hardtail, with the comfort of your favorite easy chair. Easton's ability to taper the wall of the tube along its entire length allows Yeti to put the material exactly where we need it. We add material in the critical weld zones for strength and durability, while removing material in the center of the tube to provide resilience and light weight. At 3.4 pounds, you won't be carrying anything extra except for that triple-decker pastrami you had for lunch.

Nothing beats a hardtail for efficiency; the A.R.C. is the ultimate cross-country machine, hands down.

YETI · A.S.-3 XC

few years ago, full-suspension was just a wild idea and Yeti was leading the way with its original A.R.C.-A.S., which proved to be the beginning of truly active full-suspension designs. The A.S.-3 XC is the next generation in cross-country full-suspension. Keeping with the tradition of the original A.S. and A.S.-LT, the A.S.-3 XC is fully active and rock-solid at speed.

The A.S.-3 XC is a masterful combination of material and design. Like its All Mountain brother, the A.S.-3 XC utilizes an extruded unibody bottom bracket design that all but eliminates the energy-robbing torsional flex of traditional full-suspension bottom bracket pivot points. The A.S.-3 XC utilizes an interrupted seat tube design that accommodates the Rock Shox Coupe Deluxe strut shock, providing three inches of active, fully-adjustable travel. True to its name, the A.S.-3 XC uses traditional cantilever bosses on the seatstays in order to accommodate lightweight cantilever brakesets. A custom blend of 6061 aluminum helps keep the frame light & stiff.

So, when you want a race-ready, fullsuspension frame for that cross-country course that's beating you to death, the A.S.-3 XC has the performance, light weight and versatility you are looking for.



YETI - A.S.-3 All Mountain



ver the past twelve years, Yeti has dominated downhill and cross-country race courses around the world. The experience of hundreds of races and thousands of training miles has taught us what it takes to handle the conditions of downhill and cross-country alike. The A.S.-3 All Mountain represents a new breed that easily deals with the demands of both.

If you don't mind the climbs and you live for the downhill, the A.S.-3 All Mountain is designed to enhance every aspect of your mountain biking experience with confidence. Our perfectly balanced combination of frame design, full-suspension and the latest in braking technology will have you pushing limits you never knew existed. The interrupted seat tube design readily allows the Rock Shox Coupe Deluxe strut shock to deliver over three inches of stiction-free travel. Coil-over spring preload and adjustable damping allow you to fine tune the ride to your every whim. Our unique unibody bottom bracket is extruded from solid billet aluminum, minimizing the typical sway of full-suspension, lower pivot points. Disk brake-specific rear dropouts accommodate a hydraulic disk brake in order to easily scrub your speed to a tolerable blur.

The A.S.-3 All Mountain is one solid package of performance, good looks and fun. So when you want it ALL in one stop, the A.S.-3 All Mountain is the answer!

YETI · Lawwill DH 4&6

rom the minds of great racers, great teams and fanatical dreamers come bikes like the Yeti-Lawwill DH Four and Six. As a member of Team Harley Davidson for nearly twenty years, Mert Lawwill is an AMA Grand National Flat Track Champion with seventeen National Event wins under his belt! Mert Lawwill and the dedicated frame builders at Yeti stepped inside the doors of the Yeti R&D shop in 1995 and began brewing what has become one of the winningest downhill designs to ever hit the circuit.

At the heart of the Yeti-Lawwill is the Full Energy Transfer System (F.E.T.S.) tail section. Mert's patented quadrilateral design ensures that all of your energy is transferred directly to the ground without being absorbed by the suspension. The four primary pivot points are supported by silky smooth, TURCITE bushings and sealed cartridge bearings which provide countless miles of reliable action. Damping is handled by the Rock Shox Coupe Deluxe pull shock, which is totally isolated, allowing it to function independently without being relied upon as a structural member of the frame. With your choice of four or six inches of plush, progressive travel inviting you to visit Scotty in the engine room for warp speed, your concerns of how to slow this pony down are readily addressed by a fully-floating, hydraulic disk brake.


When you are ready for the white-knuckled ride of your life, there is no substitute; climb aboard the Yeti-Lawwill and ride what we race!



YETI · Road Project




YETI · Geometry




LAWWILL DH - 6

| | 14" | 16" | 18.5" |
|---------|----------|--------|---------|
| A | 21.4" | 23.5" | 23.75" |
| В | 69° | 69° | 69° |
| C | 73° | 73° | 73° |
| D | 41.5" | 43.6" | 43.85" |
| E | 16.9" | 16.9" | 16.9" |
| F | 12.5" | 12.5" | 12.5" |
| G | 1.62" | 1.62" | 1.62" |
| H | 4.5" | 4.5" | 4.5" |
| Stand-e | ~ 29.5"* | 30.5"* | 31.75"* |




LAWWILL DH - 4

| | 14" | 16" | 18.5" | |
|--------|-----------|--------|---------|--|
| Α | 21.4" | 23.5" | 23.75" | |
| В | 70° | 70° | 70° | |
| C | 73° | 73° | 73° | |
| D | 40.9" | 43.0" | 43.3" | |
| E | 16.9" | 16.9" | 16.9" | |
| F | 12.0" | 12.0" | 12.0" | |
| G | 1.62" | 1.62" | 1.62" | |
| H | 4.5" | 4.5" | 4.5" | |
| Stand- | ver29.0"* | 30.0"* | 31.25"* | |




A.S. - 3 All Mountain

| | 16" | 17.5" | 19" | 20" |
|----------|----------|--|---------|-------|
| Α | 21.3" | 21.9" | 22.7" | 23.0" |
| В | 71° | 71° | 71° | 71° |
| C | 73° | 73° | 73° | 72° |
| D | 41.0" | 41.7" | 42.3" | 42.7" |
| E | 16.9" | 16.9" | 16.9" | 16.9" |
| F | 11.5" | 11.5" | 11.5" | 11.5" |
| G | 1.62" | 1.62" | 1.62" | 1.62" |
| Н | 4.5" | 4.5" | 5.25" | 6.0" |
| Stand-or | ~~28.5"* | 29.0"* | 29.75"* | 31.0" |
| | | and the same of th | | |



A.S. - 3 XC


| | 16" | 17.5" | 19" | 20" |
|-------------------|-------|--------|---------|--------|
| A | 21.3" | 21.9" | 22.7" | 23.0" |
| В | 71° | 71° | 71° | 71° |
| C | 73° | 73° | 73° | 72° |
| D | 41.0" | 41.7" | 42.3" | 42.7" |
| E | 16.9" | 16.9" | 16.9" | 16.9" |
| F | 11.5" | 11.5" | 11.5" | 11.5" |
| G | 1.62" | 1.62" | 1.62" | 1.62" |
| Н | 4.5" | 4.5" | 5.25" | 6.0" |
| Stand-over 28.5"* | | 29.0"* | 29.75"* | 31.0"* |




A.R.C.

| | | 14" | 16" | 17.5" | 19" | 20" |
|---|--------|------------|--------|--------|--------|-------|
| | A | 21.0" | 22.0" | 22.6" | 23.1" | 23.5" |
| | В | 71° | 71° | 71° | 71° | 71° |
| | C | 74° | 73° | 73° | 73° | 72° |
| | D | 41.0" | 41.5" | 42.0" | 42.25" | 42.25 |
| | E | 16.9" | 16.9" | 16.9" | 16.9" | 16.9" |
| | F | 11.0" | 11.5" | 11.5" | 11.5" | 11.5" |
| | G | 1.62" | 1.62" | 1.62" | 1.62" | 1.62" |
| G | Н | 4.0" | 4.5" | 4.5" | 5.25" | 6.0" |
| | Stand- | over27.75" | 29.25" | 29.75" | 30.5" | 31.75 |





| | 14" | 16" | 17.5" | 19" | 20" |
|---------|-----------|--------|--------|--------|--------|
| A | 21.0" | 22.0" | 22.6" | 23.1" | 23.5" |
| В | 71° | 71° | 71° | 71° | 71° |
| C | 74° | 73° | 73° | 73° | 72° |
| D | 41.0" | 41.5" | 42.0" | 42.25" | 42.25" |
| E | 16.9" | 16.9" | 16.9" | 16.9" | 16.9" |
| F | 11.0" | 11.5" | 11.5" | 11.5" | 11.5" |
| G | 1.62" | 1.62" | 1.62" | 1.62" | 1.62" |
| Н | 4.0" | 4.5" | 4.5" | 5.25" | 6.0" |
| Stand-e | ···27.75" | 29.25" | 29.75" | 30.5" | 31.75 |



ROAD PROJECT

| | 49cm | 51cm | 53cm | 55cm | 57cm | 59cm | 61cm |
|---------|-----------|--------|--------|--------|--------|--------|---------|
| A | 52.5cm | 53.3cm | 54.3cm | 55.6cm | 56.5cm | 57.4cm | 58.5cm |
| В | 72.5° | 73° | 73° | 73.5° | 73.5° | 74° | 74° |
| C | 74° | 74° | 74° | 73.5° | 73° | 73° | 72.5° |
| D | 97.0cm | 97.5cm | 98.0cm | 98.0cm | 98.4cm | 99.1cm | 100.2cm |
| E | 40.9cm | 40.9cm | 40.9cm | 40.9cm | 40.9cm | 40.9cm | 40.9cm |
| F | 26.9cm | 26.9cm | 26.9cm | 26.9cm | 26.9cm | 26.9cm | 26.9cm |
| G | 4.0cm | 4.0cm | 4.0cm | 4.0cm | 4.0cm | 4.0cm | 4.0cm |
| Н | 9.0cm | 9.0cm | 11.0cm | 12.5cm | 14.5cm | 16.0cm | 18.0cm |
| Stand-o | ver74.0cm | 76.0cm | 78.0cm | 80.0cm | 81.5cm | 83.5cm | 85.5cm |

*DEPENDING ON SET-UP

Seatpost Diameter: All MTB Models 26.8mm · Road Project 27.2 mm Headset Diameter: All MTB Models 1.125" · Road Project 1.0"

Bottom Bracket Width: All MTB Models 73mm · Road Project 68mm; English Standard Threading

Front Derailleur Diameter: Yeti/Lawwill DH - Bottom Bracket Mount · A.R.C., F.R.O. Alloy and Road Project 1.25"/31.8mm · AS-3 XC & All Mtn. 1.125"/28.6mm Specifications subject to change without notice.

YETI · Specifications

| A SECOND | · · · · · · · · · · · · · · · · · · · | | | | | | | |
|------------------|--|---|---|--|---|--|---|---|
| MODEL | LAWWILL DH 4 or 6 XTR | A.S 3 All Mountain XT | A.S 3 XC LXT | A.R.C. XTR | F.R.O. ALLOY XT | F.R.O. ALLOY LXT | ROAD PROJECT DURA ACE | ROAD PROJECT ULTEGRA |
| SIZES | 14", 16", 18.5" (COMPLETE & FRAME ONLY) | 16", 17.5", 19", 20" (COMPLETE & FRAME ONLY) | 16", 17.5", 19", 20" (COMPLETE & FRAME ONLY) | 14", 16", 17.5", 19", 20" (COMPLETE & FRAME ONLY) | 14", 16", 17.5", 19", 20" (COMPLETE & FRAME ONLY) | 14", 16", 17.5", 19", 20" (COMPLETE & FRAME ONLY) | 49, 51, 53, 55, 57, 59, 61 cm (COMPLETE & FRAMESET) | 49, 51, 53, 55, 57, 59, 61 cm (COMPLETE & FRAMESET) |
| COLOR/GRAPHICS | DH 6 - TURQUOISE W/YELLOW TAIL DH 4 - TURQUOISE W/YELLOW SEATSTAY & TURQUOISE CHAINSTAY W/TROY LEE DESIGNS GRAPHICS - YELLOW, BLACK, WHITE | CLEAR HARD ANODIZED W/EGGPLANT SEATSTAY & CHAINSTAY W/TROY LEE DESIGNS GRAPHICS - MANGO, EGG- PLANT, BLACK | YELLOW W/TURQUOISE SEATSTAY & YELLOW CHAINSTAY W/TROY LEE DESIGNS GRAPHICS - TURQUOISE, SILVER, BLACK | TURQUOISE W/TROY LEE DESIGNS GRAPHICS YELLOW, BLACK, WHITE ORANGE W/TROY LEE DESIGNS GRAPHICS - WHITE, BLACK, WHITE | CREME W/TROY LEE DESIGNS GRAPHICS - BLACK, RED, BLACK RED W/TROY LEE DESIGNS GRAPHICS - CREME, BLACK, WHITE | CREME W/TROY LEE DESIGNS GRAPHICS - BLACK, RED, BLACK RED W/TROY LEE DESIGNS GRAPHICS - CREME, BLACK, WHITE | YELLOW W/TROY LEE DESIGNS GRAPHICS - TURQUOISE, SILVER, BLACK | METALLIC BLUE W/TROY LEE DESIGNS GRAPHICS - SILVER, BLACK, WHITE |
| FRAME | EASTON 7005 TAPERED ALUMINUM MAIN FRAME/6061 LAWWILL FULL ENERGY TRANSFER SYSTEM (F.E.T.S.) TAIL, SUSPENSION-SPECIFIC DESIGN, ADJUSTABLE RIDE HEIGHT, ROCK SHOX COUPE DELUXE PULL SHOCK W/ADJUSTABLE DAMPING AND PRELOAD, HYDRAULIC DISK BRAKES FRONT & REAR | YETI 6061 CUSTOM BUTTED ALUMINUM FRAME, SUSPENSION-SPECIFIC DESIGN, UNIBODY SUSPENSION BOTTOM BRACKET, EXTERNALLY PROFILED HEAD TUBE, GUSSETED DOWN TUBE, ROCK SHOX COUPE DELUXE SHOCK WYADJUSTABLE DAMPING & SPRING RATE, HYDRAULIC DISK BRAKES FRONT & REAR | YETI 6061 CUSTOM BUTTED ALUMINUM FRAME, SUSPENSION-SPECIFIC DESIGN, UNIBODY SUSPENSION BOTTOM BRACKET, EXTERNALLY PROFILED HEAD TUBE, GUSSETED DOWN TUBE, ROCK SHOX COUPE DELUXE SHOCK WYADJUSTABLE DAMPING & SPRING RATE | YETI/EASTON 7005 CUSTOM TAPERED ALUMINUM FRAME, SUSPENSION- SPECIFIC DESIGN, OVALIZED TOP TUBE, VERTICALLY FLARED DOWN TUBE, EXTERNALLY PROFILED HEAD TUBE, DOUBLE-TAPERED, ONE-PIECE LOOP TAIL, 3/8"" THICK PLATE DROPOUTS" | YETT 7005 CUSTOM DRAWN ALUMINUM FRAME, SUSPENSION-SPECIFIC DESIGN, OWALIZED TOP TUBE, EXTERNALLY PROFILED HEAD TUBE, SYMMETRY ONE-PIECE, TAPERED LOOP TAIL, 3/8" THICK PLATE DROPOUTS | YETI 7005 CUSTOM DRAWN ALUMINUM FRAME, SUSPENSION-SPECIFIC DESIGN, OVALIZED TOP TUBE, EXTERNALLY PROFILED HEAD TUBE, SYMMETRY ONE- PIECE, TAPERED LOOP TAIL, 3/8" THICK PLATE DROPOUTS" | YETI/EASTON 7005 CUSTOM TAPERED ALUMINUM FRAME, OVALIZED TOP TUBE, FASTBACK DOUBLE-TAPERED SEAT STAYS, OVERSIZED, DOUBLE-TAPERED CHAIN STAYS W/LOW PROFILE S-BEND | YETI/EASTON 7005 CUSTOM TAPERED ALUMINUM FRAME, OVALIZED TOP TUBE, FASTBACK DOUBLE-TAPERED SEAT STAYS, OVERSIZED, DOUBLE-TAPERED CHAIN STAYS W/LOW PROFILE S-BEND |
| FORK | ROCK SHOX BOXXER - 150mm TRAVEL, 20mm THRU-AXLE | ROCK SHOX JUDY XL - 80mm TRAVEL | ROCK SHOX JUDY XC - 80mm TRAVEL | ROCK SHOX SID - 63mm TRAVEL | ROCK SHOX JUDY XC - 63MM TRAVEL | ROCK SHOX JUDY XC - 63MM TRAVEL | TIME CLUB STRAIGHT BLADE | TIME CLUB STRAIGHT BLADE |
| REAR SHOCK | ROCK SHOX COUPE DELUXE "YANK" SHOCK | ROCK SHOX COUPE DELUXE "STRUT" SHOCK | ROCK SHOX COUPE DELUXE "STRUT" SHOCK | N/A | N/A | N/A | N/A | N/A |
| HEADSET | CANE CREEK A-HEADSET SEALED BEARING/ALLOY | CANE CREEK A-HEADSET SEALED BEARING/ALLOY | TIOGA OSS-NSS-DX, A-HEADSET/ALLOY | CANE CREEK A-HEADSET SEALED BEARING/ALLOY | CANE CREEK A-HEADSET SEALED BEARING/ALLOY | TIOGA OSS-NSS-DX, A-HEADSET/ALLOY | CANE CREEK A-HEADSET SEALED BEARING/ALLOY | CANE CREEK A-HEADSET SEALED BEARING/ALLOY |
| CRANKSET | SHIMANO XTR, 4-ARM DH, 48T | SHIMANO DEORE XT, 22-32-44T | SHIMANO DEORE LX, 22-32-44T | SHIMANO XTR, 4-ARM, 24-34-46T | SHIMANO DEORE XT, 22-32-44T | SHIMANO DEORE LX, 22-32-44T | SHIMANO DURA ACE, 53-39T | SHIMANO ULTEGRA, 53-39T |
| FRONT DERAILLEUR | N/A | SHIMANO DEORE XT, TOP SWING/BOTTOM PULL | SHIMANO DEORE XT, TOP SWING/BOTTOM PULL | SHIMANO XTR, DIFFERENTIAL PLATE, TOP SWING/TOP PULL | SHIMANO DEORE XT, TOP SWING/TOP PULL | SHIMANO DEORE XT, TOP SWING/TOP PULL | SHIMANO DURA ACE, BRAZE-ON TYPE | SHIMANO ULTEGRA, BRAZE-ON TYPE |
| REAR DERAILLEUR | SHIMANO XTR, REVERSE ACTION | SHIMANO XTR, REVERSE ACTION | SHIMANO DEORE XT | SHIMANO XTR, REVERSE ACTION | SHIMANO XTR, REVERSE ACTION | SHIMANO DEORE XT | SHIMANO DURA ACE, 9-SPEED | SHIMANO DURA-ACE, 9-SPEED |
| SHIFTERS | SHIMANO XTR, RAPIDFIRE SL POD TYPE (REAR ONLY) | SHIMANO DEORE XT, RAPIDFIRE SL, POD TYPE | SHIMANO DEORE XT, RAPIDFIRE SL | SHIMANO XTR RAPIDFIRE SL W/BAR END REMOTE CONTROL | SHIMANO DEORE XT, RAPIDFIRE SL | SHIMANO DEORE XT, RAPIDFIRE SL | SHIMANO DURA ACE, DUAL CONTROL, 9-SPEED | SHIMANO ULTEGRA, DUAL CONTROL, 9-SPEED |
| FREEWHEEL | SHIMANO XTR, 8-SPEED, 11-30T | SHIMANO DEORE XT, 8-SPEED, 11-30T | SHIMANO DEORE LX, 8-SPEED, 11-30T | SHIMANO XTR, 8-SPEED, 12-32T | SHIMANO DEORE XT, 8-SPEED, 11-30T | SHIMANO DEORE LX, 8-SPEED, 11-30T | SHIMANO DURA ACE, 9-SPEED, 12-23T | SHIMANO ULTEGRA, 9-SPEED, 12-23T |
| PEDALS | SHIMANO SPD 636 DH CLIPLESS | TIME ATAC CLIPLESS | TIME ATAC CLIPLESS | SHIMANO SPD 747 CLIPLESS | TIME ATAC CLIPLESS | TIME ATAC CLIPLESS | N/A | N/A |
| BRAKES/LEVERS | F: HOPE HYDRAULIC DISK/HOPE HYDRAULIC | F: HAYES HYDRAULIC DISK/HAYES HYDRAULIC | F: SHIMANO DEORE LX V-BRAKE/RAPIDFIRE SL | F: SHIMANO XTR V-BRAKE/RAPIDFIRE SL | F: SHIMANO DEORE XT V-BRAKE/RAPIDFIRE SL | F: SHIMANO DEORE LX V-BRAKE/RAPIDFIRE SL | F: SHIMANO DURA ACE DUAL PIVOT/DUAL CONTROL | F: SHIMANO ULTEGRA DUAL PIVOT/DUAL CONTROL |
| | R: HOPE HYDRAULIC DISK/HOPE HYDRAULIC | R: HAYES HYDRAULIC DISK/HAYES HYDRAULIC | R: SHIMANO DEORE LX V-BRAKE/RAPIDFIRE SL | R: SHIMANO XTR V-BRAKE/RAPIDFIRE SL | R: SHIMANO DEORE XT V-BRAKE/RAPIDFIRE SL | R: SHIMANO DEORE LX V-BRAKE/RAPIDFIRE SL | R: SHIMANO DURA ACE DUAL PIVOT/DUAL CONTROL | R: SHIMANO ULTEGRA DUAL PIVOT/DUAL CONTROL |
| HANDLEBAR | YETI T2-4 DH, TAPERED ALLOY | YETI T2-4 DH, TAPERED ALLOY | YETI ALLOY | YETI EA-70 | YETI ALLOY | YETI ALLOY | SCOTT ERGO | SCOTT ERGO |
| GRIPS | YETI SPEEDGRIP | YETI SPEEDGRIP | YETI SPEEDGRIP | YETI SPEEDGRIP | YETI SPEEDGRIP | YETI SPEEDGRIP | CORK | CORK |
| STEM | KORE ELITE A-HEAD, 105mm, O-DEGREE RISE | KORE 3-D FORGED 105mm, O-DEGREE RISE | KORE LITE A-HEAD, 10-DEGREE RISE | KORE LITE A-HEAD, 10-DEGREE RISE | KORE LITE A-HEAD, 10-DEGREE RISE | KORE LITE A-HEAD, 10-DEGREE RISE | TTT FORGE A-HEAD | TTT FORGE A-HEAD |
| HUBS | F: HOPE DISK, 20mm THRU AXLE, 32H | F: HUGI/HAYES DISK, 32H | F: SHIMANO DEORE LX, PARALLAX, 32H | F: SHIMANO XTR, PARALLAX, 32H | F: SHIMANO DEORE XT, PARALLAX, 32H | F: SHIMANO DEORE LX, PARALLAX, 32H | F: MAVIC HELIUM, 26H | F: SHIMANO ULTEGRA, 32H |
| | R: HOPE DISK, THRU AXLE, 32H | R: HUGI/HAYES DISK, 32H | R: SHIMANO DEORE LX, ROLLER CLUTCH, 32H" | R: SHIMANO XTR, FREEHUB, 32H | R: SHIMANO DEORE XT, FREEHUB, 32H | R: SHIMANO DEORE LX, ROLLER CLUTCH, 32H | R: MAVIC HELIUM, 28H | R: SHIMANO ULTEGRA, 9-SPEED, 32H |
| RIMS | MAVIC X521 SUP/CD, 32H | MAVIC X317 DISK SUP/CD, 32H | MAVIC X222, UB CONTROL/SILVER, 32H | MAVIC X517 SUP/CD, 32H | MAVIC X517 SUP/CD, 32H | MAVIC X222, UB CONTROL/SILVER, 32H | MAVIC HELIUM | MAVIC OPEN-PRO, SUP/UB CONTROL/SILVER, 32H |
| SPOKES | F: DT 2.0 CHAMPION STAINLESS STEEL W/BRASS NIPPLES | F: DT 2.0 CHAMPION STAINLESS STEEL W/BRASS NIPPLES | F: DT 2.0 CHAMPION STAINLESS STEEL W/BRASS NIPPLES | F: 2.0 REVOLUTION STAINLESS STEEL W/ALLOY NIPPLES | F: 2.0 REVOLUTION STAINLESS STEEL W/ALLOY NIPPLES | F: DT 2.0 CHAMPION STAINLESS STEEL W/BRASS NIPPLES | MAVIC HELIUM | F: 1.8 REVOLUTION STAINLESS STEEL W/ALLOY NIPPLES |
| | R: DT 2.0 CHAMPION STAINLESS STEEL W/BRASS NIPPLES | R: DT 2.0 CHAMPION STAINLESS STEEL W/BRASS NIPPLES | R: DT 2.0 CHAMPION STAINLESS STEEL W/BRASS NIPPLES | R: 2.0 CHAMPION STAINLESS STEEL W/ALLOY NIPPLES | R: 2.0 CHAMPION STAINLESS STEEL W/ALLOY NIPPLES | R: DT 2.0 CHAMPION STAINLESS STEEL W/BRASS NIPPLES | MAVIC HELIUM | R: 2.0 REVOLUTION STAINLESS STEEL W/ALLOY NIPPLES |
| TIRES | MICHELIN WILDGRIPPER DH | YETI FACTOR | YETI FACTOR | YETI FACTOR | YETI FACTOR | YETI FACTOR | MICHELIN SYNERGIC 700x23 | MICHELIN SYNERGIC 700x23 |
| SADDLE | SELLE ROYAL FIZIK | SELLE ROYAL FIZIK | SELLE ROYAL FIZIK | SELLE ROYAL FIZIK | SELLE ROYAL FIZIK | SELLE ROYAL FIZIK | SELLE ROYAL PAVE | SELLE ROYAL PAVE |
| SEAT POST | KORE LITE, 26.8mm | KORE LITE, 26.8mm | KORE LITE, 26.8mm | KORE LITE, 26.8mm | KORE LITE, 26.8MM | KORE LITE, 26.8MM | AMERICAN CLASSIC, 27.2mm | AMERICAN CLASSIC, 27.2 mm |
| EXTRAS | TROY LEE DESIGNS GRAPHICS, ELECTROSTATIC POWDERCOAT FINISH, ALLOY SEAT CLAMP. | TROY LEE DESIGNS GRAPHICS, ELECTROSTATIC POWDERCOAT FINISH, ALLOY SEAT CLAMP. | TROY LEE DESIGNS GRAPHICS, ELECTROSTATIC POWDERCOAT FINISH, SCOTT PRO STOCK BAR ENDS, ALLOY SEAT CLAMP. | TROY LEE DESIGNS GRAPHICS, ELECTROSTATIC POWDERCOAT FINISH, SCOTT PRO STOCK BAR ENDS, ALLOY SEAT CLAMP. | TROY LEE DESIGNS GRAPHICS, ELECTROSTATIC POWDERCOAT FINISH, SCOTT PRO STOCK BAR ENDS, ALLOY SEAT CLAMP. | TROY LEE DESIGNS GRAPHICS, ELECTROSTATIC POWDERCOAT FINISH, SCOTT PRO STOCK BAR ENDS, ALLOY SEAT CLAMP. | TROY LEE DESIGNS GRAPHICS, ELECTROSTATIC POWDERCOAT FINISH, ALLOY SEAT CLAMP. | TROY LEE DESIGNS GRAPHICS, ELECTROSTATIC POWDERCOAT FINISH, ALLOY SEAT CLAMP. |

Specifications are subject to change without notice.

