

Intro/Contents

Ti Crown Jewel	2
Steel Crown Jewel	3
650c Crown Jewel	4
Deluxe	5
Special	6
Club Racer	7
Planet Cross	8
Independence	9
Custom10	0
Paint Shop11/12	2
Forks13	3
Sponsorship14	4
Soft Goods15/10	6
Kits/Complete Bikes12	7
Specifications11	8



Welcome to our 2001 catalogue. As you can and will see, we take as much pride in ourselves as we do in the frames and forks we craft.

IF is an employee owned and operated company and has been since day one. By sharing ownership amongst the employees, IF has set itself apart from the rest of the industry. From start to finish, your frame is handled with the care and attention to detail that only an owner can give. As owners, each person is highly motivated to do the best job they can and contribute their ideas and

beliefs more freely, knowing that it is the sum of their individual contributions that makes IF whole. From the moment your order is placed to long after your first ride, an owner is



handling your needs. Every tube that is selected, every weld that is made, even the way we ship our bikes, is a process implemented by an owner. It is a level of customer service and craftsmanship that you can only expect from an employee owned company.

Mothy & GAR LLOTO MAR J HORE MILES







- 20 stock sizes or custom sizing at no additional charge
- Custom butted 3/2.5 size specific tubing
- Each frame matched with custom Reynolds Ouzo Pro all carbon fork (1.125" threadless carbon steerer)
- "S" bend chainstays provide clearance for today's low profile cranks while also providing adequate tire and heal clearance
- Custom machined 6/4 dropouts are both light and stiff
- Custom seat tube insert assures a smooth fit with the seatpost and prevents possible seizing
- Custom seat collar is both light and strong
- Shot peened finish relieves the stress caused by welding and butting, significantly increasing the life of the frame
- IF headbadge adorns each frame
- Panel paint with fork painted to match—available at no extra charge



made of custom butted titanium tubing with a matching carbon fork. Well, today is the day. New for 2001. IF is offering our titanium version of the Crown Jewel. A stellar ride combining all the design enhancements of our steel Crown Jewel with the velvety smooth ride of titanium. Choosing from 20 stock sizes or custom sizes for the same price, customers can finally put together the bike of their dreams. Each frame is made one at a time from a custom selection of butted tubing specific to the rider's needs. Each frame is matched with a Reynolds All Carbon Ouzo Pro fork (1 118" steerer). Unlike other Carbon forks, which offer only one or two offics, the Reynolds Ouzo Pro is made for IF in four officss. (including a 50mm office for smaller frames) designed around the geometry of our frame. This enables us to truly meet the needs of our customers with no limitations on frame design due to available fork selection.







- 20 stock sizes plus custom sizing available (extra cost)
- Size specific tubing and geometry
- Custom IF steel road fork matched to each size frame
- Custom Columbus Foco and Nivacrom stays
- Custom machined and relieved bottom bracket shell
- Custom CNC machined and heat treated dropouts
- New for 2001: longer headtubes on select sizes (44-52cm) ensures proper stem and bar position while reducig the need for spacers
- Gussets at the down tube and on the seat tube slot
- Fully sealed tubeset to protect against the elements
- Your choice of brake and derailleur cable routing


teel road bikes: No one can argue their place in history. For generations riders have clocked countless miles on alloys of this legendary material. Our Crown Jewel brings a

bit of that history into the present. Designed as the ideal stage race bike, the Crown Jewel sings on long rolling rides excerting you miles from home and back again. We choose and blend tubes from Reynolds, Columbus and others matching their diameters, wall thickness and butting profiles with our design requirements to serve the needs of the frame and its rider. Perfectly balanced with our in-house designed and crafted IF road fork, the resulting ride is a subtle blending of power and grace; power to handle the most brustal climbs and fiercest sprints and grace to smooth out the roughest of roads and high speed descents. Available in 20 stock sizes, you choose the cable routing and a threaded or threadless fork.





- Size specific tubing and geometry
- Custom IF steel road fork matched to each size frame
- Custom Columbus Foco and Nivacrom stays
- Custom machined and relieved bottom bracket shell
- Custom CNC machined and heat treated dropouts
- New for 2001: longer headfubes ensure proper stem and bar position while reducing the need for spacers
- Gussets at the down tube and on the seat tube slot
- Fully sealed tubeset to protect against the elements
- Your choice of brake and derailleur cable routing



ust as Kings and
Queens have different
crown sizes, so do men
and women have different frame
needs. Women, who buy the bulk of
our smaller wheeled bikes, asked for

a high performance version of a smaller road bike and we answered. The three smallest sizes of the Crown Jewel are built with 650c wheels, because it enables us to build a better bike then a similarly sized frame with 700c wheels.

Smaller wheels enable us to alleviate or diminish problems like toeltire overlap and standover clearance. In addition, they enable us to design a bike with more

favorable angles and top tube lengths. In effect, we design the frame around the rider and not around tradition. A head tube extension allows the rider to achieve a proper bar position and reduces the need to stack your stem. With proper gearing and component selection, a 650c wheeled bike will perform every bit as well as a 700c wheeled frame.





- 6 stock sizes plus custom sizing available
- Custom Columbus "S-bend" Nivacrom seat and chain stays
- Size specific tubing
- Custom machined and relieved bottom bracket shell
- Custom CNC machined and heat treated dropouts
- Choice of top tube or down tube cable routing
- Custom cable routing available for hydraulic brakes
- Gussets at the down tube and on the seat tube slot
- Fully sealed tubeset to protect against the elements
- Designed for Rock Shox 63mm or 80mm fork (long travel option available)
- Hayes chainstay disc brake mount available
- Custom universal disc brake dropouts available

ix years have come and gone since we first introduced the Deluce. Stock or custom, each Deluce is still meticulously hand crafted one at a time. The tubing

has gotten lighter and stronger, and the chain and seat stays are now custom designed and even more pleasing to the eye, but one thing has remained the same: The Ride. The Ride that has made the Delucee legendary amongst hard tails has surpassed the sum of continuous improvements that have made the Deluxe better year after year. Designed for Rock Shox 63mm or 80mm fork, the 2001 Deluxe can be set up with our optional disc brake mounts (Hayes or Universal), your choice of cable routing, and is available in 6 sizes.



- Women's specific geometry
- 7 stock sizes plus custom sizing available
- Custom Columbus "S-bend" Nivacrom seat and chain stays
- Size specific tubing
- Custom machined and relieved bottom bracket shell
- Custom CNC machined and heat treated dropouts
- Choice of top tube or down tube cable routing
- Custom cable routing available for hydraulic brakes
- Gussets at the down tube and on the seat tube slot
- Fully sealed tubeset to protect against the elements
- Designed for Rock Shox 63mm or 80mm fork (long travel option available)
- Hayes chainstay disc brake mount available
- Custom universal disc brake dropouts available




to seven, and all are designed specifically for our female customers. From a 10" frame to an 18" frame, each Special receives size specific tubing and geometry aimed at maintaining the famous hard tail ride quality of the Deluxe. Like the Deluxe, the Special is adjusted for a Rock Shox 63mm or 80mm fork. The Special can also be set up with our optional disc brake dropouts or a Hayes chainstay mount. Your choice of cable routing or custom sizing round out the available options.









- 17 stock sizes plus custom sizing available
- Size specific tubing and geometry



- Custom IF steel road fork matched to each size frame
- Fender mounts, rack mounts, and lowrider mounts
- Custom machined and relieved bottom bracket shell
- Custom CNC machined and heat treated dropouts
- Gussets at the down tube and on the seat tube slot
- Fully sealed tubeset to protect against the elements
- Your choice of brake and derailleur cable routing

ne bike. One bike to do it all. That was our goal when we set out to develop the Club Racer. Blending the road racing geometry of the Crown Jewel with the rugged dependability and add-ons of the Independence, the result is the sports car of touring bikes. Designed to be used with Shimano's RX100 long reach caliper, the Club Racer has ample room for full


fenders and larger tires, both of which will prove useful when you load up the rack mounts and low riders found stock on every frame and take off for the weekend. Stripped down and equipped with

skinny tires, the Club Racer will fulfill all your road riding or racing needs. Each Club Racer frame includes a custom built IF fork. It is available in 17 sizes.





- 8 stock sizes plus custom sizing
- Bridgless chainstays for mud
- Built-in rear cantilever barrel adjuster
- Built in front derailleur STI stop for trim adjustments
- Sealed bearing pulley for front derailleur
- Top tube cable routing protects against ice and mud
- High bottom bracket for pedaling clearance
- Custom CNC machined and heat treated dropouts
- Custom machined and relieved bottom bracket shell
- Gussets at the down tube and on the seat tube slot
- Fully sealed tubeset to protect against the elements



n just four short years,
the Planet Cross has
become synonymous
with the ultimate in Cyclocross
frames. Three national titles and a
bronze medal at the world's are

surpassed only by the countless local victories and hours of bliss the Planet Cross has provided to riders world wide. Mixing air hardening Reynolds and Columbus tubing, the Planet Cross has the strength of a

mountain bike, but cuts through the terrain like a road bike on fresh asphalt. Bridgeless chain stays and a cuttom IF cyclocross fork keep you rolling when the elements turn against you and frozen ground

turns to mud and slush. A high bottom bracket keeps your pedals out of harms way and a tall headtube makes portaging the frame a breeze. Whether you are jetting around the world to do battle with the Big Dogs in Europe or just cruising around your local trails, the Planet Cross will get you there fust and in style.


Note: shown with custom paint.











- Custom IF steel fork matched to each size frame
- Replaceable cantilever mounts (frame and fork)
- Fender mounts, rack mounts, and lowrider mounts
- Machined and relieved bottom bracket shell
- Custom CNC machined and heat treated dropouts
- Gussets at the down tube and on the seat tube slot
- Fully sealed tubeset to protect against the elements
- Your choice of brake and derailleur cable routing

three water bottle cages, and a pump peg top off this frame.

Note: shown with optional S&S couplings and custom paint.






Built with durability in mind, the Independence uses a balanced selection of Reynolds steel alloys and like all our frames, is matched with a custom designed IF touring fork. Rack mounts, lowrider mounts,



our customers. Even though we produce each of our frames one at a time, sometimes our stock frames need some adjusting to fit a particular rider's needs. Whether its an old injury that reduces flexibility or variance in your body proportions that make it difficult to fit a stock frame, we are prepared to help you create the bike of your dreams. From simple top tube length and head tube length adjustments to full custom frames, we will work with you and your dealer, seeing that your needs are met from the first phone call to your first ride and beyond. Starting with our Custom Fit Form lavailable on line at www.ifbikes.com), each rider is asked a series of questions aimed at determining their individual needs. Body measurements, riding history, goals and aspirations are all taken into consideration when designing your frame. From details you can see to those you can't, each nuance of the frame and fork will be taken into consideration. The combined efforts, your input and our craftsmanship, will produce the ride of your dreams. For more information on custom sizing, be sure to visit your local IF dealer for a fitting or check out our custom sizing section on line at

CUSTOM SIZING At IF we understand that even our huge selection of stock sizes won't meet the needs of all



ingle Speeds: Nothing seems to put a smile on the face of a rider like swinging a leg over a single speed.
Oddly enough, nothing seems to cause as much sweat and pain.
Perhaps it is this balance of purity, the balance of input and output

www.ifbikes.com.

that makes riding a single speed so rewarding. At IF, we offer any of our stock mountain, road, or cross frames as a single speed at no additional charge. Custom CNC machined track dropouts replace our regular dropouts. Let us know the rear wheel spacing and cable routing (brakes only) and we will do the rest.


S&S Bicycle Torque Couplings: If you travel with your bicycle, you are all too aware of the outrageous fees charged by airlines. S&S Couplings are beautifully machined stainless steel or sitanium couplings that enable you to disssemble and pack your bike in a case not considered oversized by major airlines. At IF, we select custom tubing and prepare the down tube and top tube with S&S Couplings before the frame is assembled in the ig. This ensures that the needs of the rider and the overall strength and ride quality of the frame are taken into consideration. One are taken into consideration of the result is a beautifully crafted frame that eclipses the coolness of a "folding bicycle." For more information, wist our website at wus if bikes.com.



Paint Shop

PAINT COLORS:

- Chili Pepper Red (pearlcoat)*
- 2. Colorado Red
- 3. Copper Red (pearlcoat)*
- 4. Hot Red
- 5. Hemi Orange Metallic
- 6. Omaha Orange
- 7. Tangerine Yellow
- 8. Butter Yellow
- 9. Bright Yellow
- 10. Lime
- 11. Green
- 12. Bright Green Metallic
- 13. British Racing Green
- 14. Turquoise
- 15. Evening Blue



tock Paint: Beauty aside, our legendary paint jobs provide so much
more then just an awe impiring finish. They provide a durable and lasting surface
that will protect your frame for years to come.
From the first layer of primer to the final coat of
clear, your frame won't leave our carring hands
until we are sure it is ready. Day in and day out,
we research the latest developments in equipment,
materials and techniques ensuring every layer of

paint—stock or custom—receives the same level of attention to detail. Over the years we have offered some of the most diversified stock paint options available in the industry. We pride ourselves on knowing that almost every single IF is a bit different; a testament to the individuality of the rider. Keeping up with this desire to offer our customers so much can be challenging, but this year will be our finest yet.

For 2001, we are offering our customers the broadest selection of stock colors ever, 32 brilliant colors covering the full range of the spectrum are available as single frame colors or two colors can be fuded together at no additional charge. Simply reference the name or number associated with each color and use them when ordering your new IF frame. What could be easier? Still not convinced? Then take a peek at our Custom Paint Shop.





ustom Paint: What a bike looks like can say volumes about the rider. Some like their bikes subtle. Others like it loud. Subtle or loud, flashy or classy, IF can meet almost any request. Whether its a custom single color reminiscent of your first car or something elaborate like camouflage or flames, our in-house paint department is on call. Viewing your bike as a rolling canvas our painterslarists turn your vision into a reality.

Like most things custom, painting can't be rushed. So be prepared to wait a week or two longer for the bike of your dreams. If you are having trouble with your vision, there is still hope. One the years we have created a veritable plethora of original works of art. Most of these have been captured digitally and are available for referencing on our website at www.ifbikes.com. Sorted into categories and eavy to load, hundreds of detailed innees will help guide you toward your ultimate goal: a custom painted IF.

*Select stock colors are pearlcoats. Pearl is a very fine mica flake that is added to color creating depth and luminosity—an almost jewel-like paint finish.

- 16. Intense Blue (pearlcoat)*
- 17. Sapphire Blue (pearlcoat)*
- 18. Navy Blue
- 19. Fiesta Purple
- 20. Purple
- 21. Amethyst (dark purple)
- 22. Pale Pink
- 23. Pure Pink (pearlcoat)*
- 24. White
- 25. Ivory
- 26. Pearl White (extra charge)
- 27. Black Diamond (pearlcoat)*
- 28. Platinum
- 29. Fine Silver
- 30. Gold
- 31. Amber Fire (pearlcoat)*
- 32. Black (blue pearl optional) (not shown)





orks are not accessories...Unlike most parts you hang on a frame, the fork should never be considered an accessory or after-thought. When a frame builder is designing a frame, they must know both the build height and offset of

the fork that will go on the frame. Absent that information, the builder does not have complete control over how the final product will ride. At IF, we sell each of our frames with the fork we have designed the frame around. By building our own forks in house, we have complete latitude to bisild each of our frames around the rider and then match the fork to the frame. This attention to detail allows us to keep the handling characteristics and ride quality of each size of a particular model similar. 1. ROAD FORK Our light weight steel road forks are built from heat treated and butted Dedacciai blodes. Available in both threaded and threadless [1"), stock forks come in 40mm, 43mm, 45mm and 50mm offsets. Custom offsets, 650c wheels and 1.125" steerers also available. [Build height—375mm dropout to crown roce].

2. CYCLOCROSS FORK Built with the same attention to detail as our mountain and road forks, our cyclocross fork is built with heat treated and butted Dedacciai bloddes and features replaceable broke posts. Providing plenty of tire clearance, our cross forks are surprisingly supple over the rough stuff while providing plenty of stiffness for those finish line sprints. Available as a threadless fork (1"), stock forks come in 45mm and 48mm offsets. Custom offsets also available. (Build height—395mm dropout to crown race).

3. MOUNTAIN FORK Hand built one at a time, our No-Travel Rigid Fork is a great change for winter riding, a retro approach to traversing technical terrain, or just lightening up your bike. It is designed to replace frames with 63mm travel forks, and in some cases 80mm travel forks. Available in 1.125" threadless steerer. Custom rigid forks also available. (Build height—430mm dropout to crown race).

Note: Stock forks are black, other colors available at an additional charge.

Our New Titanium Crown Jewel receives the same care as our steel frames only we substitute a custom Reynolds Ouzo Pro all carbon fork. We have worked closely with Reynolds to insure that all of our design needs are met. Four available offsets help us meet the needs

of our customers, the oversized 1 118" threadless carbon steerer keeps the front end light and siff. Always make sure you are getting a fully designed frame and fork package when purchasing a new frameset.



INTRODUCING... you to just one of the many racers we are fortunate enough to sponsor:

NAME: Cristina Begy





Q&A: Why do you like riding for IF?

"Whaddaya mean? They're just the coolest bikes on the planet. Last year I got a Hawaiian flowers paint job and this year martians and

rockets. What more could I reallly want?"

Why ultra distance and 24-hour racing? "Inscinity."

What are your goals for the future: "Being healthy and fit enough to ride my IF until I'm at least 105 and inspire millions of little girls to go out and whoop up on the boys...in a dress."

Any last thought? "I've had a phenomenal year and I have to thank IF for believing in me."



the racers themselves that make it worth it for us. Each year we are approached by hundreds of riders, from pro roudies to first year mountain bikers, all looking to become part of the IF extended family. Some want a lot. Others ask for very little. Those who choic to work with us become so much more than just a nacer to us, they become a friend. The weekly race reports turn into laughable conversations about stat tires and finish line sprints. We share our lives with them and they share their lives with us. The resulting partnerships have lasted long after the race season is over and even when a racer moves on. We are most proud of that simple fact. That when a racer leaves IF; IF doesn't leave the racer. For more information on our grassroots team, please check out our website at www.ifbikes.com.





Soft Goods

IF owners and fans alike love to fly our colors. Whether its before the ride for coffee; on the bike; or after a ride for a burrilo or beer, IF has got you covered with a wide selection of cool clothing and gear. Like the changes of the seasons here in New England, our clothing selection also changes during the year. For a complete description and list of available sizes and styles please be sure to check on line at www.ifbikes.com. Our secure e-commerce site is ready to take your order today.

- 1. Tricycle T-shirt
- 2. Hooded Sweatshirt (100% cotton, full zip)
- 3. Zippo Tape Measure
- 4. Voler Wind Jacket
- 5. Team Jersey (short sleeve)
- 6. Sticker Kit & Vinyl Cut Window Decals
- 7. Original T-shirt
- 8. Baseball Hats
- 9. Polartech Fleece Beanie
- 10. Bib Shorts (black)
- 11. Water Bottles (large or small)
- 12. Bib Shorts (limited edition—seasonal)
- 13. Team Jersey (long sleeve)

Not Shown: IF Pint Glasses and DeFeet Socks







KIT	XTR	XI	LX	Dura Ace	Ultegra	Shimano 105	Record	Chorus
Rear Derailleur	XTR	XT	u	DA	Uhegra	Shimono 105	Record	Chorus
Front Decoilleur	XTR	хт	LX	DA	Ultegra	Shimano 105	Record	Chorus
Cranks	XTR	XT	LX	DA	Ultegra	Shimano 105	Record	Chorus
Bottom Bracket	XTR	XT	LX	DA	Ultegra	Shimono 105	Record	Chorus
Shifters	XTR	XT	LX	DA	Ultegra	Shimono 105	Record	Chorus
Broke Levers	XTR	XT	LX	DA	Ultegra	Shimano 105	Record	Chorus
Brokes	XTR	XT	LX	DA	Ultegra	Shimana 105	Record	Chorus
Headset	Chris King	Chris King	Chris King	Chris King	Chris King	Chris King	Chris King	Chris King
Bor	.Kore Elite	Kore Elite	Kore Elite	TTT Forma SL	TTT Forma SL	TTT Forma St.	TTT Formo SL	TTT Forma SL
Stem	Kore Elite	Kore Elite	Kore Elite	ш	Ш	m	TIT	ш
Seatpost	Thomson	Thomson	Thomson	Thomson	Thomson	Thomson	Thomson	Thomson
Soddle	Selle italia	Selle Italia	Selle italia	Selle italia	Selle italia	Selle italia	Selle italia	Selle Itolia
Hubs	XTR	XT	LX	DA	Ultegra	Shimona 105	Record	Chorus
Spokes	14/15	14/15	14/15	14/15	14/15	14/15	14/15	14/15
Rims	Mavic 517	Mavic 517	Mavic 225	Mavic Open Pro				
Tires	Hutchinson Pythons	Hotchinson Pythons	Hutchinson Pythons	Vredestein Fortezza	Vredestein Fortezza	Vredestein Fortezza	Vredestein Fortezzn	Vredestein Vredestein

OPTIONS: For a complete up-to-date list of available frame kit options, as well as kit options for cyclocross and touring frames, please visit our website at www.ifbikes.com.

IF offers both its dealers and customers the option of purchasing a complete bike or a Mini Kit. Working with Security Bicycle Accessories, the premier kit provider for small and large frame builders, IF is able to offer an incredible

selection of options to our customers. From Shimano to Campagnolo, XTR to Dura Ace. TTT to Deda and beyond, IF is your one stop shop for the ultimate in complete bike kits. IF can also assist you with a Mini Kit which includes a Chris King Headset, Thomson

Seatpost, and Salsa Stem (painted to match for a little bit more). For a complete list of available parts, please contact your local dealer or check on line at www.ifbikes.com.



	-	107					*HEAD	1000000	
	STANDOVER	TUBE	HEAD	SEAT	FORK	10 8.8.	TUBE	WHEEL	
SIZE	HEIGHT	LENGTH	AMGLE	ANGLE	OFFSET	DROP	LENGTH	. MX	IKAI
44cm	70.0cm	_49.0cm.	115	73.0"	45mm	_48mm	88,0mm	94,8cm	_56.9mm
	71.9cm .								
48 Sho	rt _73.8cm.								
							Som & above		
48cm	73.9cm_	_51.0cm	_72.0°	_73.0°	_50mm	_73mm	77.0mm	95.8cm	56.9mm
49cm	74.8cm	.51.5cm	.72.0°	_73.0°	_50mm	_73mm	87.0mm	96.32cm	56.9mn
50 Sho	rt _76.1cm .	52.0cm	.72.0°	73.0"	.50mm	.70mm	.100.0mm	97.0cm	56.9mm
50cm	76.1cm	53 0cm	.72.0°	_73.0°	_50mm	.70mm	100.0mm	98.0cm	56.9mn
51cm	77.0cm	53.5cm	72.0°	_73.0°	50mm	_73mm	.110.4mm	_98.5cm	56.9mn
	78.0cm								
	78.9cm								
Sion	79.9cm	55 0cm	73.00	73.0°	45mm	70mm	134 3mm	98.6cm	56 Omn
\$5om	81.0cm	56 Orm	73.00	73.00	45mm	70mm	146 1mm	99 Acm	54 Dmn
Show	81.8cm	57 flom	73.0°	72.50	45mm	70mm	154 Smm	100 Icm	56 Dmn
	82.9cm								
	85.0cm								
	85.9cm								
	87.0cm								
0.7cm	88.0cm.	61,00m	74.0	72.0	_4Umm	0/mm	_207.0mm	102.5-	_33.Umi
63cm	88.9cm	6Z.0cm	_/4.0	17.0	.40mm	_6/mm	_219./mm	103.50m	_33.Umii
							rop front dera		


Bottom Bracket Height: variable**

Front Derailleur: 44-54cm 1.125" clamp-on 55cm and larger 1.375° clamp-on

Chainstoy Length: 41.5cm Bottom Bracket Width: 68mm Frame Weight (56cm): 2.79 lbs.

Seatned Size: 27.2mm Rear Axle Spacing: 130mm Fork Weight: 15 ounces (1.125" threadless)

*Includes Irm headtube extension



NOTE: All Measurements are center to center unless otherwise noted. Headtubes are measured end to end. Top tubes are measured from the intersection of the top tube and head tube to the seat tube centerline, harizontal to the ground,

Mountain Bike Frame Specifications

SEAT TOP THE THAT 28.21 72.0° 29.31 30.21 107mm 71.0° 123mm 71.0° 156mm 71.0°

Bottom Brocket Height: 12" Chainstey Length: 16.75° Bottom Brocket Width: 68mm Headset Diameter: 1,125' Frame Weight (17"): 3.7 lbs

Front Derpilleur: 1.25 Sentoost Size: 29.4mm Trail: 70.6mm

Mountain Bike Frame Specifications

TE .	STANDOVER	EFFECTIVE TOP TUBE	HEAD TUBE	HEAD	SEAT TUBE	WHEEL.	
ir-Or	HEGHT	TENGLA.	LENGTH	ANGLE	ANGLE	BASE	
1		20.9"	80mm	_71.0°_	72.0°	39.2"	
2"_	25.8"	21.3"	90mm	_71.0°	72.0°	_39.7*	
3"	26.6"	21.5"	.90mm	_71.0°	72.0°	39.85"	
15"	27.5"	21.6*	90mm	_71.0°	72.0°	_40.5"	
5.5"	28.2"	72.3"	90mm	_71.0°_	.72.0°	40.7"	
7"_	29.4"	22.6*	107mm	_71.0°	72.0°	41.1"	
ř	30.4"	23.0	_107mm	_71.0°_	72.0°	_41.4"	

Bottom Brocket Height: 12" Chainstey Length: 16.75" Bottom Brocket Width: 68mm Headset Diameter: 1.125" Frame Weight (14.5"): 3.4 lbs. Front Derailleur: 1.25" Seatpost Size: 29.4mm Trail: 70.6mm

Top tube length is measured from the center of the top tube/head tube junc tion to the center of the sept tube, parallel to the ground. Due to sloping too tubes, the physical length will be longer than the horizontal length given. The horizontal length is used to determine correct sizing. ** Cell or check website (www.ifbikes.com) for complete specifications.

CLUB ORACER Sport Touring Frame Specifications

		TOP				AXLE	HEAD		
	STANDOVER	TUBE		SEAT		70 8.8.	TUBE	WHEEL.	
SIZE	HEIGHT	LENGTH	ANGLE		OEFSET	DROP	LENGTH	BASE	TEAL
46cm.	72.1cm	_49.5cm.				50mm			_59.0mm
48cm.	74.0cm_	_51.0cm_	.71.5°	_73.0°	_45mm	_50mm_	_81.8mm.	97.7cm	_59.0mm
		NOTE: F	rome sizes	46 & 480	n use 26"	mountain bi	ke wheels.		
49cm.	74.8cm_	52.0cm	.72.0°	_73.0°	_50mm	_73mm_	70mm.	.97.83cm	_56.9mm
50cm.	75.7cm	_53.0cm_	72.0°	_73.0°	_50mm	73mm	80mm.	98.9cm	_56.9mm
51cm.	76.5cm_	_53.5cm_	J2.0°	_73.0°	_50mm	_73mm_	80mm.	.99.37cm	_56.9mm
52cm.	77.1cm_	.54.0cm.	.72.0°	_73.0°	_50mm	_73mm_	87mm.	99.9cm	.56.9mm
53cm.	78.0cm	54.5cm	72.0°	.73.0°	_50mm	_73mm_	97mm	100.4cm	.56.9mm
54cm.	74.3cm	55.0cm	.73.0°	_73.0°	_45mm	_73mm_	101mm.	99.5cm	.56.0mm
55cm.	80.3cm	56.0cm	.73.0°	_73.0°	_45mm	_73mm_	_111mn.	_100.5cm	56,0mm
56cm.	81.1cm	57.0cm	.73.0°	.725°	45mm	73mm_	_120mm	.101.0cm	56.0mm
57cm	82.1cm	58.0cm	73.5°	72.5°	43mm	73mm	129mm	.101.3cm	.55.0mm
58cm.	83.1cm	59.0cm	73.5°	72.5°	43mm	.73mm	.138mm	.102.2cm	.55.0mm
59cm.	84.7cm							101.58cm	
60cm.	85.2cm	60.0cm	.74.0°	.72.0°	_40mm	70mm	157mm.	.101.8cm.	.55.0mm
61cm.		60.5cm	.74.0°	.72.0°	_40mm	_70mm_	168mm.	102.51cm.	.55.0mm
62cm	87.2cm							.102.8cm	
62cm	22 2cm			77.0*				103 93/-	

NOTE: 62xm and larger frames requires 1.25" front denailleur and 29.4mm post.

Bottom Bracket Height: variable** Chainstoy Length: 42.5cm Bottom Bracket Width: 68mm Frame Weight (53cm): 3.5 lbs.

Front Derailleur: 1.125" clamp-on Septoost Size: 26.8mm (62cm frame uses 29.4mm) Rear Axle Spacing: 130mm Fork Weight: 1.25 lbs+ (depends on frame size)

PLANET

Cyclocross Frame Specifications

SITE 44om	STANDOVER HEIGHT 71.2cm		HEAD ANGLE 71 0°	SEAT ANGLE 72 6°			TUBE LENGTH 71 3mm	WHEEL BASE 9A Som	1841 <u>.</u> 64.7mm
46cm							92.2mm		
48cm							113.1mm		
50cm.	77.9cm	54.5cm	.71.5°	72.0°	.48mm.	57mm.	.111.0mm	100.4cm	.63.8mm
52cm.	79.8cm	_55.5cm.	_71.5° .	_72.0°_	.48mm.	_57mm.	.128.4mm	.101.4cm	.63.8mm
54cm.							.150.0mm		
56cm.							.167.0mm		
58cm.	85.8cm	60.5cm.	_72.0°	_72.0°	_45mm.	_57mm_	193.0mm	.105.6cm	.63.5mm

Battom Bracket Height: variable** Chainstey Length: 42.5cm Rottom Bracket Width: 68mm Frame Weight (56cm): 3.85 lbs.

Front Derpilleur: 1.125" clamp-on

Sectorst Size: 26.8mm Rear Axle Spacing: 130mm (135mm optional) Fork Weight: 1.25 lbs+ (depends on frame size)

"Top tube length is measured from the center of the top tube/head tube junction to the center of the sect tube, parallef to the ground. Due to sloping top tubes, the physical length will often be different from the horizontal length given. The harizontal length is used to determine correct sizing.

"Call or check website (www.fbikes.com) for complete specifications

87.6cm 61.0cm 74.0° 72.0° 40mm 67mm 197.5mm 101.1cm 55.0mm 88.5cm 62.0cm 74.0° 72.0° 40mm 67mm 207.5mm 103.5cm 55.0mm NOTE: 62cm and larger frames requires 1.25" front derailleur and 29.4mm post. Sizes 44cm through 52cm include a 1cm head tube extension. Bottom Bracket Height: variable** Front Derailleur: 1.125" clamp-on

82 Son 58 Ocn 73.5° 72.5° 43mm 70mm 147.9mm 100.4cm 55.0mm

83 Scm 59 Ocm 73 5° 72 5° 43mm 70mm 157 8mm 101 4cm 55 0mm

84.5cm 59.5cm 74.0° 72.0° 40mm 67mm 166.0mm 100.7cm 55.0mm

85.7cm 60.0cm 74.0° 72.0° 40mm 67mm 177.7mm 101.2cm 55.0mm

.86.6cm ...60.5cm ...74.0"72.0" ...40mm67mm ...187.5mm.101.63cm ...55.0mm

Andrew Touring Frame Specifications

67.4cm 51.0cm 71.0° 73.0° 45mm 60mm 90.0mm 98.2cm 51.0mm 41cm 668.7cm 51.5cm 71.0° 73.0° 45mm 60mm 90.0mm 98.7cm 51.5mm

72 3cm 53 5cm 71.0° 73.5° 52mm 80mm 85.0mm 103.0cm 62.4mm

74.0cm 54.0cm 71.0° 73.5° 52mm 80mm 95.0mm 103.6cm 62.4mm 75.7cm 54.5cm 71.0° 73.5° 52mm 80mm 105.0mm 104.4cm 62.4mm

77.3cm 55.0cm 71.0° 73.5° 52mm 80mm 115.0mm 105.0cm 62.4mm 79.0cm 55.5cm 71.0° 73.0° 52mm 80mm 130.0mm 104.8cm 62.4mm 80 8cm 56 0cm 71 0° 73.0° 52mm 80mm 145 0mm 105 3cm 62 4mm 82 Scm 57 Ocm 71 S° 72 S° 49mm 80mm 160 0mm 105 0cm 62 4mm .84.4cm 59.0cm 71.5° 72.5° 49mm 80mm 180.0mm 107.1cm 62.4mm

.86.8cm ... 60.0cm ... 71.5° ... 72.5° ... 49mm ... 80mm ... 184.0mm ... 108.1cm ... 62.4mm

Septoost Size: 26.8mm

evel Road Frame Specifications

71.6cm 49.5cm 71.5° 73.0° 45mm 48mm 99.0mm 95.3cm 56.9mm 48 Short 73 Scm 50 Ocm 71 S° 73 O° 45mm 48mm 119 7mm 95 9cm 56 9mm NOTE: frame sizes 44-48 Short use 650c wheels, frame sizes 48cm & above use 700c wheels. .73.5cm _51.0cm _72.0° _.73.0° _.50mm _73mm _.71.0mm _.95.8cm _56.9mm 74.5cm 51.5cm 72.0° 73.0° 50mm 73mm 75.0mm 96.32cm 56.9mm

50 Short 75.8cm 52.0cm 72.0° 73.0° 50mm 70mm 91.3mm 97.0cm 56.9mm 75.8cm 53.0cm 72.0" 73.0" 50mm 70mm 91.3mm 98.0cm 56.9mm 76.7cm 53.5cm 72.0° 73.0° 50mm 73mm 101.5mm 98.5cm 56.9mm 77.7cm 54.0cm 72.0° 73.0° 50mm 70mm 111.4mm 99.0cm 56.9mm 78.7cm... 54.5cm... 72.0°... 73.0°... 50mm... 70mm... 116.5mm... 99.5cm... 56.9mm .79.6cm _55.0cm _73.0° _73.0° _45mm _70mm _130.4mm _98.6cm _56.0mm 80 Scm 56 Ocm 73.0° 73.0° 45mm 70mm 130.4mm 99.6cm 56.0mm 81.4cm 57.0cm 73.0° 72.5° 45mm 70mm 137.9mm 100.1cm 56.0mm

SEAT

Front Derailleur: 1.125° dama-on

Rear Axle Spacing: 135mm (130mm optional) Fark Weight: 1.25 lbs+ (depends on frame size)

WHEEL

NOTE frome cires 30.40cm use 26" mountain bike wheels frome cires 43cm & above use 700s wheels 70.9cm 53.0cm 71.0° 73.0° 52mm 80mm 70.0mm 102.0cm 62.4mm

Chainstoy Length: 4) .5cm Bottom Brocket Width: 68mm Frome Weight (56cm): 3.57 lbs.

Bottom Bracket Height: variable "

Bottom Brocket Width: 68mm.

Frame Weight (53cm): 3.8 lbs.

Chainstoy Length: 45.0cm (43cm for 37, 39 & 41cm frames)

Seatoost Size: 26.8mm (62cm frame uses 29.4mm) Rear Axle Spacing: 130mm Fork Weight: 1.25 lbs+ (depends on frome size)

HARRIGARIA WWw.ifbikes.com

AN EMPLOYEE-OWNED COMPANY

86 JOY STREET (REAR) - SOMERVILLE, MA 02143 - (617) 666-3609 - FAX (617) 666-1655 - E-MAIL: IFINC BAOL COM.

Special Manks to Tony Scarpetta, Harrison Creative and Roman Road for their creative dayar.