2001

TREK

TREKBIKES.COM

ALLSPORT/Doug Pensinger

TREK BICYCLES 1976 TREK 2001 WATERLOO, WISCONSIN

>> Lance celebrates his 2000 Tour de France victory with his two biggest fans

PERFORMANCE >> PRO COMP REC

USPS Team Time Trial Frameset™

UNITED STATES POSTAL SERVICE
Pro Cycling Team

Created for Lance to dominate the Tour and Olympic time trials.

FRAME > OCLV® HC carbon. Pro Time Trial Geometry developed by Trek, with aerodynamics guru John Cobb and legendary time trialist Lance Armstrong.

FORK > The aero carbon fork is a proven performer.

SIZES > S, M, L

COLOR > USPS Team

OCLV CARBON HC



PERFORMANCE >> PRO COMP REC

5900 USPS Team Superlight™

The new standard. Proven in the 2000 Tour de France.

FRAME > Ultralight OCLV® 110 carbon creates the lightest, stiffest frame ever made. Pro Race geometry improves handling on fast or long rides. Lance's Tour de France frame.

FORK > Oversized superlight Aero OD. OCLV® 110 carbon, 348 grams.

WHEELS > Rolf Sestriere is built for high speed flight.

COMPONENTS > Shimano Dura-Ace crank and 9-speed shifting. Double chainring for racing or fast training rides.

SIZES > 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 62cm

COLOR > Satin Silver

OCLV CARBON 110

"Last year could be considered a comeback. This year was a confirmation."

>> Lance Armstrong

PERFORMANCE >> **PRO** COMP REC

5500™

The Tour de France winner. 16.7 pounds. Need we say more?

FRAME > OCLV® 120 carbon. Pro Race Geometry improves handling and comfort on fast or long rides. The same stock frame ridden by the USPS team in the Tour de France.

FORK > Oversized ICON Air Rail OD Carbon.

WHEELS > Rolf Sestriere is built for high speed flight.

COMPONENTS > Shimano Dura-Ace crank and 9-speed shifting. Double chainring for racing or fast training rides.

SIZES > 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 62cm

COLOR > Red Carbon

OCLV CARBON 120

UNITED STATES POSTAL SERVICE.
Pro Cycling Team

5500 frameset available in USPS Team.

5200 > color: Smoke Carbon

PERFORMANCE >> **PRO** COMP REC

5200™

OCLV carbon gets a new, lighter design.

FRAME > OCLV® 120 carbon. Pro Race Geometry improves handling and comfort on fast or long rides. The same stock frame ridden by the USPS team in the Tour de France.

FORK > Oversized ICON Air Rail OD Carbon.

WHEELS > Rolf Vector Comp is a light, paired spoke, aerodynamic race wheelset.

COMPONENTS > Shimano Ultegra crank and 9-speed shifting. Choose a double chainring for racing or fast training rides, or triple chainring for wider gear options on longer rides.

SIZES > 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 62cm

COLORS > USPS Team, Smoke Carbon

OCLV CARBON 120

2300™

The Alpha SLR aluminum pro performance racing machine.

FRAME > Alpha™ SLR aluminum in a Pro Race Geometry.

FORK > Oversized ICON Air Rail OD carbon.

WHEELS > Rolf Vector Comp is a light, paired spoke, aerodynamic race wheelset.

COMPONENTS > Shimano Ultegra crank and 9-speed shifting. Choose a double chainring for racing or fast training rides, or triple chainring for wider gear options on longer rides.

SIZES > 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 63cm

COLOR > Bright Silver

SLR CUSTOM ALUMINUM

"A super-efficient ride that just wants to go fast."

Alpha SLR aluminum delivers a road frame that's equally good at criteriums and centuries.

>> Our Alpha SLR process features the finest bike-grade aluminum in seamless drawn, double-butted tubes. Carefully shaping and minimizing the tube walls creates a frame that's stiff and strong in high-stress areas, superlight and thin everywhere else, and long on comfort. Hand welded in Waterloo, Wisconsin.

>> The new, oversized ICON Air Rail OD 1-1/8" carbon fork reduces weight, increases handling, and adds strength up front.

>> The Pro Race Geometry is the same used by Lance Armstrong and the USPS pro cycling team.

>> Lance and the USPS team arrive in Paris

PERFORMANCE >> PRO **COMP** REC

2200™

For all-around riding, racing or light touring.

FRAME > Alpha™ SL aluminum.

FORK > ICON Air Rail carbon.

WHEELS > Rolf Vector is a light, stiff and aerodynamic wheelset.

COMPONENTS > Shimano 105 crank and 9-speed shifting. Choose a double chainring for racing or fast training rides, or triple chainring for wider gear options on longer rides.

SIZES > 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 63cm

COLOR > Metal Flake Yellow

PERFORMANCE >> PRO **COMP** REC

2000™

An awesome multipurpose road bike.

FRAME > Alpha™ SL aluminum.

FORK > Lightweight, vibration-dampening aluminum in an aero design.

WHEELS > Aurora rims and IRC Red Storm tires are lightweight and reliable.

COMPONENTS > Shimano Tiagra crank and 9-speed shifting. Triple chainring for wider gear options on longer rides.

SIZES > 52cm, 54cm, 56cm, 58cm, 60cm, 63cm

COLOR > Gloss Black

PERFORMANCE >> PRO **COMP** REC

1200™

Bring lightweight Alpha aluminum on your next road ride or tour.

FRAME > Oversized Alpha™ aluminum.

FORK > Cro-Moly aero is durable and shock absorbing.

WHEELS > Aurora rims and IRC Red Storm tires are lightweight and reliable.

COMPONENTS > Shimano Sora crank and 8-speed shifting. Triple chainring for wider gear options on longer rides.

SIZES > 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 62cm

COLOR > Trek Red

PERFORMANCE >> PRO COMP **REC**

1000™

Where the road begins.

FRAME > Oversized Alpha™ aluminum.

FORK > Cro-Moly aero is durable and shock absorbing.

WHEELS > Vuelta Airline 2 rims and IRC Red Storm tires are lightweight and reliable.

COMPONENTS > Cyclone crank and Shimano Sora 8-speed shifting. Triple chainring for wider gear options on longer rides.

SIZES > 43cm, 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 62cm

COLOR > Candy Blue

PERFORMANCE >> **PRO** COMP REC

2300 WSD™

Race frame. Race spec. All in a package that fits women riders right.

FRAME > Alpha™ SLR aluminum in a custom WSD Geometry.

FORK > ICON Classic carbon. Light, responsive, and silences road vibration for comfortable, all-day riding.

WHEELS > Rolf Vector Comp is a light, paired spoke, aerodynamic race wheelset in an ideal size for smaller riders.

COMPONENTS > Shimano Ultegra crank and 9-speed shifting. Triple chainring for racing or fast training rides.

SIZES > 43cm, 47cm, 52cm, 54cm

COLOR > Bright Silver

WSD
WOMEN'S SPECIFIC DESIGN

WSD women's SPECIFIC DESIGN

"The frame's a perfect fit for smaller women like myself."

>> Nikola with her dog Roadie: Canmore, Alberta

Women's Specific Design has what a man's frame doesn't - a ride made for women cyclists.

>> Our specially modified frame design provides a more comfortable fit, with improved handling and shock absorption.

>> Smaller wheels turn quicker for easier sprints and climbs.

>> Specially selected components enhance the frame - narrower bars and shorter brake lever reach make the bike easier to control with smaller hands. Shorter cranks help shorter legs get to top speed, faster. There's even a WSD saddle to improve comfort and endurance.

PERFORMANCE >> PRO **COMP** REC

2200 WSD™

A high performance bike custom fit for women.

FRAME > Alpha™ SL aluminum in a custom WSD Geometry.

FORK > ICON Classic carbon. Light, responsive, and silences road vibration for comfortable, all-day riding.

WHEELS > Rolf Vector is a light, stiff and aerodynamic wheelset in an ideal size for smaller riders.

COMPONENTS > Shimano 105 crank and 9-speed shifting. Triple chainring for wider gear options on longer rides.

SIZES > 43cm, 47cm, 52cm, 54cm

COLOR > Metal Flake Yellow

WSD women's SPECIFIC DESIGN

PERFORMANCE >> PRO **COMP** REC

2000 WSD™

Our most popular ride designed for women.

FRAME > Alpha™ SL aluminum in a custom WSD Geometry.

FORK > ICON Classic carbon. Light, responsive, and silences road vibration for comfortable, all-day riding.

WHEELS > Aurora rims and IRC tires in an ideal size for smaller riders.

COMPONENTS > Shimano Tiagra crank and 9-speed shifting. Triple chainring for wider gear options on longer rides.

SIZES > 43cm, 47cm, 52cm, 54cm

COLOR > Gloss Black

WSD women's SPECIFIC DESIGN

HILO

"The Hilo's great. It gives me more time to work on my running."

>> Karen Smyers, 1999 Triathlete of the Year

Fast and aerodynamic, Hilo is dialed to triathlon training and competition.

>> The Alpha SLR aluminum tri frame design is wind tunnel tested, and race proven by the USPS Pro Cycling Team. The aero downtube, steeper seat tube and flared chainstays keep you in a comfortable, powerful, aerodynamic riding position.

>> The 650c tires and Kinesis carbon fork combine to give you an aero, energy-saving ride.

>> The same frame and Pro Triathlon Geometry ridden by tri legend Karen Smyers in the Hawaii Ironman.

TRIATHLON >> **PRO** COMP REC

Hilo 2000™

The bike of choice for Karen Smyers – 1999 triathlete of the year.

FRAME > Alpha™ SLR aluminum in a Pro Tri Geometry.

FORK > The aero Kinesis carbon fork is a proven Ironman performer.

WHEELS > 650c Rolf Vector Pro is paired spoked, lightweight, and super-fast.

COMPONENTS > Shimano Ultegra crank and 9-speed shifting. Double chainring for racing or fast training rides.

SIZES > 50cm, 54cm, 56cm, 58cm, 60cm

COLOR > Candy Blue

Frameset available.

TRIATHLON >> **PRO** COMP REC

Hilo 1000™

With a new carbon fork and Rolf wheels, you'll worry less about the swim.

FRAME > Alpha™ SLR aluminum in a Pro Tri Geometry.

FORK > The aero Kinesis carbon fork is a proven Ironman performer.

WHEELS > 650c Rolf Vector is paired spoked, light and quick to accelerate.

COMPONENTS > Shimano 105 crank and 9-speed shifting. Double chainring for racing or fast training rides.

SIZES > 50cm, 54cm, 56cm, 58cm, 60cm

COLOR > Trek Red

Frameset available.

CYCL

XC

Takin
and t

FRAM
FORK
and rea
WHEE
tires are
COMP
Nexave/
bar con
or fast t
SIZES
COLOR

Frameset

TOURIN

52(

Classic

FRAME
FORK > C
WHEELS
and reliabl
COMPON
Triple chai
SIZES > 1
COLOR >

"I love riding it to coffee shops and national championships."

>> Matt Kelly, 2000 Junior National Cyclocross Champion

The Trek cyclocross frame takes the heat, whether racing or battling rush hour traffic.

>> Our Alpha SL process uses seamless drawn, double-butted aluminum tubes to make a frame that's not only strong and durable, but superlight for speed and quick handling. All essential on a cyclocross course.

>> The higher bottom bracket gets you over obstacles. Longer chainstays add mud clearance and comfort over terrain, as well as float for larger tires.

>> Our Pro Cyclocross Geometry gets you in position to accelerate and maneuver on dirt or city streets.

CYCLOCROSS >> **PRO** COMP REC

XO 1™

Taking 1999 Junior Nat'l Champ Matt Kelly and the Trek/VW team to the podium.

FRAME > Alpha™ SL aluminum in a Pro Cross Geometry.

FORK > Oversized, OD, Cross-specific aluminum that's light and ready to race. Fits tires up to 40c.

WHEELS > Aurora rims and Bontrager Jones CX tires are ready for dirt or asphalt.

COMPONENTS > Shimano Sora crank and Nexave/Sora 24-speed shifting, with Ultegra bar con shifters. Double chainring for racing or fast training rides.

SIZES > 52cm, 55cm, 58cm, 61cm

COLOR > Team Blue

Frameset available.

TOURING >> PRO **COMP** REC

520™

Classic Trek touring for the long haul.

FRAME > Trek Cro-Moly.

FORK > Cro-Moly cuts road buzz.

WHEELS > Bontrager Fairlane rims and IRC Paperlite tires are strong and reliable for serious touring.

COMPONENTS > Shimano 105 crank and 105/LX 24-speed shifting. Triple chainring for wider gear options on longer rides.

SIZES > 17", 19", 21", 23", 25"

COLOR > Slate Pearl

TOURING >> PRO **COMP** REC

R200™

Recumbent technology reaches the next level.

FRAME > Oversized Alpha™ aluminum. The recumbent platform offers exceptional comfort over distances.

WHEELS > Bontrager Maverick rims and Primo Comet tires are durable and reliable.

SUSPENSION > Custom-tuned Cane Creek AD-5 rear shock absorbs bumps and buzz.

COMPONENTS > Cyclone crank and SRAM ESP 7.0 21-speed shifting. The unique, "mid-drive" drivetrain offers a wide gear range.

COLOR > Trek Red

XC FULL SUSPENSION >> **PRO** COMP REC

Fuel 100™

World Cup and NORBA proven.

FRAME > Fully independent cross country suspension at a hardtail weight. Alpha SLR aluminum in a Pro Race geometry. Carbon fiber seat stays are a lightweight upgrade.

WHEELS > Rolf Propel Tubeless is the pros' durable, light and paired spoked weapon of choice.

SUSPENSION > Rock Shox SID SL fork (80mm travel) and Ultralight Fox Float RC rear air shock (up to 3" of rear wheel travel) are dialed for XC racing.

COMPONENTS > Bontrager Race Lite crank and Shimano XT/XTR 9-speed shifting.

SIZES > S, M, L, XL

COLOR > Bright Silver/Candy Blue

Frameset available.

XC FULL SUSPENSION >> **PRO** COMP REC

Fuel 98™

Full suspension performance at the weight of a hardtail.

FRAME > Fully independent cross country suspension at a hardtail weight. Alpha SLR aluminum in a Pro Race geometry. Carbon fiber seat stays are a lightweight upgrade.

WHEELS > Rolf Dolomite Tubeless gives you strength and durability at a lower spoke count and lighter weight.

SUSPENSION > Rock Shox SID XC fork (80mm travel) and Fox Float R rear air shock (up to 3" of rear wheel travel) are dialed for XC racing.

COMPONENTS > Bontrager Race Lite crank and Shimano XT/XTR9-speed shifting.

SIZES > S, M, L, XL

COLOR > Bright silver/Gloss Black

XC FULL SUSPENSION >> **PRO** COMP REC

Fuel 90™

The new full suspension privateer.

FRAME > Fully independent cross country suspension at a hardtail weight. Alpha SLR aluminum in a Pro Race geometry.

WHEELS > Rolf Satellite is a paired spoke design that's strong and light. An optional disc brake package, with Hayes disc brakes and Rolf Dolomite wheels, adds superior stopping power in slop or steep descents.

SUSPENSION > Manitou SX R fork (80mm travel) Fox Float rear air shock (up to 3" of rear wheel travel) are dialed for XC racing.

COMPONENTS > Bontrager Comp crank and Shimano LX/XT 9-speed shifting.

SIZES > S, M, L, XL

COLOR > Matte Black

Disc option available.
Specifications may vary.

MOUNTAIN

XC FULL SUSPENSION >> PRO **COMP** REC

Fuel 80™

100% dialed cross country suspension.

FRAME > Fully independent cross country suspension at a hardtail weight. Alpha SLR aluminum in a Pro Race geometry.

WHEELS > Bontrager Corvair is fast and tough, with machined sidewalls for smooth braking.

SUSPENSION > Rock Shox Judy C fork (80mm travel) and Cane Creek AD-5 rear air shock (up to 3" of rear wheel travel) are dialed for XC racing.

COMPONENTS > Shimano Alivio crank and 24-speed shifting.

SIZES > S, M, L, XL

COLOR > Pearl White/Trek Red

XC FULL SUSPENSION >> **PRO** COMP REC

STP 400™

The Trek/VW team's cross-country, OCLV carbon rocket.

FRAME > OCLV® carbon in a Pro Race Geometry. Pivotless Leaf Spring Design™ full suspension gives you a race hardtail ride with the right amount of plush.

WHEELS > Rolf Propel is the pros' durable, light and paired spoked weapon of choice.

SUSPENSION > Rock Shox SID SL fork (80mm travel) and SID Race Adjust 1.25" rear air shock are dialed for XC racing.

COMPONENTS > Bontrager Race Lite crank and Shimano XT/XTR 9-speed shifting.

SIZES > M, L, XL

COLOR > Smoke Carbon/Candy Blue

Frameset available.

MOUNTAIN

XC FULL SUSPENSION >> **PRO** COMP REC

STP 300™

Take the edge off your next race.

FRAME > OCLV® carbon in a Pro Race Geometry. Pivotless Leaf Spring Design™ full suspension gives you a race hardtail ride with the right amount of plush.

WHEELS > Rolf Urraco is patented, paired spoked and strong.

SUSPENSION > Rock Shox SID XC fork (80mm travel) and SID SL 1.25" rear air shock are dialed for XC racing.

COMPONENTS > ICON Graphite crank and Shimano XT/XTR 9-speed shifting.

SIZES > M, L, XL

COLOR > Red Carbon

XC FULL SUSPENSION >> **PRO** COMP REC

STP 200™

This full suspension racer makes your current hardtail obsolete.

FRAME > OCLV® carbon in a Pro Race Geometry. Pivotless Leaf Spring Design™ full suspension gives you a race hardtail ride with the right amount of plush.

WHEELS > Rolf Dolomite gives you strength and durability at a lower spoke count and lighter weight.

SUSPENSION > Rock Shox Judy Race fork (80mm travel) and SID XC Adjust 1.25" rear air shock are dialed for XC racing.

COMPONENTS > ICON Graphite crank and Shimano LX/XT 9-speed shifting.

SIZES > M, L, XL

COLOR > Blue Carbon

OCLV CARBON HC

"It's unbelievable. The lightest, fastest bike I've ridden."

>> Ruthie Matthes, Three-time NORBA National Champion and '00 U.S. Olympic Team Member

Proven OCLV carbon and frame-stiffening Nomex® honeycomb create our lightest, fastest, most responsive hardtail.

>> Our OCLV HC carbon frame uses Nomex® honeycomb at the head lug for a stiffer front end so we can cut the overall frame weight to 3.0 lb. And carbon's vibration-soaking properties leave you something at the end.

>> We're even more race-ready, with a new bottom bracket interface that's millable from 73mm to 68mm, and a seat tube you can run a high-clamp front derailleur on. Enjoy the same Q-factor as your road bike, or run a 2x9.

>> Our Pro Race Geometry climbs, descends and corners like nothing you've ridden before.

XC HARDTAIL >> PRO COMP REC

Elite 9.8™

OCLV HC carbon in a NORBA and World Cup winner.

FRAME > OCLV® HC carbon in a Pro Race Geometry.

WHEELS > Rolf Dolomite gives you strength and durability at a lower spoke count and lighter weight. An optional disc brake package, with Hayes Hydraulic disc brakes and Rolf Urraco wheels, adds superior stopping power in slop or steep descents.

SUSPENSION > The Rock Shox SID SL fork (80mm travel) is dialed for XC racing.

COMPONENTS > Bontrager Comp crank and Shimano LX/XT 9-speed shifting.

SIZES > S, M, L, XL

COLOR > Bright Silver/Candy Blue

Frameset available.

OCLV CARBON HC

Disc option available.
Specifications may vary.

TREK RACING TEAM

CUSTOM ALUMINUM SLR

"It's light, fast, and takes anything you throw at it."

>> "Special K": Sedona, Arizona

We've combined our top aluminum and a proven geometry in a high performance, race winning hardtail.

>> Our Alpha SLR process features the finest bike-grade aluminum in seamless drawn, double-butted tubes. Carefully shaping and minimizing the tube walls creates a frame that's stiff and strong in high-stress areas, superlight and thin everywhere else, and long on comfort. Hand welded in Waterloo, Wisconsin.

>> We accent a great frame with some sweet features. A lighter, stiffer, 31.6mm seatpost. Beefy, power-generating, disk-brake compatible chainstays. A rear triangle that eliminates brake flex, and is stiff on climbs and sprints.

>> With the same Pro Race Geometry that took Travis Brown to a NORBA national championship.

XC HARDTAIL >> PRO COMP REC

8500™

The top-of-the-line, full-blown Alpha SLR aluminum race hardtail.

FRAME > Alpha™ SLR aluminum in a Pro Race Geometry.

WHEELS > Rolf Dolomite gives you strength and durability at a lower spoke count and lighter weight. An optional disc brake package, with Shimano Hydraulic XT disc brakes and Rolf Urraco wheels, adds superior stopping power in slop or steep descents.

SUSPENSION > Rock Shox SID XC fork (80mm travel). Why try to run a race on one leg when you can have two?

COMPONENTS > Bontrager Race crank and Shimano XT/XTR 9-speed shifting.

SIZES > 15.5", 17.5", 19.5", 21.5"

COLOR > Trek Red/Gloss Black

Frameset available.

Disc option available.
Specifications may vary.

XC HARDTAIL >> PRO COMP REC

8000™

Race frame, race spec.

FRAME > Alpha™ SLR aluminum in a Pro Race Geometry.

WHEELS > Rolf Satellite is a paired spoke design that's strong and light. An optional disc brake package, with Hayes Hydraulic disc brakes and Rolf Dolomite wheels, adds superior stopping power in slop or steep descents.

SUSPENSION > Rock Shox Judy SL fork (80mm travel) is dialed for XC racing.

COMPONENTS > Bontrager Comp crank and Shimano Deore/XT 9-speed shifting.

SIZES > 15.5", 17.5", 19.5", 21.5"

COLORS > Bright Silver/Candy Blue

Disc option available.
Specifications may vary.

XC FULL SUSPENSION >> **PRO** COMP REC

Fuel 90 WSD™

Pro-worthy full suspension, custom engineered for women racers.

FRAME > Alpha™ SLR aluminum in a custom WSD Geometry. Fully independent suspension in a practical double-diamond XC frame design gives you a solid, quiet, wag-free ride.

WHEELS > Rolf Satellite is a paired spoke design that's strong and light.

SUSPENSION > Manitou SX R fork (80mm travel) and Fox Float rear air shock (up to 3" of rear wheel travel) are custom tuned for smaller, lighter riders.

COMPONENTS > Bontrager Comp crank and Shimano LX/XT 9-speed shifting.

SIZES > XS, S, M **COLOR** > Matte Black

XC HARDTAIL >> **PRO** COMP REC

8000 WSD™

The superlight, high performance hardtail designed for women racers.

FRAME > Alpha™ SLR aluminum in a custom WSD Geometry.

WHEELS > Rolf Satellite is a paired spoke design that's strong and light.

SUSPENSION > Rock Shox Judy SL fork (80mm travel) is custom tuned for smaller, lighter riders.

COMPONENTS > Bontrager Comp crank and Shimano Deore/XT 9-speed shifting.

SIZES > XS, S, M

COLOR > Bright Silver/Candy Blue

XC HARDTAIL >> PRO **COMP** REC

6700 WSD™

A woman's light, rugged hardtail.

FRAME > Alpha™ ZX aluminum in a custom WSD Geometry.

WHEELS > Bontrager Superstock is fast and tough, with precision machined sidewalls for smooth braking.

SUSPENSION > Rock Shox Judy C fork (80mm travel) is custom tuned for smaller, lighter riders.

COMPONENTS > Bontrager Comp crank and Shimano Deore/LX 9-speed shifting.

SIZES > XS, S, M **COLOR** > Smooth Silver/Glacier

XC HARDTAIL >> PRO **COMP** REC

4900 WSD™

This bike loves dirt.

FRAME > Oversized Alpha™ aluminum in a custom WSD Geometry.

WHEELS > Bontrager Corvair was born for XC.

SUSPENSION > Rock Shox Judy TT fork (80mm travel) is custom tuned for smaller, lighter riders.

COMPONENTS > Shimano Acera crank and Acera/Deore 24-speed shifting.

SIZES > XS, S, M, L **COLOR** > Gloss Black

>> 5 a.m. at the 24 Hours of Snowshoe, West Virginia

XC HARDTAIL >> PRO COMP REC

6700™

An Alpha ZX aluminum hardtail made for the weekend racing scene.

FRAME > Alpha™ ZX aluminum.

WHEELS > Bontrager Superstock is fast and tough, with precision machined sidewalls for smooth braking. An optional Hayes Hydraulic disc brake package with Bontrager Corvair wheels adds superior stopping power in slop or steep descents.

SUSPENSION > Rock Shox Judy C fork (80mm travel) takes the edge off singletrack.

COMPONENTS > Bontrager Comp crank and Shimano Deore/LX 9-speed shifting.

SIZES > 16.5", 18", 19.5", 21"

COLORS > Smooth Silver/Glacier, Matte Black

6700 Disc > color: Matte Black

Disc option available in Matte Black. Specifications may vary.

XC HARDTAIL >> PRO COMP REC

6500™

Refined Alpha ZX aluminum makes a lighter, frotougher hardtail.

FRAME > Alpha™ ZX aluminum.

WHEELS > Bontrager Corvair was born for XC.

SUSPENSION > Manitou Magnum R fork (76mm travel) takes the edge off singletrack.

COMPONENTS > Bontrager Sport crank and Shimano Deore/LX 9-speed shifting.

SIZES > 16.5", 18", 19.5", 21"

COLORS > Cobalt/Mirror Silver, Metal Flake Yellow

6500 > color: Metal Flake Yellow

4900 > color: Gloss Black

XC HARDTAIL >> PRO COMP REC

4900™

How do we make our Alpha aluminum hardtail better? Add optional disc brakes.

FRAME > Oversized Alpha™ aluminum.

WHEELS > Bontrager Corvair was born for XC. An optional Hayes disc brake package adds superior stopping power in stop or on steep descents.

SUSPENSION > Rock Shox Judy TT fork (80mm travel) takes the edge off singletrack.

COMPONENTS > Shimano Acera crank and Acera/Deore 24-speed shifting.

SIZES > 13", 16.5", 18", 19.5", 21", 22.5"

COLORS > Trek Red/Mirror Silver, Gloss Black

Disc option available in Trek Red/Mirror Silver. Specifications may vary.

XC FULL SUSPENSION >> PRO COMP **REC**

Y1™

The proven, full suspension comfort ride.

FRAME > A proven Y Bike™ full suspension design in oversized Alpha™ aluminum.

WHEELS > Bontrager Corvair rims and Bontrager Jones tires give excellent braking and traction on dirt or pavement.

SUSPENSION > Rock Shox Jett fork (65mm travel, adjustable preload) and coil rear shock smooth out singletrack.

COMPONENTS > Shimano Altus crank and SRAM 5.0/Shimano Alivio 24-speed shifting.

SIZES > S, M, L

COLOR > Gloss Black/Bright Silver

XC HARDTAIL >> **PRO** COMP REC

Bruiser Two™

The full-on big-boy thrasher bike.

FRAME > Alpha™ aluminum in a Trails Jumping Geometry that's quick grounded and stable airborne.

WHEELS > Triple cavity, 1" tall rims offer huge strength and durability. Avid disc brakes give incredible, reliable control.

SUSPENSION > Marzocchi Bomber Z4 (100mm travel) is a squishy fork you can beat the hell out of.

COMPONENTS > Truvativ Hussefelt DH crank and Shimano Deore LX 8-speed shifting, with double chain keeper.

SIZES > 14.5", 16"

COLOR > Raw Smoke

XC HARDTAIL >> **PRO** COMP REC

Bruiser One™

Tailor made for urban assaults.

FRAME > Alpha™ aluminum in a Trails Jumping Geometry that's quick grounded and stable airborne.

FORK > Cro-Moly BMX with 1-3/8" blades and a double-thick steer tube.

WHEELS > Triple cavity, 1" tall rims offer huge strength and durability.

COMPONENTS > Truvativ crank and Shimano Alivio/SRAM Centera 8-speed shifting, with double chain keeper.

SIZES > 14.5", 16"

COLOR > Raw Steel

XC HARDTAIL >> PRO COMP **REC**

4500™

Lightweight Alpha aluminum in a 24-speed hardtail.

FRAME > Oversized Alpha™ aluminum.

WHEELS > Matrix 750 double-walled rims and Bontrager Jones tires let you climb and descend on trails with confidence.

SUSPENSION > Rock Shox Jett fork (65mm travel, adjustable preload) smoothes out trails and paths.

COMPONENTS > Shimano Altus crank and Altus/Alivio 24-speed shifting.

SIZES > 13", 16.5", 18", 19.5", 21", 22.5", 24"

COLORS > Gloss Black/Candy Blue, Ball Burnished

MOUNTAIN

4500 > color: Ball Burnished

4300 > color: Trek Red

XC HARDTAIL >> PRO COMP **REC**

4300™

Fall in love with the light weight of Alpha aluminum.

FRAME > Oversized Alpha™ aluminum.

WHEELS > Matrix 550 rims and Connection tires tackle trails and pavement.

SUSPENSION > InSync 266 fork (65mm travel, adjustable preload) smoothes out trails and paths.

COMPONENTS > Shimano TY40 crank and C050/Acera 21-speed shifting.

SIZES > 13", 16.5", 18", 19.5", 21", 22.5"

COLORS > Gloss Black/Metal Flake Yellow, Trek Red

820™

Get to know the comfort of front suspension.

FRAME > Oversized Cro-Moly and steel.

WHEELS > Matrix 550 rims and Connection tires perform well on dirt or pavement.

SUSPENSION > Polygon Sporty SE fork (65mm travel) smoothes out trails and paths.

COMPONENTS > SR XR182 crank and Shimano Tourney/Altus 21-speed shifting.

SIZES > 13", 16.5", 18", 19.5", 21", 22.5"; 17" Women's

COLORS > Team Blue/Bright Silver, Gloss Black

820 > color: Gloss Black

John Norris

Donny: Live from the Australian outback

XC HARDTAIL >> PRO COMP **REC**

800 Sport™

Start out right. Start out Trek.

FRAME > Oversized Cro-Moly and steel.

FORK > High tensile ATB eases road vibration.

WHEEL > Matrix 550 rims and Connection tires perform well on dirt or pavement.

COMPONENTS > SR XR182 crank and Shimano TY32/Altus 21-speed shifting.

SIZES > 13", 16.5", 18", 19.5", 21", 22.5"; 13" Women's, 17" Women's, 20" Women's

COLORS > Trek Red/Bright Silver, Warm Silver/Blackberry, Candy Blue



>> Takin' it to the streets: Los Angeles, CA

800 Sport > color: Warm Silver/Blackberry

800 Sport > color: Candy Blue

COMFORT >> PRO **COMP** REC

Navigator 500™

Ultimate comfort.

FRAME > Alpha™ aluminum with a comfortable, upright riding position.
WHEELS > Bontrager Corvair rims for superior braking and smooth rolling.
SUSPENSION > InSync 178 fork (45mm travel) smoothes the ride. Shock absorbing seatpost and comfort saddle soften rough riding surfaces.
COMPONENTS > Shimano Nexave crank and 24-speed shifting.
SIZES > 14.5", 16.5", 18.5", 21"
COLOR > Bright Silver/Glacier

The Navigator 500 features the SRAM SmartBar™ fully integrated control system.

COMFORT >> PRO COMP **REC**

Navigator 400™

24 speeds of comfort in a great urban ride.

FRAME > Alpha™ aluminum with a comfortable, upright riding position.
WHEELS > Bontrager Corvair for superior braking and smooth rolling.
SUSPENSION > InSync 178 fork (45mm travel) smoothes the ride. Shock absorbing seatpost and comfort saddle soften rough riding surfaces.
COMPONENTS > Shimano Nexave crank and 24-speed shifting.
SIZES > 14.5", 16.5", 18.5", 21"; 14.5" Women's, 16.5" Women's
COLOR > Gloss Black

COMFORT >> PRO COMP **REC**

Navigator 300™

Front suspension=more comfort.

FRAME > Alpha™ aluminum with a comfortable, upright riding position.

WHEELS > Durable alloy rims and semi-slick comfort tires for superior braking and smooth rolling.

SUSPENSION > InSync 178 fork (45mm travel) smoothes the ride. Shock absorbing seatpost and comfort saddle soften rough riding surfaces.

COMPONENTS > Shimano C202 crank and C102/201 24-speed shifting.

SIZES > 14.5", 16.5", 18.5", 21"; 14.5" Women's, 16.5" Women's

COLORS > Alpine/Warm Silver, Candy Blue

Navigator 300 > color: Candy Blue

Navigator 200 > color: Candy Red

COMFORT >> PRO COMP **REC**

Navigator 200™

Start your rides in comfort.

FRAME > Alpha™ aluminum with a comfortable, upright riding position.

FORK > High tensile ATB eases road vibration.

WHEELS > Durable alloy rims and semi-slick comfort tires for superior braking and smooth rolling.

SUSPENSION > Shock absorbing seatpost and comfort saddle soften rough riding surfaces.

COMPONENTS > Shimano C102 crank and C102/C201 21-speed shifting w/dashboard.

SIZES > 14.5", 16.5", 18.5", 21"; 14.5" Women's, 16.5" Women's

COLORS > Warm Silver/Glacier, Candy Red

HYBRID >> PRO COMP REC

7700™

High performance Rolf wheels and 27 speeds makes this our top hybrid.

FRAME > Alpha™ ZX aluminum with a comfortable, upright riding position.
WHEELS > Rolf Vector. A light, stiff and aerodynamic wheelset. Kevlar-belted tires offer flat protection.
SUSPENSION > Rock Shox Ruby Metro XC fork and seatpost soften rough riding surfaces.
COMPONENTS > Shimano C900 Nexave crank and 27-speed shifting.
SIZES > 13", 15", 17.5", 20", 22.5"
COLOR > Smooth Silver/Glacier

HYBRID >> PRO COMP REC

7600™

The do-it-all off road, city or fitness package.

FRAME > Alpha™ ZX aluminum with a comfortable, upright riding position.
WHEELS > Bontrager Fairlane welded machined rims are strong with superior stopping power. Kevlar-belted Invert 2 tires add traction, reduce vibration, and offer flat protection.
SUSPENSION > Rock Shox Ruby Metro XC fork and seatpost soften rough riding surfaces.
COMPONENTS > Shimano Nexave crank and SRAM Dual Drive 24-speed shifting.
SIZES > 13", 15", 17.5", 20", 22.5"
COLOR > Gloss White/Navy Pearl

HYBRID >> PRO COMP REC

7500 FX™

Road bike speed in an upright-riding, comfort-filled hybrid frame.

FRAME > Alpha™ ZX aluminum with a comfortable, upright riding position. Sub-23 lbs fully loaded.

FORK > Cro-Moly cuts the road buzz.

WHEELS > Rolf Vector. A light, stiff and aerodynamic wheelset.

COMPONENTS > Shimano Nexave crank and Nexave/Deore 24-speed shifting.

SIZES > 15", 17.5", 20", 22.5"

COLOR > Spanish Gold/Candy Red

7500 > color: Metallic Ice Red

John Norris

HYBRID >> PRO COMP REC

7500™

Add comfort to the ride with a suspension-forked hybrid.

FRAME > Alpha™ aluminum with a comfortable, upright riding position.

WHEELS > Bontrager Fairlane welded machined rims are strong with superior stopping power. Invert 2 tires add traction, reduce vibration.

SUSPENSION > InSync Odessa fork (45mm travel), seatpost and comfort saddle soften rough riding surfaces.

COMPONENTS > Shimano Nexave crank and Nexave/Deore 24-speed shifting.

SIZES > 13", 15", 17.5", 20", 22.5"; 15" Women's, 17" Women's

COLORS > Gloss Black/Rainforest, Metallic Ice Red

HYBRID >> PRO COMP **REC**

7300™

Super-padded seats, suspension seatpost, adjustable stem, 24 speeds – no wonder this is our most popular hybrid.

FRAME > Alpha™ aluminum with a comfortable, upright riding position.

FORK > Trek Cro-Moly is lightweight and shock absorbing.

WHEELS > Bontrager Fairlane welded machined rims are strong with superior stopping power. Invert 2 tires add traction, reduce vibration.

SUSPENSION > Seatpost and comfort saddle soften rough riding surfaces.

COMPONENTS > Shimano Nexave crank and Nexave/Deore 24-speed shifting.

SIZES > 13", 15", 17.5", 20", 22.5"; 17" Women's, 20" Women's

COLORS > Pearl Navy/Pearl White, Slate Pearl



>>Heather and Paul: Out and about in Sydney

7300 > color: Slate Pearl

HYBRID >> PRO COMP **REC**

7200FX™

An Alpha aluminum fitness ride.

FRAME > Alpha™ aluminum with a comfortable, upright riding position.

FORK > Cro-Moly ATB is lightweight and shock absorbing.

WHEELS > Vuelta Vision double walled, eyeletted, machined rims and 700 x 35c tires add traction, cut vibration.

SUSPENSION > Seatpost softens rough riding surfaces.

COMPONENTS > Shimano T303 crank and C102/201 24-speed shifting.

SIZES > 15", 17.5", 20", 22.5"; 17" Women's, 20" Women's

COLOR > Gloss Black/Bright Silver

HYBRID >> PRO COMP **REC**

7200™

Step up to lightweight Alpha aluminum frame performance.

FRAME > Alpha™ aluminum with a comfortable, upright riding position.

FORK > Trek Cro-Moly is lightweight and shock absorbing.

WHEELS > Matrix 750 double walled rims are strong with superior stopping power. Invert 2 tires add traction, reduce vibration.

SUSPENSION > Seatpost and comfort saddle to soften rough riding surfaces.

COMPONENTS > Shimano C102 crank and C201 24-speed shifting w/dashboard.

SIZES > 15", 17.5", 20", 22.5"; 17" Women's, 20" Women's

COLORS > Bright Silver/Candy Blue, Gloss Black

7200 > color: Gloss Black

700 > color: Pearl White/Candy Red

700 > color: Graphite/Bright Silver

HYBRID >> PRO COMP **REC**

700™

A versatile hybrid with the durability of Trek Cro-Moly.

FRAME > Cro-Moly and steel with a comfortable, upright riding position.

FORK > High tensile ATB is lightweight and shock absorbing.

WHEELS > Durable alloy rims and Invert 2 tires for smooth, fast rolling.

SUSPENSION > Shock absorbing seatpost and saddle soften rough riding surfaces.

COMPONENTS > Shimano C102 crank and C102/101 21-speed shifting w/dashboard.

SIZES > 15", 17", 19", 21", 23"; 15" Women's, 17" Women's, 20" Women's

COLORS > Rainforest, Graphite/Bright Silver, Pearl White/Candy Red

CRUISER >> PRO COMP REC

Clyde™

Four speeds of attitude.

FRAME > Alpha™ aluminum in a Comfort Cruiser frame design that's fun to ride.

WHEELS > Vuelta Vision rims and fat tires look smooth, ride smooth.

COMPONENTS > TruVative crank and Shimano Nexus 4-speed rear hub. Easy to use and maintain.

SIZES > 20"; 17" Women's

COLORS > Matte Black

CRUISER >> PRO COMP REC

Town & Country™

Retro fun around town.

FRAME > Trek high tensile steel in a Comfort Cruiser frame design that's fun to ride.

WHEELS > Alloy rims and fat, whitewall tires look smooth, ride smooth.

COMPONENTS > OPC crank and Shimano Nexus 3-speed rear hub that's easy to use and maintain. With front and rear fenders.

SIZES > 20"; 17" Women's

COLORS > Big Island Blue

CRUISER >> PRO COMP REC

Calypso™

Take a ride into the past.

FRAME > Trek high tensile steel in a Comfort Cruiser frame design that's fun to ride.

WHEELS > Alloy rims and fat, whitewall tires look smooth, ride smooth.

COMPONENTS > 40T crank and Shimano C050 7-speed shifting. Easy to use and maintain.

SIZES > 20"; 17" Women's

COLORS > Glacier, Candy Red

CRUISER >> PRO COMP REC

Cruiser Classic®

Single-speed fun.

FRAME > Trek high tensile steel in a Comfort Cruiser frame design that's fun to ride.

WHEELS > Alloy rims and fat, whitewall tires look smooth, ride smooth.

COMPONENTS > Single-speed drivetrain. More than a component – it's a lifestyle.

SIZES > 20"; 17" Women's

COLORS > Alpine, Black Gold

>> Lance and friends at Ride for the Roses, Austin

KIDS 24" WHEELS

Y 24

Y bike full suspension in a rip-it-up kids version.

FRAME > All-high-tensile. A kids version of the award-winning Y full suspension design.

WHEELS > Alloy rims and Bontrager Revolt tires are traction-filled.

SUSPENSION > Post Modern fork, 63mm travel, and coil over rear shock. Designed for real off-road.

COMPONENTS > Shimano Altus/TY30 7-speed derailleurs. SunRace twist shifters are easy to use.

COLOR > Team Blue/Gloss Black

KIDS >>

KIDS 24" WHEELS

Mt. Track 240

A true mountain bike in a kids size.

FRAME > Alloy. A smaller version of a true mountain bike.
WHEELS > Alloy rims and Bontrager Revolt tires are traction-filled.
SUSPENSION > Post Modern fork, 63mm travel. Designed for real off-road.
COMPONENTS > Shimano Acera/Deore 8-speed derailleurs. SRAM GripShift twist shifters are easy to use.
COLOR > Pearl White/Trek Red

KIDS 24" WHEELS

Mt. Track 230

A junior hardtail.

FRAME > Steel and Cro-Moly Y design. A smaller version of a true mountain bike.
WHEELS > Alloy rims and Bontrager Revolt tires are traction-filled.
SUSPENSION > Post Modern fork, 63mm travel. Designed for real off-road.
COMPONENTS > Shimano Altus/TY30 7-speed derailleurs. SunRace twist shifters are easy to use.
COLORS > Gloss Black/Team Blue (boys), Gloss Black/Purple (girls)

KIDS 24" WHEELS

Mt. Track 220

This mountain bike's not a blue light special on aisle 9.

FRAME > Steel and Cro-Moly Y design. A smaller version of a true mountain bike.
WHEELS > Alloy rims and Bontrager Revolt tires are traction-filled.
COMPONENTS > Shimano Altus/TY30 7-speed derailleurs. SunRace twist shifters are easy to use.
COLORS > Silver/Trek Red (boys), Silver/Team Blue (boys), Blue (girls), Grape/Purple (girls)

KIDS

Mt. Train™ 241 and 247

You control the bike, your child enjoys the ride.

FRAME > Cro-Moly and steel pedal trailer. Patented hitch secures easily to seatpost. Boom arm folds for storage.
WHEELS > 24" alloy rear wheel with stainless steel spokes.
COMPONENTS > Single speed or 7-speed.
COLORS > Black, Blue

KIDS

Mt. Train™ 201

The next step in family fun.

FRAME > Cro-Moly and steel pedal trailer. Patented hitch secures easily to seatpost. Boom arm folds for storage.
WHEELS > 20" alloy rear wheel with stainless steel spokes.
COMPONENTS > Single speed.
COLOR > Red

KIDS 20" WHEELS

Mt. Lion 60

Time to shift gears.

FRAME > All-high-tensile Y design. A smaller version of a true mountain bike.

WHEELS > Alloy rims and Bontrager Revolt tires are traction-filled.

COMPONENTS > SunRace 6-speed twist shifter is easy to use.

COLORS > Gloss Black (boys), Purple (girls)

KIDS 20" WHEELS

Mt. Lion 30

Shed the training wheels – it's go time.

FRAME > All-high-tensile Y design. A smaller version of a true BMX bike.

WHEELS > Alloy rims and Trek Paw design tires are traction-filled.

COMPONENTS > Pads, a coaster brake and a kid-sized hand brake help kids gain confidence.

COLORS > Ice Royal Blue (boys), Silver/Gloss Black (boys), Purple (girls), Pink/Sky Blue (girls)

KIDS 16" WHEELS

Mt. Cub 16

For little riders with big aspirations.

FRAME > All-high-tensile Y design. Kid-proof and fun to ride.

WHEELS > Steel rims and Trek Paw design tires are traction-filled.

COMPONENTS > Pads, training wheels and a kid-sized hand brake help kids gain confidence, safely.

COLORS > Ice Royal Blue (boys), Ice Red (boys), Pretty Pink (girls), Pure Purple (girls)

KIDS 12" WHEELS

Mt. Cub 12

It all starts here.

FRAME > All-high-tensile Y design. Kid-proof and fun to ride.

WHEELS > Steel rims and Trek Paw design tires are traction-filled.

COMPONENTS > Pads, fenders and training wheels help kids gain confidence, safely.

COLORS > Gloss Black (boys), Pretty Pink (girls)

BMX >>

> RACE
Designed to go fast around moto-tracks and keep cool in the heat of competition.

> DIRT
The birthplace of BMX - built for trying tricks out in backyards or on back forties.

> FREESTYLE
Designed for doing can-cans, 540s and more on any trick-supported landmark that inspires you.



>> BMX Mega Champ Wade Bootes

BMX >> FREESTYLE/AIR

VERT 1

Where vert begins.

FRAME > All-steel. Trek Air geometry blends the best of vert and street bikes.

FORK > All-steel Freestyle with1-3/8" blades.

COMPONENTS > U-brakes. Front and rear steel pegs cut the sickest tricks.

COLORS > Blue Moon, Gloss Black

BMX >> DIRT

TR10

Dirt cheap.

FRAME > New dirt design in all steel.

FORK > Oversized, Dirt-friendly and all steel. 1-3/8" blades and super-thick steer tube for easy re-entry.

COMPONENTS > 180mm forged steel crank takes the torque.

COLORS > Silver/Team Blue, White/Trek Red, Gloss Black

BMX >> RACE

T.I. 24 Cruiser

Cool in cruise control.

FRAME > New aluminum race. Pro XL size and cruiser configuration.

FORK > All Cro-Moly Trek Race, with 1-3/8" blades.

COMPONENTS > Lee Chi/ProMax linear rear brake. Maxxis tires for sure grip.

COLORS > Team Blue/ Gloss Black

BMX >> RACE

T.I. 1

Ride the same style frame raced by BMX icon Wade Bootes.

FRAME > New aluminum race in a Pro size.

FORK > Trek Race, with 1-3/8" Cro-Moly blades.

COMPONENTS > Trek race bars. Maxxis tires for sure grip.

COLORS > Silver/Trek Red, Team Blue/Gloss Black

>> OCLV™ Carbon Fiber

Our proprietary process creates the lightest, stiffest, strongest bike you can ride all day. Stock bikes with two Tour de France wins and a NORBA national championship.

Optimum Compaction is a precise carbon-to-epoxy ratio, compressed to a thickness that gives our OCLV sheets the ideal balance of light weight and stiffness. Low Void is the removal of air pockets during compression for added strength and durability. Because carbon fiber's the only directional frame material, our engineers can lay up the OCLV sheets to make tubes that soak up road or trail vibration for more comfort, or stay stiff for better power transfer. The payoff's a handcrafted bike frame that's stiff and compliant in the right places. Stronger than steel, lighter than titanium, and backed by the Trek Limited Lifetime Warranty.



> What's in it for you

OCLV 110

By optimizing the carbon content, we've created the lightest, stiffest, and strongest stock frame ever made.

OCLV CARBON 110

OCLV 120

You get the same great all-around ride the USPS team loves - in a frame that's 100 grams lighter than '99's Tour winner.

OCLV CARBON 120

OCLV

The right mix of stiffness and responsiveness to tackle the longest, toughest, and most technical pro courses.

OCLV CARBON

OCLV HC

The same performance as Travis Brown's '99 NORBA winner and Lance Armstrong's 2000 Tour time trial bike.

OCLV CARBON HC

> The details

A superior material, specially engineered for Lance Armstrong. It's 160 grams lighter than '99's Tour winner, but stronger and stiffer. It uses 110 grams of carbon fiber per square meter of OCLV material, hand built into a lightweight frame.

RELATIVE ULTIMATE STRENGTH



RELATIVE MODULUS (STIFFNESS)



We've refined the OCLV process to give you a stiff, strong frame that weighs 100 grams less than last year's. It uses 120 grams of carbon fiber per square meter of OCLV material, hand built into a lightweight frame.

RELATIVE ULTIMATE STRENGTH



RELATIVE MODULUS (STIFFNESS)



The material that started it all, featured in both Lance's '99 Tour-winner and the Trek/VW team's 2000 ride. It uses 150 grams of carbon fiber per square meter of OCLV material, hand built into a lightweight frame.

RELATIVE ULTIMATE STRENGTH



RELATIVE MODULUS (STIFFNESS)



It features a Honeycomb of Nomex® between layers of OCLV carbon in critical areas. The larger surface areas add stiffness, so we can lighten the overall frame, and create a more aerodynamic shape.

RELATIVE STRENGTH-TO-WEIGHT RATIO



RELATIVE STIFFNESS-TO-WEIGHT RATIO



> Found on

ROAD > 5900 USPS Team Superlight

ROAD > 5500 · 5200 USPS Team Bike

MOUNTAIN > STP 400 · STP 200 · Trek/VW Pro STP Frameset

ROAD > USPS Team Time Trial Frameset

MOUNTAIN > Elite 9.8 · Trek/VW Pro Frameset

> Weighs

ROAD > 2.27 lbs / 1030 g

(Frame and fork 2.98lbs / 1353g)

ROAD > 2.4 lbs / 1090 g

(Frame and fork 3.39 lbs / 1539g. 1999 Tour bike: 3.65 lbs / 1658g)

MOUNTAIN > 3.6 lbs / 1634 g

ROAD > 3.36 lbs / 1525 g

MOUNTAIN > 3.0 lbs / 1362 g

>> Alpha™ Aluminum

Trek Alpha aluminum has revolutionized aluminum at all levels of performance, from racing to recreational comfort.

The Alpha process starts with the highest quality, bike-grade aluminum available. We then carefully form tubes that are thicker and stronger where they should be, and thinner and lighter where they can be. The tubes are then engineered and handbuilt into frames by the world's finest craftsmen. Many of the bikes are hand-welded in Waterloo, Wisconsin.

	Alpha SLR	Alpha SL	Alpha ZX	Alpha
> What's in it for you	Our lightest aluminum, made for race-worthy performance.	A frame that likes to go fast, but isn't afraid to carry a load.	A durable aluminum frame with a superior strength-to-weight ratio.	A frame that's light on weight and long on comfort.
> The details	We take Alpha aluminum and create seamless drawn, double butted tubing in a race design. The frame features a custom butted headtube, 3-D forged wishbone monostay, stiff and powerful elliptical chainstays, and a replaceable derailleur hanger.	We take Alpha aluminum and create seamless drawn, double butted tubing. The frame features a custom butted headtube, 3-D forged wishbone monostay, stiff and powerful elliptical chain-stays, and a replaceable derailleur hanger.	We take Alpha aluminum and create seamless drawn tubes. The frame features a custom butted headtube, wishbone monostay, stiff and powerful elliptical chainstays, and a replaceable derailleur hanger.	We take Alpha aluminum and create lightweight, TIG-welded, oversized aero power tubes. The Alpha mountain bikes feature a wishbone monostay.
> Found on	**ROAD >** 2300 · 2300 WSD · Hilo 2000 · Hilo 1000 **MOUNTAIN >** Fuel 100 · Fuel 98 · Fuel 90 · Fuel 90 WSD · Fuel 80 **MOUNTAIN >** 8500 · 8500 frameset · 8000	**ROAD >** 2200 · 2200 WSD · 2000 · 2000 WSD · XO 1	**MOUNTAIN >** 6700 · 6700 WSD · 6500 **CITY & BIKE PATH >** 7700 · 7600 · 7500 FX	**ROAD >** 1200 · 1000 · R200 **MOUNTAIN >** 4900 · 4900 WSD · Y1 · Bruiser Two · Bruiser One · 4500 · 4300 **CITY & BIKE PATH >** Navigator 500 · Navigator 400 · Navigator 300 · Navigator 200 · 7500 · 7300 · 7200 FX · 7200 **CITY & BIKE PATH >** Clyde
> Weighs	**ROAD >** 2.8 lbs / 11272 g **MOUNTAIN >** 4.75 lbs / 12157 g **MOUNTAIN >** 3.4 lbs / 11544 g	**ROAD >** 2.9 lbs / 11317 g	**MOUNTAIN >** 3.63 lbs / 11649 g **CITY & BIKE PATH >** 3.63 lbs / 11649 g	**ROAD >** 3.1 lbs / 11408 g **MOUNTAIN >** 4.2 lbs / 11908 g **CITY & BIKE PATH >** 4.2 lbs / 11908 g **CITY & BIKE PATH >** 5.0 pounds / 2271 g

>> Trek Steel

It's where we started, and where we continue to excel over the rest of the industry.

We use quality Cro-Moly and steel to create frame materials that maximize steel's shock absorbency and minimize weight while maintaining its value.

	Trek Cro-Moly	Trek High Tensile Steel
> What's in it for you	The highest price-to-performance ratio of all our bikes.	A value material that's durable and shock absorbing.
> The details	High-grade, Trek engineered, butted Cro-Moly steel designed to provide excellent durability and shock absorption.	We use quality engineered grade steel to form frames with lots of comfort and long-lasting strength.
> Found on	**ROAD >** 520 **MOUNTAIN >** 820 **MOUNTAIN >** 800 Sport **CITY & BIKE PATH >** 700	**CITY & BIKE PATH >** Town & Country · Calypso · Cruiser Classic
> Weighs	**ROAD >** 4.3 lbs / 11953 g **MOUNTAIN >** 4.6 lbs / 12089 g **MOUNTAIN >** 5.0 lbs / 12271 g **CITY & BIKE PATH >** 5.0 pounds / 2271 g	**CITY & BIKE PATH >** 5.0+ lbs / 12271+ g

>> ROAD



USPS Team Time Trial

	FRAME SIZE	S 66-69cm	M 70-71cm	L 72-75cm
A	HEAD ANGLE	73.7°	73.7°	73.7°
B	SEAT ANGLE [1]	74.0°	74.0°	74.0°
C	TOP TUBE [2]	58.9-60.2cm	60.3-61.6cm	61.7-63.1cm
D	BOTTOM BRACKET	26.4cm	26.4cm	26.4cm

[1] Seat tube is measured from center of bottom bracket to center of seat rails along seat tube centerline.

[2] Top tube is measured from center of head tube top to center of seat rails at seat tube centerline.



5900 / 5500 / 5200

	FRAME SIZE	XS 50cm	S 52cm	S 54cm	M 56cm	M 58cm	L 60cm	XL 62cm
A	HEAD ANGLE	72.0°	72.5°	73.0°	73.8°	73.8°	74.0°	74.0°
B	SEAT ANGLE	75.0°	75.0°	74.0°	73.5°	73.0°	73.0°	72.5°
C	TOP TUBE	52.5 20.7	53.1 20.9	54.5 21.5	56.1 22.1	57.1 22.5	58.1 22.9	59.2 23.3
D	CHAIN STAY	40.8 16.1	40.8 16.1	41.0 16.1	41.0 16.1	41.2 16.2	41.2 16.2	41.2 16.2
E	BOTTOM BRACKET	26.6 10.5	26.6 10.5	26.6 10.5	26.8 10.6	26.8 10.6	26.8 10.6	26.8 10.6
F	OFFSET	4.7 1.9	4.7 1.9	4.7 1.9	4.3 1.7	4.3 1.7	4.3 1.7	4.3 1.7
G	WHEEL BASE	98.0 38.6	98.2 38.7	98.5 38.8	98.6 38.8	99.3 39.1	100.1 39.4	100.5 39.6
	TRAIL	6.0 2.4	5.7 2.2	5.4 2.1	5.3 2.1	5.3 2.1	5.2 2.0	5.2 2.0
	STAND OVER	74.0 29.1	75.4 29.7	77.0 30.3	79.0 31.1	80.7 31.8	82.6 32.5	84.4 33.2



2300 / 2200 / 2000 / 1200

(SOME MODELS NOT AVAILABLE IN ALL SIZES)

	FRAME SIZE	XS 50cm	S 52cm	S 54cm	M 56cm	M 58cm	L 60cm	XL 63cm
A	HEAD ANGLE	72.0°	72.5°	73.0°	73.8°	73.8°	74.0°	74.0°
B	SEAT ANGLE	75.0°	75.0°	74.0°	73.5°	73.0°	73.0°	72.5°
C	TOP TUBE	52.3 20.6	52.6 20.7	54.4 21.4	56.0 22.1	57.1 22.5	58.1 22.9	60.1 23.7
D	CHAIN STAY	41.7 16.4	41.7 16.4	41.7 16.4	41.7 16.4	41.7 16.4	41.7 16.4	41.7 16.4
E	BOTTOM BRACKET	26.6 10.5	26.6 10.5	26.6 10.5	26.8 10.6	26.8 10.6	26.8 10.6	27.0 10.6
F	OFFSET	4.7 1.9	4.7 1.9	4.7 1.9	4.3 1.7	4.3 1.7	4.3 1.7	4.3 1.7
G	WHEEL BASE	98.8 38.9	98.9 38.9	99.3 39.1	99.4 39.1	99.9 39.3	100.6 39.6	102.1 40.2
	TRAIL	6.0 2.4	5.7 2.2	5.4 2.1	5.3 2.1	5.3 2.1	5.2 2.0	5.2 2.0
	STAND OVER	74.0 29.1	75.4 29.7	76.8 30.2	78.8 31.0	80.6 31.7	82.5 32.5	85.4 33.6

2300WSD / 2200WSD / 2000WSD

	FRAME SIZE	WXS 43cm	WS 47cm	WM 52cm	WL 54cm
A	HEAD ANGLE	73.0°	72.5°	72.5°	72.5°
B	SEAT ANGLE	76.0°	75.0°	74.0°	74.0°
C	TOP TUBE	48.8 19.2	49.9 19.6	50.4 19.8	52.5 20.7
D	CHAIN STAY	41.2 16.2	41.2 16.2	41.2 16.2	41.7 16.4
E	BOTTOM BRACKET	28.4 11.2	28.6 11.3	28.6 11.3	26.6 10.5
F	OFFSET	3.8 1.5	3.8 1.5	3.8 1.5	4.7 1.9
G	WHEEL BASE	95.0 37.4	95.6 37.6	95.4 37.6	97.8 38.5
	TRAIL	5.6 2.2	5.9 2.3	5.9 2.3	5.7 2.2
	STAND OVER	68.3 26.9	70.8 27.9	75.1 29.6	76.3 30.0

1000

	FRAME SIZE	XS 43cm	XS 50cm	S 52cm	S 54cm	M 56cm	M 58cm	L 60cm	XL 63cm
A	HEAD ANGLE	72.5°	72.5°	72.5°	72.5°	73.5°	74.0°	74.0°	74.0°
B	SEAT ANGLE	75.0°	75.0°	75.0°	74.0°	73.5°	73.5°	73.0°	72.5°
C	TOP TUBE	52.0 20.5	52.0 20.5	53.0 20.9	53.6 21.1	55.5 21.9	56.5 22.2	57.5 22.6	59.5 23.4
D	CHAIN STAY	41.5 16.3	41.5 16.3	41.5 16.3	41.5 16.3	41.5 16.3	41.5 16.3	41.5 16.3	41.5 16.3
E	BOTTOM BRACKET	26.6 10.5	26.6 10.5	26.6 10.5	26.6 10.5	26.6 10.5	26.6 10.5	26.6 10.5	26.6 10.5
F	OFFSET	4.7 1.9	4.7 1.9	4.7 1.9	4.7 1.9	4.7 1.9	4.3 1.7	4.3 1.7	4.3 1.7
G	WHEEL BASE	98.0 38.6	98.0 38.6	100.0 39.4	98.7 38.9	98.9 38.9	99.9 39.3	99.9 39.3	102.0 40.1
	TRAIL	6.0 2.4	6.0 2.4	6.0 2.4	6.0 2.4	5.4 2.1	5.5 2.2	5.5 2.2	5.5 2.2
	STAND OVER	71.3 28.1	74.7 29.4	75.6 29.8	76.5 30.1	78.5 30.9	80.4 31.7	82.1 32.3	85.2 33.5



Elite 9.8 Disc / Elite 9.8

	FRAME SIZE	S 15.5"	M 17.5"	L 19.5"	XL 21.5"
A	HEAD ANGLE	71.0°	71.0°	71.0°	71.0°
B	SEAT ANGLE	74.0°	73.0°	73.0°	72.5°
C	TOP TUBE	55.0 21.7	58.8 23.1	62.5 24.6	64.1 25.2
D	CHAIN STAY	42.4 16.7	42.4 16.7	42.4 16.7	42.4 16.7
E	BOTTOM BRACKET	29.7 11.7	29.7 11.7	29.7 11.7	29.7 11.7
F	OFFSET	4.2 1.7	4.2 1.7	4.2 1.7	4.2 1.7
G	WHEEL BASE	103.5 40.7	106.4 41.9	110.2 43.4	111.3 43.8
	TRAIL	7.0 2.8	7.0 2.8	7.0 2.8	7.0 2.8
	STAND OVER	70.8 27.9	74.4 29.3	78.2 30.8	82.1 32.3



Fuel 100 / Fuel 98 / Fuel 90 Disc / Fuel 90 / Fuel 80

	FRAME SIZE	S 15.5"	M 17.5"	L 19.5"	XL 21.5"
A	HEAD ANGLE	71.0°	71.0°	71.0°	71.0°
B	SEAT ANGLE	73.5°	73.5°	73.5°	73.5°
C	TOP TUBE	55.0 21.7	58.8 23.1	62.5 24.6	64.1 25.2
D	CHAIN STAY	42.3 16.7	42.3 16.7	42.3 16.7	42.3 16.7
E	BOTTOM BRACKET	31.1 12.2	31.1 12.2	31.1 12.2	31.1 12.2
F	OFFSET	3.9 1.5	3.9 1.5	3.9 1.5	3.9 1.5
G	WHEEL BASE	103.2 40.6	107.1 42.2	110.9 43.6	112.6 44.3
	TRAIL	7.3 2.9	7.3 2.9	7.3 2.9	7.3 2.9
	STAND OVER	72.2 28.4	75.0 29.5	79.0 31.1	83.1 32.7

Fuel 90 WSD

	FRAME SIZE	S 14"	M 16"	L 18"
A	HEAD ANGLE	70.0°	70.0°	70.0°
B	SEAT ANGLE	73.5°	73.5°	73.5°
C	TOP TUBE	52.8 20.8	53.2 21.0	56.3 22.2
D	CHAIN STAY	42.3 16.7	42.3 16.7	42.3 16.7
E	BOTTOM BRACKET	31.1 12.2	31.1 12.2	31.1 12.2
F	OFFSET	3.9 1.5	3.9 1.5	3.9 1.5
G	WHEEL BASE	101.8 40.1	102.3 40.3	105.3 41.5
	TRAIL	8.0 3.1	8.0 3.1	8.0 3.1
	STAND OVER	68.5 26.9	71.7 28.2	75.5 29.7



4900 Disc / 4900 / 4500 / 4300

(SOME MODELS NOT AVAILABLE IN ALL SIZES)

	FRAME SIZE	XS 13"	S 16.5"	M 18"	M 19.5"	L 21"	XL 22.5"	XL 24"
A	HEAD ANGLE	70.5°	71.0°	71.0°	71.0°	71.0°	71.0°	70.5°
B	SEAT ANGLE	74.0°	73.5°	73.0°	73.0°	73.0°	72.5°	72.0°
C	TOP TUBE	53.0 20.9	56.0 22.0	57.9 22.8	58.9 23.2	60.0 23.6	61.0 24.0	61.5 24.2
D	CHAIN STAY	43.0 16.9	43.0 16.9	43.0 16.9	43.0 16.9	43.0 16.9	43.0 16.9	43.0 16.9
E	BOTTOM BRACKET	28.5 11.2	29.2 11.5	29.5 11.6	29.5 11.6	29.5 11.6	29.7 11.7	30.0 11.8
F	OFFSET	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5
G	WHEEL BASE	101.6 40.0	103.9 40.9	105.5 41.6	106.6 42.0	107.8 42.4	108.4 42.7	108.9 42.8
	TRAIL	7.8 3.1	7.4 2.9	7.4 2.9	7.4 2.9	7.4 2.9	7.4 2.9	7.8 3.1
	STAND OVER	65.0 25.6	71.2 28.0	74.1 29.2	77.2 30.4	80.2 31.6	83.9 33.0	87.2 34.3

820 / 800 SPORT

(SOME MODELS NOT AVAILABLE IN ALL SIZES)

	FRAME SIZE	XS 13"	S 16.5"	M 19"	M 19.5"	L 21"	XL 22.5"	XL 24"	WS 15"	WS 17"	WL 20"
A	HEAD ANGLE	70.0°	70.5°	70.5°	70.5°	71.0°	71.0°	71.0°	70.0°	70.5°	70.5°
B	SEAT ANGLE	74.0°	73.5°	73.0°	73.0°	72.5°	72.0°	72.0°	74.0°	73.5°	73.0°
C	TOP TUBE	52.8 20.8	54.5 21.5	55.5 21.9	56.5 22.2	57.5 22.6	58.5 23.0	59.5 23.4	52.5 20.7	54.2 21.3	55.0 21.6
D	CHAIN STAY	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1
E	BOTTOM BRACKET	28.8 11.3	29.1 11.5	29.1 11.5	29.3 11.5	29.3 11.5	29.5 11.6	29.5 11.6	28.3 11.1	28.3 11.1	28.3 11.1
F	OFFSET	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5
G	WHEEL BASE	102.3 40.3	103.2 40.6	103.8 40.8	104.9 41.3	105.1 41.4	105.7 41.6	106.8 42.0	102.2 40.2	102.7 40.4	103.1 40.6
	TRAIL	8.1 3.2	7.8 3.1	7.8 3.1	7.8 3.1	7.4 2.9	7.4 2.9	7.4 2.9	8.0 3.1	7.8 3.1	7.8 3.1
	STAND OVER	63.8 25.1	69.7 27.4	72.2 28.4	75.4 29.7	79.0 31.1	82.7 32.6	86.3 34.0	50.1 19.7	50.1 19.7	50.1 19.7

>> HYBRID



Clyde / Town & Country / Calypso / Cruiser Classic

	FRAME SIZE	M 20"	M 22"
A	HEAD ANGLE	69.5°	69.5°
B	SEAT ANGLE	72.8°	72.8°
C	TOP TUBE	58.3 23.0	56.0 22.0
D	CHAIN STAY	45.0 17.7	45.0 17.7
E	BOTTOM BRACKET	27.5 10.8	27.5 10.8
F	OFFSET	5.8 2.3	5.8 2.3
G	WHEEL BASE	110.5 43.5	108.0 42.5
	TRAIL	6.4 2.5	6.4 2.5
	STAND OVER	68.3 26.9	52.6 20.7



Hilo 2000
Hilo 1000



	FRAME SIZE	XS 50cm	S 54cm	M 56cm	L 58cm	XL 60cm
A	HEAD ANGLE	72.5°	72.5°	72.5°	72.5°	72.5°
B	SEAT ANGLE	78.0°	78.0°	78.0°	78.0°	78.0°
C	TOP TUBE	51.2 20.1	53.2 20.9	54.2 21.3	55.4 21.8	56.9 22.4
D	CHAIN STAY	38.0 15.0	38.0 15.0	38.0 15.0	38.0 15.0	38.0 15.0
E	BOTTOM BRACKET	26.8 10.6	26.8 10.6	26.8 10.6	26.8 10.6	26.8 10.6
F	OFFSET	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5
G	WHEEL BASE	96.4 38.0	98.6 38.8	99.8 39.3	101.2 39.8	102.9 40.5
	TRAIL	5.9 2.3	5.9 2.3	5.9 2.3	5.9 2.3	5.9 2.3
	STAND OVER	72.4 28.5	74.0 29.1	75.8 29.8	77.6 30.6	80.2 31.6

XO 1



	FRAME SIZE	S 52cm	M 55cm	L 58cm	XL 61cm
A	HEAD ANGLE	71.0°	71.5°	72.0°	72.5°
B	SEAT ANGLE	74.5°	73.5°	73.0°	72.5°
C	TOP TUBE	53.5 21.1	55.5 21.9	57.0 22.4	59.0 23.2
D	CHAIN STAY	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1
E	BOTTOM BRACKET	28.4 11.2	28.4 11.2	28.4 11.2	28.4 11.2
F	OFFSET	4.5 1.8	4.5 1.8	4.5 1.8	4.5 1.8
G	WHEEL BASE	102.7 40.4	103.4 40.7	103.9 40.9	104.8 41.3
	TRAIL	7.2 2.8	6.8 2.7	6.5 2.6	6.2 2.4
	STAND OVER	75.9 29.9	78.5 30.9	82.8 32.6	65.3 33.6

520



	FRAME SIZE	S 17"	M 19"	M 21"	L 23"	XL 25"
A	HEAD ANGLE	71.0°	71.0°	71.0°	72.0°	72.5°
B	SEAT ANGLE	74.3°	74.0°	73.5°	73.0°	72.0°
C	TOP TUBE	54.0 21.3	54.5 21.5	55.5 21.9	56.6 22.3	59.0 23.2
D	CHAIN STAY	45.0 17.7	45.0 17.7	45.0 17.7	45.0 17.7	45.0 17.7
E	BOTTOM BRACKET	26.8 10.6	26.8 10.6	27.3 10.7	27.3 10.7	27.3 10.7
F	OFFSET	5.2 2.0	5.2 2.0	5.2 2.0	5.2 2.0	5.2 2.0
G	WHEEL BASE	104.4 41.1	104.6 41.2	105.4 41.5	105.2 41.4	106.2 41.8
	TRAIL	6.3 2.5	6.3 2.5	6.3 2.5	5.7 2.2	5.4 2.1
	STAND OVER	71.8 28.3	74.0 29.1	76.8 30.2	80.6 31.7	85.2 33.5

>> MOUNTAIN

STP 400
STP 300
STP 200



	FRAME SIZE	M 17.5"	L 19.5"	XL 21.5"
A	HEAD ANGLE	71.0°	71.0°	71.0°
B	SEAT ANGLE	73.0°	73.0°	73.0°
C	TOP TUBE	58.9 23.2	62.5 24.6	63.4 24.9
D	CHAIN STAY	42.4 16.7	42.4 16.7	42.4 16.7
E	BOTTOM BRACKET	29.8 11.7	29.8 11.7	29.8 11.7
F	OFFSET	4.2 1.7	4.2 1.7	4.2 1.7
G	WHEEL BASE	106.4 41.9	110.1 43.4	111.2 43.8
	TRAIL	7.0 2.6	7.0 2.8	7.0 2.8
	STAND OVER	74.7 29.4	77.6 30.5	81.4 32.0

8500 Disc
8500
8000 Disc
8000



	FRAME SIZE	S 15.5"	M 17.5"	L 19.5"	XL 21.5"
A	HEAD ANGLE	71.0°	71.0°	71.0°	71.0°
B	SEAT ANGLE	73.5°	73.0°	73.0°	72.5°
C	TOP TUBE	55.0 21.7	58.8 23.1	62.5 24.6	64.1 25.2
D	CHAIN STAY	42.4 16.7	42.4 16.7	42.4 16.7	42.4 16.7
E	BOTTOM BRACKET	29.7 11.7	29.7 11.7	29.7 11.7	30.0 11.8
F	OFFSET	4.2 1.7	4.2 1.7	4.2 1.7	4.2 1.7
G	WHEEL BASE	103.0 40.6	106.4 41.9	110.1 43.4	111.4 43.9
	TRAIL	7.0 2.8	7.0 2.8	7.0 2.8	7.0 2.8
	STAND OVER	70.6 27.8	74.2 29.2	78.0 30.7	82.1 32.3

8000WSD
6700WSD
4900WSD

	FRAME SIZE	WXS 14"	WS 16"	WM 18"
A	HEAD ANGLE	70.0°	70.0°	70.0°
B	SEAT ANGLE	75.0°	74.0°	73.5°
C	TOP TUBE	51.8 20.4	53.2 21.0	56.3 22.2
D	CHAIN STAY	42.4 16.7	42.4 16.7	42.4 16.7
E	BOTTOM BRACKET	28.8 11.3	28.8 11.3	29.3 11.5
F	OFFSET	4.2 1.6	4.2 1.6	4.2 1.6
G	WHEEL BASE	101.8 40.1	102.3 40.3	105.1 41.4
	TRAIL	7.7 3.0	7.7 3.0	7.7 3.0
	STAND OVER	67.0 26.4	70.1 27.6	74.1 29.2

6700 Disc
6700
6500

	FRAME SIZE	S 16.5"	M 18"	L 19.5"	L 21"
A	HEAD ANGLE	71.0°	71.0°	71.0°	71.0°
B	SEAT ANGLE	73.5°	73.0°	73.0°	72.5°
C	TOP TUBE	56.6 22.3	58.4 23.0	59.6 23.5	61.0 24.0
D	CHAIN STAY	42.4 16.7	42.4 16.7	42.4 16.7	42.4 16.7
E	BOTTOM BRACKET	29.1 11.5	29.3 11.5	29.5 11.6	29.7 11.7
F	OFFSET	4.2 1.6	4.2 1.6	4.2 1.6	4.2 1.6
G	WHEEL BASE	104.2 41.0	105.7 41.6	107.0 42.1	108.0 42.5
	TRAIL	7.0 2.8	7.0 2.8	7.0 2.8	7.0 2.8
	STAND OVER	73.6 29.0	79.4 31.3	79.0 31.1	81.7 32.2

Y 1



	FRAME SIZE	S	M	L
A	HEAD ANGLE	71.5°	71.6°	71.6°
B	SEAT ANGLE	74.5°	73.6°	72.6°
C	TOP TUBE	56.2 22.1	61.1 24.1	64.1 25.2
D	CHAIN STAY	42.5 16.7	42.5 16.7	42.5 16.7
E	BOTTOM BRACKET	30.2 11.9	30.2 11.9	30.2 11.9
F	OFFSET	4.2 1.7	4.2 1.7	4.2 1.7
G	WHEEL BASE	105.9 41.7	109.9 43.3	111.5 43.9
	TRAIL	6.8 2.7	6.8 2.7	6.8 2.7
	STAND OVER	71.2 28.0	73.0 28.7	75.0 29.5



Bruiser Two

	FRAME SIZE	M 14.5"	L 16.0"
A	HEAD ANGLE	70.0°	70.0°
B	SEAT ANGLE	71.0°	71.0°
C	TOP TUBE	57.0 22.4	59.2 23.3
D	CHAIN STAY	42.0 16.5	42.0 16.5
E	BOTTOM BRACKET	32.4 12.7	32.4 12.7
F	OFFSET	4.0 1.6	4.0 1.6
G	WHEEL BASE	103.9 40.9	106.1 41.8
	TRAIL	7.9 3.1	7.9 3.1
	STAND OVER	70.0 27.5	71.6 28.2

Bruiser One

	FRAME SIZE	M 14.5"	L 16.0"
A	HEAD ANGLE	70.0°	70.0°
B	SEAT ANGLE	71.0°	71.0°
C	TOP TUBE	57.0 22.4	59.2 23.3
D	CHAIN STAY	42.0 16.5	42.0 16.5
E	BOTTOM BRACKET	32.4 12.7	32.4 12.7
F	OFFSET	3.3 1.3	3.3 1.3
G	WHEEL BASE	103.2 40.6	105.4 41.5
	TRAIL	8.6 3.4	8.6 3.4
	STAND OVER	70.0 27.5	71.6 28.2

Navigator 500
Navigator 400
Navigator 300
Navigator 200

(SOME MODELS NOT AVAILABLE IN ALL SIZES)

	FRAME SIZE	M 14.5"	L 16.5"	XL 18.5"	XXL 21"	WM 14.5"	WL 16.5"
A	HEAD ANGLE	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°
B	SEAT ANGLE	73.5°	73.0°	73.0°	72.5°	73.5°	73.0°
C	TOP TUBE	54.4 21.4	55.9 22.0	57.9 22.8	59.5 23.4	54.0 21.3	54.8 21.6
D	CHAIN STAY	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1	43.5 17.1
E	BOTTOM BRACKET	28.7 11.3	28.7 11.3	28.7 11.3	28.7 11.3	28.3 11.1	28.3 11.1
F	OFFSET	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5	3.8 1.5
G	WHEEL BASE	103.1 40.6	104.2 41.0	106.4 41.9	107.6 42.4	102.6 40.4	103.1 40.6
	TRAIL	7.8 3.1	7.8 3.1	7.8 3.1	7.8 3.1	7.8 3.1	7.8 3.1
	STAND OVER	67.9 26.7	71.6 28.2	75.9 29.9	81.0 31.9	59.5 23.4	60.4 23.8

7700
7600
7500 FX
7500
7300
7200 FX
7200

(SOME MODELS NOT AVAILABLE IN ALL SIZES)

	FRAME SIZE	XS 13"	XS 15"	S 17.5"	M 20"	L 22.5"	WXS 15"	WS 17"	WM 20"
A	HEAD ANGLE	70.0°	70.0°	70.5°	70.5°	71.5°	70.0°	70.5°	71.5°
B	SEAT ANGLE	74.5°	74.0°	74.0°	73.0°	73.0°	74.0°	73.0°	73.0°
C	TOP TUBE	53.8 21.2	54.4 21.4	54.8 21.6	55.7 21.9	58.1 22.9	54.7 21.5	56.3 22.2	58.0 22.8
D	CHAIN STAY	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5
E	BOTTOM BRACKET	28.1 11.1	28.1 11.1	28.1 11.1	28.1 11.1	28.1 11.1	28.1 11.1	28.1 11.1	28.1 11.1
F	OFFSET	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0
G	WHEEL BASE	105.5 41.5	105.6 41.6	105.6 41.6	106.2 41.8	106.9 42.1	105.6 41.6	106.2 41.8	106.9 42.0
	TRAIL	7.3 2.9	7.3 2.9	7.0 2.7	7.0 2.7	6.3 2.5	7.0 2.7	7.0 2.7	7.0 2.7
	STAND OVER	65.4 25.7	68.5 27.0	73.1 28.8	76.9 30.3	81.7 32.2	105.6 41.6	106.1 41.8	109.1 42.9

700

	FRAME SIZE	XS 15"	S 17"	M 19"	M 21"	L 23"	WXS 15"	WS 17"	WM 20"
A	HEAD ANGLE	70.0°	70.5°	70.5°	71.5°	71.5°	70.0°	70.5°	70.5°
B	SEAT ANGLE	74.0°	74.0°	73.0°	73.0°	73.0°	74.0°	74.0°	73.0°
C	TOP TUBE	54.5 21.5	55.0 21.7	56.0 22.0	57.0 22.4	58.0 22.8	54.5 21.5	54.7 21.5	55.6 21.9
D	CHAIN STAY	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5	44.5 17.5
E	BOTTOM BRACKET	27.1 10.7	27.1 10.7	27.1 10.7	27.1 10.7	27.1 10.7	27.1 10.7	27.1 10.7	27.1 10.7
F	OFFSET	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0	5.0 2.0
G	WHEEL BASE	105.3 41.5	105.3 41.5	105.4 41.5	105.5 41.5	106.6 42.0	105.3 41.5	105.3 41.5	105.4 41.5
	TRAIL	6.9 2.7	6.5 2.6	6.5 2.6	5.9 2.3	5.9 2.3	6.5 2.6	6.5 2.6	6.5 2.6
	STAND OVER	66.4 26.1	69.6 27.4	72.7 28.6	76.5 30.1	81.0 31.9	58.2 22.9	58.9 23.2	58.9 23.2

All sizes are in centimeters over inches unless otherwise indicated.

ROAD
performance

		USPS Team Time Trial Frameset	5900	5500	5200	2300	2300 WSD	2200	2200 WSD	2000	2000 WSD
frameset	SIZES	(S) 66-69cm, (M) 69-72cm, (L) 72-75cm	(XS) 50cm, (S) 52cm, (S) 54cm, (M) 56cm, (M) 58cm, (L) 60cm, (XL) 62cm	(XS) 50cm, (S) 52cm, (S) 54cm, (M) 56cm, (M) 58cm, (L) 60cm, (XL) 62cm	(XS) 50cm, (S) 52cm, (S) 54cm, (M) 56cm, (M) 58cm, (L) 60cm, (XL) 62cm	(XS) 50cm, (S) 52cm, (S) 54cm, (M) 56cm, (M) 58cm, (L) 60cm, (XL) 63cm	(WXS) 43cm, (WS) 47cm, (WM) 52cm, (WL) 54cm	(XS) 50cm, (S) 52cm, (S) 54cm, (M) 56cm, (M) 58cm, (L) 60cm, (XL) 63cm	(WXS) 43cm, (WS) 47cm, (WM) 52cm, (WL) 54cm	(S) 52cm, (S) 54cm, (M) 56cm, (M) 58cm, (L) 60cm, (XL) 63cm	(WXS) 43cm, (WS) 47cm, (WM) 52cm, (WL) 54cm
	COLORS	USPS Team	Satin Silver	Red Carbon. Frameset available in USPS Team.	USPS Team, Smoke Carbon	Bright Silver	Bright Silver	Metal Flake Yellow	Metal Flake Yellow	Gloss Black	Gloss Black
	FRAME	OCLV HC Carbon. Proven by USPS in the Tour de France. The world's lightest, strongest frame material. Optimum Compaction Low Void carbon. Addition of stiff Honeycomb Nomex® between carbon skins. Tri frame based on race proven, wind tunnel-tested tech. Aero downtube, steeper seattube and flared chainstays for a comfortable, power-generating, aerodynamic position. Handmade in USA. 3.36 lb.	OCLV 110 Carbon. Proven by the USPS team in the Tour de France. The lightest, fastest production frame ever made. The world's lightest, strongest frame material. Optimum Compaction Low Void carbon. 110 grams of carbon fiber per square meter of OCLV material creates an ultralight frame. Trek Pro Race geometry. Handmade in USA. 2.27 lb.	OCLV 120 Carbon. Proven by the USPS team in the Tour de France. 100 grams lighter than the 1999 Tour winner. The world's lightest, strongest frame material. Optimum Compaction Low Void carbon. 120 grams of carbon fiber per square meter of OCLV material creates a superlight frame. Trek Pro Race geometry. Handmade in USA. 2.4 lb.	OCLV 120 Carbon. Proven by the USPS team in the Tour de France. 100 grams lighter than the 1999 Tour winner. The world's lightest, strongest frame material. Optimum Compaction Low Void carbon. 120 grams of carbon fiber per square meter of OCLV material creates a superlight frame. Trek Pro Race geometry. Handmade in USA. 2.4 lb.	Alpha SLR Aluminum. Super Light Race. Double-butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. Stiff powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 2.8 lb.	Alpha SLR Aluminum. Super Light Race. Double-butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. Stiff powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 2.8 lb.	Alpha SL Aluminum. Super Light aluminum. Double-butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. Stiff powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro geometry. Handmade in the USA. 2.9 lb.	Alpha SL Aluminum. Women's Specific Design. Super Light aluminum. Double-butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. Stiff powerful elliptical chainstays. Cold forged replaceable derailleur hanger. WSD geometry. Handmade in the USA. 2.9 lb.	Alpha SL Aluminum. Super Light aluminum. Double-butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. Stiff powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro geometry. Handmade in the USA. 2.9 lb.	Alpha SL Aluminum. Women's Specific Design. Super Light aluminum. Double-butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. Stiff powerful elliptical chainstays. Cold forged replaceable derailleur hanger. WSD geometry. Handmade in the USA. 2.9 lb.
	FORK	Kinesis carbon aero 700c	ICON OCLV Superlight Carbon Air Rail OD. Oversized 1-1/8", 0.77 lbs., 348g	ICON OCLV Carbon Air Rail OD. Oversized 1-1/8", 0.99 lbs., 450g.	ICON OCLV Carbon Air Rail OD. Oversized 1-1/8", 0.99 lbs., 450g	ICON OCLV Carbon Air Rail OD. Oversized 1-1/8", 0.99 lbs., 450g	ICON OCLV Carbon Classic	ICON OCLV Carbon Air Rail	ICON OCLV Carbon Classic	Trek Aluminum Aero	ICON OCLV Carbon Classic
	REAR SHOCK										
wheels	WHEELS		Rolf Sestriere: Rolf 23mm semi-aero rims w/welded machined sidewalls; triple sealed cartridge bearing hubs w/oversized aluminum axles; stainless spokes w/locking alloy external nipples.	Rolf Sestriere: Rolf 23mm semi-aero rims w/welded machined sidewalls; triple sealed cartridge bearing hubs w/oversized aluminum axles; stainless spokes w/locking alloy external nipples.	Rolf Vector Comp: KAZ reinforced welded machined rims; lightweight precision cartridge bearing hubset; DT aero cross section spokes	Rolf Vector Comp: KAZ reinforced welded machined rims; lightweight precision cartridge bearing hubset; DT aero cross section spokes	Rolf Vector Comp: KAZ reinforced welded machined rims; lightweight precision cartridge bearing hubset; DT aero cross section spokes	Rolf Vector: KAZ reinforced welded machined rims; Vector sealed hubset; DT butted spokes	Rolf Vector: KAZ reinforced welded machined rims; Vector sealed hubset; DT butted spokes	Aurora rims; Shimano Tiagra hubs; 15G stainless spokes	Aurora rims; Shimano Tiagra hubs; 15G stainless spokes
	TIRES		Michelin Axial Pro, 700x23c	Michelin Axial Pro, 700x23c	Michelin Axial Pro, 700x23c	Michelin Axial Pro, 700x23c	Michelin Axial Pro, 650x23c	IRC Red Storm, 700x25c	IRC, 650x25c	IRC Red Storm, 700x25c	IRC, 650x25c
cockpit components	SADDLE		Selle San Marco Era, titanium/leather	Selle San Marco Era, titanium/leather	Selle San Marco Era, Cro-Moly/leather	Selle San Marco New Millennium, Cro-moly/leather	Bontrager FS 2000 WSD, Cro-Moly rails	Selle San Marco New Millennium, Cro-moly	Bontrager FS 2000 WSD, Cro-Moly rails	Selle San Marco New Millennium	Bontrager FS 2000 WSD
	SEATPOST		Thomson Elite	Thomson Elite	ICON Graphite	ICON Graphite	ICON Graphite	ICON Graphite	ICON Graphite	Alloy micro-adjust	Alloy micro-adjust
	HANDLEBARS		ICON Sterling	ICON Sterling	ICON Graphite	ICON Graphite	ICON Graphite	ICON Graphite	ICON Graphite	ICON Sleeve Ergo	ICON Sleeve Ergo
	STEM		ICON Sterling OS	ICON Sterling OS	ICON Graphite	ICON Graphite	ICON Graphite	ICON Graphite, quill	ICON Graphite, quill	Alloy road, front load	Alloy road, front load
	HEADSET	Cane Creek Aheadset	Cane Creek S6 Aheadset, 1 1/8"	Cane Creek S6 Aheadset, 1 1/8"	Cane Creek S2 Aheadset, 1 1/8"	Cane Creek S2 Aheadset, 1 1/8"	Cane Creek S2 Aheadset	VP Modus	VP Modus	VP Modus	VP Modus
drivetrain	SHIFTERS		Shimano Dura Ace STI, dual control	Shimano Dura Ace STI, dual control	Shimano Ultegra STI	Shimano Ultegra STI	Shimano Ultegra STI	Shimano 105 STI	Shimano 105	Shimano Tiagra STI	Shimano Tiagra STI
	FRONT DERAILLEUR		Shimano Dura Ace	Shimano Dura Ace	Shimano Ultegra	Shimano Ultegra	Shimano Ultegra	Shimano 105	Shimano 105 T	Shimano Tiagra T	Shimano Tiagra T
	REAR DERAILLEUR		Shimano Dura Ace	Shimano Dura Ace	Shimano Ultegra	Shimano Ultegra	Shimano Ultegra	Shimano 105	Shimano 105 GS	Shimano Tiagra GS	Shimano Tiagra GS
	CRANKSET		Shimano Dura Ace 53/39	Shimano Dura Ace 53/39	Shimano Ultegra 53/39 or 52/42/30	Shimano Ultegra 53/39 or 52/42/30	Shimano Ultegra 52/42/30	Shimano 105 53/39 or 52/42/30	Shimano 105 52/42/30	Shimano Tiagra 52/42/30	Shimano Tiagra 52/42/30
	CASSETTE		Shimano Dura Ace 12-23, 9spd	Shimano Dura Ace 12-23, 9spd	Shimano Ultegra 12-25, 9spd	Shimano Ultegra 12-25, 9spd	Shimano Ultegra 12-25, 9spd	Shimano HG-70 12-25, 9spd	Shimano HG-70 12-25, 9spd	Shimano HG-50 12-25, 9spd	Shimano HG-50 12-25, 9spd
	BRAKESET		Shimano Dura Ace w/Shimano Dura-Ace STI, dual control levers	Shimano Dura Ace w/Shimano Dura-Ace STI levers	Shimano Ultegra w/Shimano Ultegra STI levers	Shimano Ultegra w/Shimano Ultegra STI levers	Shimano Ultegra w/Shimano Ultegra STI levers	Shimano 105 w/Shimano 105 STI levers	Shimano 105 w/Shimano 105 STI levers	Shimano Sora w/Shimano Tiagra STI levers	Shimano Sora w/Shimano Tiagra STI levers
other components	PEDALS							Shimano M515, clipless	Shimano M515, clipless	Alloy road, sealed w/ clips and straps	Alloy road, sealed w/ clips and straps
	ADDITIONAL COMPONENTS										

	triathlon			cyclocross	touring		MOUNTAIN xc full suspension			
1200	1000	Hilo 2000	Hilo 1000	XO 1	520	R200	Fuel 100	Fuel 98	Fuel 90 Disc	
(XS) 50cm, (S) 52cm, (S) 54cm, (M) 56cm, (M) (L) 60cm,	(XS) 43cm, (XS) 50cm, (S) 52cm, (S) 54cm, (M) 56cm, (M) 58cm, (L) 60cm, (XL) 62cm	(XS) 50cm, (S) 54cm, (M) 56cm, (L) 58cm, (XL) 60cm	(XS) 50cm, (S) 54cm, (M) 56cm, (L) 58cm, (XL) 60cm	(S) 52cm, (M) 55cm, (L) 58cm, (XL) 61cm	(S) 17", (M) 19", (M) 21", (L) 23", (XL) 25"	One Size	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	**SIZES**
Trek Red	Candy Blue	Candy Blue. Frameset available.	Trek Red. frameset available	Team Blue. Frameset available.	Slate Pearl	Trek Red	Bright Silver/Candy Blue. Frameset available.	Bright Silver/Gloss Black	Matte Black	**COLORS**
Alpha Aluminum. Oversized aero power tubes.	Alpha Aluminum. Oversized aero power tubes.	Alpha SLR Aluminum. Double butted seamless drawn tubing. Tri frame is based on race proven, wind tunnel-tested USPS time trial bike tech. The Trek Pro Tri geometry has an aero downtube, steeper seattube and flared chainstays to keep you in a comfortable, power-generating, aerodynamic position. Handmade in the USA. 3.0 lb.	Alpha SLR Aluminum. Double butted seamless drawn tubing. Tri frame is based on race proven, wind tunnel-tested USPS time trial bike tech. The Trek Pro Tri geometry has an aero downtube, steeper seattube and flared chainstays to keep you in a comfortable, power-generating, aerodynamic position. Handmade in the USA. 3.0 lb.	Alpha SL Aluminum. Super Light aluminum. Cross Specific Frame. Double-butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. Stiff powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro geometry. Handmade in the USA. 2.9 lb.	Trek Cro-Moly. High grade Trek engineered double butted Cro-Moly steel. Excellent shock absorption. Handmade in the USA.	Alpha Aluminum recumbent frame provides exceptional comfort over distances.	Alpha SLR Aluminum. Super Light Race. Trek/VW team tested. Double butted, seamless drawn tubing. Double diamond frame. Custom butted head tube. Biaxial downtube. Efficient triangulated Rocker Link. Lightweight Disc-O disk brake mount. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 4.75 lb.	Alpha SLR Aluminum. Super Light Race. Trek/VW team tested. Double butted, seamless drawn tubing. Double diamond frame. Custom butted head tube. Biaxial downtube. Efficient triangulated Rocker Link. Lightweight Disc-O disk brake mount. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 4.75 lb.	Alpha SLR Aluminum. Super Light Race. Trek/VW team tested. Double butted, seamless drawn tubing. Double diamond frame. Custom butted head tube. Biaxial downtube. Efficient triangulated Rocker Link. Lightweight Disc-O disk brake mount. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 4.75 lb.	**FRAME**
Cro-Moly aero	Cro-Moly aero	Kinesis carbon aero 650c	Kinesis carbon aero 650c	Alloy cross	Trek Cro-Moly	Trek Cro-Moly	Rock Shox SID SL, +/- air tuning, ext comp/reb damp, "On-The-Fly" l/o, All travel, 2.7 lb., 80mm travel	Rock Shox SID XC, air preload, ext reb damp, Hydra air, All travel 63/8mm, 3.0 lb., 80mm travel	Manitou SXR, TPC damp, ext adj. Coil/MCU, microlube, disc compatable, 3.5 lb., 80mm travel	**FORK**
						Cane Creek AD-5 air adjust, 160g.	Fox Float RC air adjust, two position comp damp, high speed blowoff.	Float R air adjust, ext adjust reb/speed-sensitive comp damp, 231g.	Fox Float. air adjust, floating piston, Ni charged, 231g.	**REAR SHOCK**
Aurora rims; Alloy hubs; 15G stainless spokes	Vuelta Airline 2, eyeleted, machined rims; Alloy hubs; 15G stainless spokes	Rolf Vector Pro: KAZ reinforced welded machined rims; super-light precision cartridge bearing hubset; DT custom bladed elliptical spokes	Rolf Vector: KAZ reinforced welded machined rims; Vector sealed hubset; DT butted spokes	Aurora rims; Alloy hubs	Bontrager Fairlane rims; Shimano Deore LX hubs; DT 14G stainless spokes	Bontrager Maverick rims; Bontrager Race hubs; DT 14G stainless spokes	Rolf Propel Tubeless: Tubeless design helps avoid flats, increases comfort and control, and opens tire and tube choices. KAZ reinforced welded machined rims w/rear ASYM offset spoke bed design; super-light precision sealed cartridge bearing hubset; extreme butted spokes	Rolf Dolomite Tubeless: Tubeless design helps avoid flats, increases comfort and control, and opens tire and tube choices. KAZ rims w/reinforced welded machined sidewalls and stainless steel eyelets, rear rim ASYM design technology; precision sealed cartridge bearing front hub; DT butted spokes	Rolf Dolomite Disc: Dolomite asymmetrical disc-specific rims; Dolomite sealed hub; DT spokes	**WHEELS**
IRC Red Storm, 700x25c	IRC Red Storm, 700x25c	Michelin Axial Pro, 650x23c	Michelin Axial Pro, 650x23c	Bontrager Jones CX, 700x35c front and rear	IRC Paperlite, 700x35c	Primo Comet, 20x1.35"	Bontrager Revolt Super-X, tubeless, folding, 49/48 front and rear	Bontrager Revolt Super-X, tubeless, folding, 49/48 front and rear	Bontrager Jones AC, folding, 49/54 front and rear	**TIRES**
Selle San Marco New Millennium	Bassano Volare	Selle San Marco Era, titanium/leather	Selle San Marco New Millennium, Cro-moly/leather	Bontrager FS 2000	Hybrid, leather	Trek Recumbent	Bontrager FS 2000 w/gel, Cro-moly rails, leather	Bontrager FS 2000 w/gel, Cro-moly rails, leather	Bontrager FS 2000 w/cro-moly rails	**SADDLE**
Alloy micro-adjust	Alloy micro-adjust	Thomson Elite	ICON Graphite	Bontrager Sport	ICON Graphite		Bontrager Race	Bontrager Race	Bontrager Sport	**SEATPOST**
ICON sleeve ergo	Alloy w/ergo	ICON Sterling TT	ICON Sterling TT	Bontrager Race	ICON Graphite	6061 aluminum ARC	Bontrager Race Lite	Bontrager Race Modified	Bontrager Race Modified	**HANDLEBARS**
Alloy road, front load	Alloy, 0° rise, front load	ICON Sterling	ICON Graphite	Bontrager Comp AHS	ICON Graphite, quill	Trek custom alloy	Bontrager Race Lite AHS	Bontrager Race Lite AHS	Bontrager Comp AHS	**STEM**
VP Modus	1" sealed	Cane Creek S6 Aheadset	Cane Creek S2 Aheadset	Cane Creek STS Aheadset	VP Modus	Tange Seiki Passage, sealed	Cane Creek S6 Aheadset	Dia-Compe SAS, 1 1/8", sealed	Dia-Compe SAS, 1 1/8", sealed	**HEADSET**
Shimano Sora STI	Shimano Sora STI	Shimano Dura Ace, bar cons	Shimano Dura Ace, bar cons	Shimano Ultegra, bar cons	Shimano Dura Ace, bar cons	SRAM GripShift ESP 7.0	Shimano Deore XT, dual control	Shimano Deore XT, dual control	Shimano Deore LX, dual control	**SHIFTERS**
Shimano Sora T	Shimano Sora	Shimano Ultegra	Shimano 105	Shimano Nexave 401	Shimano 105 T	SRAM ESP 7.0	Shimano Deore XT	Shimano Deore XT	Shimano Deore LX	**FRONT DERAILLEUR**
Shimano Sora GS	Shimano Sora SS	Shimano Ultegra	Shimano 105	Shimano Sora	Shimano Deore LX SGS	SRAM ESP 7.0	Shimano XTR SGS	Shimano XTR SGS	Shimano Deore XT SGS	**REAR DERAILLEUR**
Shimano Sora 52/42/30	Cyclone 52/42/30	Shimano Ultegra 53/39	Shimano 105 53/39	Shimano Sora 52/39	Shimano 105 52/42/30	Cyclone 53/39 w/alloy rings	Bontrager Race Lite 44/32/22	Bontrager Race 44/32/22	Bontrager Comp 44/32/22	**CRANKSET**
Shimano HG-50 13-26, 8spd	Sunrace 11-28, 8spd	Shimano Ultegra 11-21, 9spd	Shimano Ultegra 11-21, 9spd	Shimano HG-50 13-26, 8spd	Shimano HG-50 11-32, 9spd	Shimano HG-50 11-30, 8spd	Shimano Deore XT 11-34, 9spd	Shimano Deore LX 11-32, 9spd	SRAM 7.0 11-32, 9spd	**CASSETTE**
Alloy dual pivot w/Shimano Sora STI levers	Alloy dual pivot w/quick release w/Shimano Sora STI levers	Shimano Ultegra w/ Dia-Compe 188 levers	Shimano 105 w/ Dia-Compe 188 levers	Avid 10c, cantilever w/Dia-Compe 287 levers	AVID S05 linear pull w/Dia-Compe 287 levers	AVID w/Shimano alloy levers	AVID SD Mag, linear pull w/Shimano Deore XT, dual control levers	AVID S05, linear pull w/Shimano Deore XT, dual control levers	Hayes Disc, full hydraulic w/alloy levers	**BRAKESET**
Alloy road, sealed w/ clips and straps	Alloy/nylon w/toe clips			Shimano M515, clipless	Shimano M515, clipless	ICON 2, clipless	Bontrager RE-1, clipless	Bontrager RE-1, clipless	Shimano M515, clipless	**PEDALS**
		Syntace Streamliner Aero Bars	Syntace Streamliner Aero Bars							**ADDITIONAL COMPONENTS**

frameset

wheels

cockpit components

drivetrain

other components

SPECS

		MOUNTAIN xc full suspension							xc hardtail		
		Fuel 90	Fuel 90 WSD	Fuel 80	STP 400	STP 300	STP 200	Y1	Elite 9.8 Disc	Elite 9.8	8500 Disc
frameset	SIZES	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(XS) 14", (S) 16", (M) 18"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(M) 17.5", (L) 19.5", (XL) 21.5"	(M) 17.5", (L) 19.5", (XL) 21.5"	(M) 17.5", (L) 19.5", (XL) 21.5"	S, M, L	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"
	COLORS	Matte Black	Matte Black	Pearl White/Trek Red	Smoke Carbon/Candy Blue. Frameset available in Trek/VW Team Blue Carbon.	Red Carbon	Blue Carbon	Gloss Black/Bright Silver	Bright Silver/Candy Blue	Bright Silver/Candy Blue. Frameset available.	Trek Red/Gloss Black
	FRAME	Alpha SLR Aluminum. Super Light Race. Trek/VW team tested. Double butted, seamless drawn tubing. Double diamond frame. Custom butted head tube. Biaxial downtube. Efficient triangulated Rocker Link. Lightweight Disc-O disk brake mount. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 4.75 lb.	Alpha SLR Aluminum. Super Light Race. Women's Specific Design. Double butted, seamless drawn tubing. Double diamond frame. Custom butted head tube. Biaxial downtube. Efficient triangulated Rocker Link. Lightweight Disc-O disk brake mount. Cold forged replaceable derailleur hanger. WSD geometry. Handmade in the USA. 4.75 lb.	Alpha SLR Aluminum. Super Light Race. Trek/VW team tested. Double butted, seamless drawn tubing. Double diamond frame. Custom butted head tube. Biaxial downtube. Efficient triangulated Rocker Link. Lightweight Disc-O disk brake mount. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 4.75 lb.	OCLV Carbon. The world's lightest, strongest frame material. Optimum Compaction Low Void carbon. Computer assisted strength specific design. STP Soft Tail Pro suspension. Trek Pro geometry. Handmade in the USA. 3.6 lb.	OCLV Carbon. The world's lightest, strongest frame material. Optimum Compaction Low Void carbon. Computer assisted strength specific design. STP Soft Tail Pro suspension. Trek Pro geometry. Handmade in the USA. 3.6 lb.	OCLV Carbon. The world's lightest, strongest frame material. Optimum Compaction Low Void carbon. Computer assisted strength specific design. STP Soft Tail Pro suspension. Trek Pro geometry. Handmade in the USA. 3.6 lb.	Alpha Aluminum. Oversized, ovalized Y Frame. Oversized single pivot. Fully Active Uni-Link Suspension.	OCLV HC Carbon. The world's lightest, strongest frame material. Optimum Compaction Low Void carbon. Trek/VW team tested. Addition of stiff Honeycomb Nomex® between carbon skins. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 3.0 lb.	OCLV HC Carbon. The world's lightest, strongest frame material. Optimum Compaction Low Void carbon. Trek/VW team tested. Addition of stiff Honeycomb Nomex® between carbon skins. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 3.0 lb.	Alpha SLR Aluminum. Super Light Race. Trek/VW team tested. Double-butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. Stiff powerful elliptical chainstays. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 3.4 lb.
	FORK	Manitou SXR, TPC damp, ext adj. Coil/MCU, microlube, disc compatable, 3.5 lb., 80mm travel	Manitou SXR, soft kit, TPC damp, ext adj. Coil/MCU, microlube, disc compatable, 3.5 lb., 80mm travel	Rock Shox Judy C, preload adjust, mag casting, Hydracoil-open bath, XXX seal, coil, 4.4 lb., 80mm travel	Rock Shox SID SL, +/- air tuning, ext comp/reb damp, "On-The-Fly" l/o, All travel, 2.7 lb., 80mm travel	Rock Shox SID XC, air preload, ext reb damp, Hydra air, All travel 63/8mm, 3.0 lb., 80mm travel	Rock Shox Judy Race, preload, ext reb damp, Hydracoil, All travel, 3.8 lb., 80mm travel	Rock Shox Jett, preload adjust, Disc tab, Coil Spring/Elastomer, Top out spring, 4.2 lb., 65mm travel	Rock Shox SID SL, +/- air tuning, ext comp/reb damp, "On-The-Fly" l/o, All travel, 2.7 lb., 80mm travel	Rock Shox SID SL, +/- air tuning, ext comp/reb damp, "On-The-Fly" l/o, All travel, 2.7 lb., 80mm travel	Rock Shox SID XC, air preload, ext reb damp, Hydra air, All travel 63/8mm, 3.0 lb., 80mm travel
	REAR SHOCK	Fox Float, air adjust, floating piston, N2 charged, 231g.	Fox Float, air adjust, floating piston, N2 charged, 231g.	Cane Creek AD-5 air adjust, 160g.	Rock Shox SID Race dual air adjust, ext reb adjust, schreader adjust, floating piston, 235g, 125" travel	Rock Shox SID dual air adjust, oil damp, 270g, 1.25" travel	Rock Shox SID dual air adjust, oil damp, 270g., 1.25" travel	RST 2t/coilover			
wheels	WHEELS	Rolf Satellite: KAZ rims w/reinforced welded machined sidewalls and stainless steel eyelets; Satellite sealed hub; DT spokes	Rolf Satellite: KAZ rims w/reinforced welded machined sidewalls and stainless steel eyelets; Satellite sealed hub; DT spokes	Bontrager Corvair, machine welded rims; Shimano Alivio rear, alloy front hubs; 14G stainless spokes	Rolf Propel: KAZ reinforced welded machined rims w/rear ASYM offset spoke bed design; super-light precision sealed cartridge bearing hubset; extreme butted spokes	Rolf Urraco: KAZ rims w/reinforced welded machined sidewalls and stainless steel eyelets, rear rim ASYM design technology; lightweight precision sealed cartridge bearing hubset; DT butted spokes	Rolf Dolomite: KAZ rims w/reinforced welded machined sidewalls and stainless steel eyelets, rear rim ASYM design technology; precision sealed cartridge bearing front hub; DT butted spokes	Bontrager Corvair rims; Shimano RM40-8 rear, alloy front hubs; 14G stainless spokes	Rolf Urraco Disc: KAZ disc-specific rims w/reinforced welded machined sidewalls and stainless steel eyelets, rear rim ASYM design technology; lightweight precision sealed cartridge bearing hubset; DT butted spokes	Rolf Dolomite: KAZ rims w/reinforced welded machined sidewalls and stainless steel eyelets, rear rim ASYM design technology; precision sealed cartridge bearing front hub; DT butted spokes	Rolf Urraco Disc: KAZ disc-specific rims w/reinforced welded machined sidewalls and stainless steel eyelets, rear rim ASYM design technology; lightweight precision sealed cartridge bearing hubset; DT butted spokes
	TIRES	Bontrager Jones AC, folding, 49/54 front and rear	Bontrager Jones AC, folding, 49/54 front and rear	Bontrager Jones AC, folding, 49/54 front and rear	Bontrager Revolt Super-X, folding, 49/48 front and rear	Bontrager Revolt Super-X, folding, 49/48 front and rear	Bontrager Revolt Super-X, folding, 49/48 front and rear	Bontrager Jones AC, 49/54 front and rear	Bontrager Revolt Super-X, folding, 49/48 front and rear	Bontrager Revolt Super-X, folding, 49/48 front and rear	Bontrager Revolt Super-X, folding, 49/48 front and rear
cockpit components	SADDLE	Bontrager FS 2000 w/cro-moly rails	Bontrager FS 2000 WSD	Bontrager FS 2000	Bontrager FS 2000 Race Lite w/gel, titanium rails, leather	Bontrager FS 2000 w/gel, Cro-moly rails, leather	Bontrager FS 2000 w/gel, Cro-moly rails, leather	Trek ATB	Bontrager FS 2000 w/gel, Cro-moly rails, leather	Bontrager FS 2000 w/gel, Cro-moly rails, leather	Bontrager FS 2000 w/gel, Cro-moly rails, leather
	SEATPOST	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Comp	ICON Graphite	ICON Onyx	Alloy micro-adjust	Bontrager Sport	Bontrager Sport	Bontrager Race
	HANDLEBARS	Bontrager Race Modified	Bontrager Superstock	Bontrager Crowbar Sport	Bontrager Race Lite	ICON Graphite	ICON Onyx	30mm rise	Bontrager Race Modified	Bontrager Race Modified	Bontrager Race Modified
	STEM	Bontrager Comp AHS	Bontrager Comp AHS	Bontrager Sport AHS	Bontrager Race Lite AHS	ICON Graphite	ICON Onyx	Bontrager Sport, 25° rise, front load	Bontrager Comp AHS	Bontrager Comp AHS	Bontrager Race Lite AHS
	HEADSET	Dia-Compe SAS, 1 1/8", sealed	Dia-Compe SAS, 1 1/8", sealed	Dia-Compe STR, 1 1/8", sealed	Cane Creek S6 Aheadset	Dia-Compe SAS, 1 1/8", sealed	Dia-Compe SAS, 1 1/8", sealed	Dia-Compe STR, 1 1/8", sealed	Dia-Compe SAS, 1 1/8", sealed	Dia-Compe SAS, 1 1/8", sealed	Dia-Compe SAS, 1 1/8", sealed
drivetrain	SHIFTERS	Shimano Deore LX, dual control	Shimano Deore LX, dual control	Shimano Alivio	Shimano Deore XT, dual control	Shimano Deore XT, dual control	Shimano Deore LX, dual control	Shimano EF28 EZ-Fire	Shimano Deore LX	Shimano Deore LX	Shimano Deore XT
	FRONT DERAILLEUR	Shimano Deore LX	Shimano Deore LX	SRAM 5.0 Mid Clamp	Shimano Deore XT	Shimano Deore XT	Shimano Deore LX	SRAM 5.0 Mid Clamp	Shimano Deore LX	Shimano Deore LX	Shimano Deore XT
	REAR DERAILLEUR	Shimano Deore XT SGS	Shimano Deore XT SGS	Shimano Deore SGS	Shimano Deore XTR	Shimano Deore XTR SGS	Shimano Deore XT SGS	Shimano Alivio	Shimano Deore XT SGS	Shimano Deore XT SGS	Shimano XTR SGS
	CRANKSET	Bontrager Comp 44/32/22	Bontrager Comp 44/32/22	Shimano Alivio 42/32/22	Bontrager Race Lite 44/32/22	ICON Graphite 44/32/22	ICON Graphite 44/32/22	Shimano Altus 42/34/24	Bontrager Comp 44/32/22	Bontrager Comp 44/32/22	Bontrager Race 44/32/22
	CASSETTE	SRAM 7.0 11-32, 9spd	SRAM 7.0 11-32, 9spd	SRAM 5.0 11-32, 8spd	Shimano Deore XT 11-34, 9spd	Shimano HG-70 11-32, 9spd	Shimano HG-70 11-32, 9spd	SRAM ESP 5.0 11-32 8spd	Shimano HG-50 11-32, 9spd	Shimano HG-50 11-32, 9spd	Shimano Deore LX 11-32, 9spd
	BRAKESET	AVID SD3, linear pull w/Shimano Deore LX, dual control levers	AVID SD3, linear pull w/Shimano Deore LX, dual control levers	Alloy linear pull w/alloy levers	AVID SD Mag, linear pull w/Shimano Deore XT, dual control levers	AVID SD20 linear pull w/Shimano Deore XT, dual control levers	AVID SD20, linear pull w/Shimano Deore LX, dual control levers	Alloy linear pull w/Shimano alloy levers	Hayes Disc, full hydraulic w/alloy levers	AVID SD3, linear pull w/Shimano Deore LX, dual control levers	Shimano Deore XT Disc, full hydraulic w/alloy levers
other components	PEDALS	Shimano M515, clipless	Shimano M515, clipless	Alloy ATB, clipless adaptable	Bontrager RE-1, clipless	Bontrager RE-1, clipless	Bontrager RE-1, clipless	Alloy	Shimano M515, clipless	Shimano M515, clipless	Bontrager RE-1, clipless
	ADDITIONAL COMPONENTS										

8500	8000 Disc	8000	8000 WSD	6700 Disc	6700	6700 WSD	6500	4900 Disc	4900	
(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(S) 15.5", (M) 17.5", (L) 19.5", (XL) 21.5"	(XS) 14", (S) 16", (M) 18"	(S) 16.5", (M) 18", (L) 19.5", (L) 21"	(S) 16.5", (M) 18", (L) 19.5", (L) 21"	(XS) 14", (S) 16", (M) 18"	(S) 16.5", (M) 18", (L) 19.5", (L) 21"	(XS) 13", (S) 16.5", (M) 18", (M) 19.5", (L) 21", (XL) 22.5"	(XS) 13", (S) 16.5", (M) 18", (M) 19.5", (L) 21", (XL) 22.5"	**SIZES**
Trek Red/Gloss Black. Frameset available.	Bright Silver/Candy Blue	Bright Silver/Candy Blue	Bright Silver/Candy Blue	Matte Black	Smooth Silver/Glacier, Matte Black.	Smooth Silver/Glacier	Cobalt/Mirror Silver, Metal Flake Yellow	Trek Red/Mirror Silver	Gloss Black, Trek Red/Mirror Silver.	**COLORS**
Alpha SLR Aluminum. Super Light Race. Trek/VW team tested. Double-butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. Stiff powerful elliptical chainstays. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 3.4 lb.	Alpha SLR Aluminum. Super Light Race. Trek/VW team tested. Double-butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. Stiff powerful elliptical chainstays. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 3.4 lb.	Alpha SLR Aluminum. Super Light Race. Trek/VW team tested. Double-butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. Stiff powerful elliptical chainstays. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA. 3.4 lb.	Alpha SLR Aluminum. Super Light Race. Women's Specific Design. Double-butted, seamless drawn tubing. Custom butted head tube. 3-D forged wishbone monostay. Stiff powerful elliptical chainstays. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. WSD geometry. Handmade in the USA. 3.4 lb.	Alpha ZX Aluminum. Zero Excess material for a superior strength-weight ratio. Seamless drawn tubing. Custom butted head tube. 3-D forged Wishbone monostay. Stiff powerful elliptical chainstays. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Handmade in the USA. 3.63 lb.	Alpha ZX Aluminum. Zero Excess material for a superior strength-weight ratio. Seamless drawn tubing. Custom butted head tube. 3-D forged Wishbone monostay. Stiff powerful elliptical chainstays. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Handmade in the USA. 3.63 lb.	Alpha ZX Aluminum. Zero Excess material for a superior strength-weight ratio. Women's Specific Design. Seamless drawn tubing. Custom butted head tube. 3-D forged Wishbone monostay. Stiff powerful elliptical chainstays.Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. WSD geometry. Handmade in the USA. 3.63 lb.	Alpha ZX Aluminum. Zero Excess material for a superior strength-weight ratio. Seamless drawn tubing. Custom butted head tube. 3-D forged Wishbone monostay. Stiff powerful elliptical chainstays. Alpha Aluminum Disc Drive compatible stays. Cold forged replaceable derailleur hanger. Handmade in the USA. 3.63 lb.	Alpha Aluminum. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger. Disc mount. 4.2 lb.	Alpha Aluminum. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger. Disc mount. 4.2 lb.	**FRAME**
Rock Shox SID XC, air preload, ext reb damp, Hydra air. All travel 63/80mm, 3.0 lb., 80mm travel	Rock Shox Judy SL, preload adjust, ext reb damp, Hydracoil-open bath, XXX seal, Homer valve, All travel coil, 3.9 lb., 80mm travel	Rock Shox Judy SL, preload adjust, ext reb damp, Hydracoil-open bath, XXX seal, Homer valve, All travel coil, 3.9 lb., 80mm travel	Rock Shox Judy SL, preload adjust, ext reb damp, Hydracoil-open bath, XXX seal, Homer valve, All travel coil, 3.9 lb., 80mm travel	Rock Shox Judy C, preload adjust, mag casting, Hydracoil-open bath, XXX seal, coil, 4.4 lb., 80mm travel	Rock Shox Judy C, preload adjust, mag casting, Hydracoil-open bath, XXX seal, coil, 4.4 lb., 80mm travel	Rock Shox Judy C, preload adjust, mag casting, Hydracoil-open bath, XXX seal, coil, 4.4 lb., 80mm travel	Manitou Magnum R, preload adjust, disc tab, Coil/MCU, TPC sport damp, microlube, 3.9 lb., 76mm travel	Rock Shox Judy TT, preload adjust, disc tabs, Coil/MCU, 4.6 lb., 80mm travel	Rock Shox Judy TT, preload adjust, disc tabs, Coil/MCU, 4.6 lb., 80mm travel	**FORK**
										REAR SHOCK
Rolf Dolomite: KAZ rims w/reinforced welded machined sidewalls and stainless steel eyelets, rear rim ASYM design technology; precision sealed cartridge bearing front hub; DT butted spokes	Rolf Dolomite: KAZ rims w/reinforced welded machined sidewalls and stainless steel eyelets, rear rim ASYM design technology; precision sealed cartridge bearing front hub; DT butted spokes	Rolf Satellite: KAZ rims w/reinforced welded machined sidewalls and stainless steel eyelets; Satellite sealed hub; DT spokes	Rolf Satellite: KAZ rims w/reinforced welded machined sidewalls and stainless steel eyelets; Satellite sealed hub; DT spokes	Bontrager Corvair, machine welded rims; Alloy hubs; 14G stainless spokes	Bontrager Superstock, machine welded rims; Alloy hubs; DT 14G stainless spokes	Bontrager Superstock, machine welded rims; Alloy hubs; DT 14G stainless spokes	Bontrager Corvair, machine welded rims; Alloy hubs; 14G stainless spokes	Bontrager Corvair, machine welded rims; Shimano rear, alloy front hubs	Bontrager Corvair, machine welded rims; Shimano rear, alloy front hubs	**WHEELS**
Bontrager Revolt Super-X, folding, 49/48 front and rear	Bontrager Jones AC, folding, 49/54 front and rear	Bontrager Jones AC, folding, 49/54 front and rear	Bontrager Jones AC, folding, 49/54 front and rear	Bontrager Jones AC, 49/54 front and rear	Bontrager Jones AC, 49/54 front and rear	Bontrager Jones AC, 49/54 front and rear	Bontrager Jones AC, 49/54 front and rear	Bontrager Jones AC, 49/54 front and rear	Bontrager Jones AC, 49/54 front and rear	**TIRES**
Bontrager FS 2000 w/gel, Cro-moly rails, leather	Bontrager FS 2000 w/cro-moly rails	Bontrager FS 2000 w/cro-moly rails	Bontrager FS 2000 WSD	Bontrager FS 2000	Bontrager FS 2000	Bontrager FS 2000 WSD	Bontrager FS 2000	Bontrager FS 2000	Bontrager FS 2000	**SADDLE**
Bontrager Race	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	**SEATPOST**
Bontrager Race Modified	Bontrager Race Modified	Bontrager Race Modified	Bontrager Superstock	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	**HANDLEBARS**
Bontrager Race Lite AHS	Bontrager Comp AHS	Bontrager Comp AHS	Bontrager Comp AHS	Bontrager Comp AHS	Bontrager Comp AHS	Bontrager Comp AHS	Bontrager Sport AHS	Bontrager Sport AHS	Bontrager Sport AHS	**STEM**
Dia-Compe SAS, 1 1/8", sealed	Dia-Compe SAS, 1 1/8", sealed	Dia-Compe SAS, 1 1/8", sealed	Dia-Compe SAS, 1 1/8", sealed	Dia-Compe STR, 1 1/8", sealed	Dia-Compe STR, 1 1/8", sealed	Dia-Compe STR, 1 1/8", sealed	Dia-Compe STR, 1 1/8", sealed	Dia-Compe STR, 1 1/8", sealed	Dia-Compe STR, 1 1/8", sealed	**HEADSET**
Shimano Deore XT, dual control	Shimano Deore LX, dual control	Shimano Deore LX, dual control	Shimano Deore LX, dual control	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Alivio	**SHIFTERS**
Shimano Deore XT	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Acera-X	**FRONT DERAILLEUR**
Shimano XTR SGS	Shimano Deore XT SGS	Shimano Deore XT SGS	Shimano Deore XT SGS	Shimano Deore LX SGS	Shimano Deore LX SGS	Shimano Deore LX SGS	Shimano Deore LX SGS	Shimano Deore	Shimano Deore	**REAR DERAILLEUR**
Bontrager Race 44/32/22	Bontrager Comp 44/32/22	Bontrager Comp 44/32/22	Bontrager Comp 44/32/22	Bontrager Comp 44/32/22	Bontrager Comp 44/32/22	Bontrager Comp 44/32/22	Bontrager Sport 44/32/22	Shimano 9spd 44/32/22	Shimano Acera-X 42/32/22	**CRANKSET**
Shimano Deore LX 11-32, 9spd	Shimano HG-50 11-32, 9spd	Shimano HG-50 11-32, 9spd	Shimano HG-50 11-32, 9spd	SRAM 7.0 11-32, 9spd	SRAM 7.0 11-32, 9spd	SRAM 7.0 11-32, 9spd	SRAM 7.0 11-32, 9spd	SRAM 7.0 11-32, 9spd	SRAM ESP 5.0 11-32 8spd	**CASSETTE**
AVID SD5, linear pull w/Shimano Deore XT, dual control levers	Hayes Disc, full hydraulic w/alloy levers	AVID SD3, linear pull w/Shimano Deore LX, dual control levers	AVID SD3, linear pull w/Shimano Deore LX, dual control levers	Avid Disc, mechanical w/alloy levers	Shimano M420 linear pull w/alloy levers	Shimano M420 linear pull w/alloy levers	Forged alloy linear pull w/alloy levers	Hayes Disc, mechanical w/alloy levers	Alloy linear pull w/alloy levers	**BRAKESET**
Bontrager RE-1, clipless	Shimano M515, clipless	Shimano M515, clipless	Shimano M515, clipless	Alloy ATB, clipless adaptable	Alloy ATB, clipless adaptable	Alloy ATB, clipless adaptable	Alloy ATB, clipless adaptable	ATB, alloy w/ clips	Alloy ATB, clipless adaptable	**PEDALS**
										ADDITIONAL COMPONENTS

frameset

wheels

cockpit components

drivetrain

other components

SPECS

		MOUNTAIN xc hardtail							CITY & BIKE PATH comfort		
		4900 WSD	Bruiser Two	Bruiser One	4500	4300	820	800 Sport	Navigator 500	Navigator 400	Navigator 300
frameset	SIZES	(XS) 14", (S) 16", (M) 18", (L) 19.5"	(M) 14.5", (L) 16"	(M) 14.5", (L) 16"	(XS) 13", (S) 16.5", (M) 18", (M) 19.5", (L) 21", (XL) 22.5", (XL) 24"	(XS) 13", (S) 16.5", (M) 18", (M) 19.5", (L) 21", (XL) 22.5"	(XS) 13", (S) 16.5", (M) 18", (M) 19.5", (L) 21", (XL) 22.5"; (WS) 17"	(XS) 13", (S) 16.5", (M) 18", (M) 19.5", (L) 21", (XL) 22.5"; (WS) 13", (WS) 17", (WL) 20"	(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 21"	(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 21"; (WM) 14.5", (WL) 16.5"	(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 21"; (WM) 14.5", 21.5"
	COLORS	Gloss Black	Raw Smoke	Raw Steel	Gloss Black/Candy Blue, Ball Burnished	Gloss Black/Metal Flake Yellow, Trek Red	Team Blue/Bright Silver, Gloss Black	Trek Red/Bright Silver, Warm Silver/Blackberry, Candy Blue	Bright Silver/Glacier	Gloss Black	Alpine/Warm Silver, Candy Blue
	FRAME	Alpha Aluminum. Women's Specific Design. Oversized aero power tubes. Wishbone monostay. Replaceable derailleur hanger. WSD geometry. Handmade in USA. 4.2 lb.	Alpha Aluminum. BMX jumping design. Square downtube. Wishbone monostay. Rugged 1.5" stays. Replaceable derailleur hanger. Trails Jumping Geometry.	Alpha Aluminum. BMX jumping design. Square downtube. Wishbone monostay. Rugged 1.5" stays. Replaceable derailleur hanger. Trails Jumping Geometry.	Alpha Aluminum. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger. Disc mount. 4.2 lb.	Alpha Aluminum. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger. Disc mount. 4.2 lb.	Trek high tensile steel with high grade Trek engineered Cro-Moly steel seat tube. Excellent shock absorption.	Trek high tensile steel with high grade Trek engineered Cro-Moly steel seat tube. Excellent shock absorption.	Alpha Aluminum Comfort Specific. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger. 4.2 lb.	Alpha Aluminum Comfort Specific. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger. 4.2 lb.	Alpha Aluminum Comfort Specific. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger. 4.2 lb.
	FORK	Rock Shox Judy TT, preload adjust, disc tabs, Coil/MCU, 4.6 lb., 80mm travel	Marzocchi Bomber Z4, 100mm travel	Full Cro-Moly, 1-3/8" blades, double thick steer tube	Rock Shox Jett, adjustable preload, 65mm travel	SYNC 266, adjustable preload, 65mm travel	Polygon Sporty SE, 65mm travel	Trek high tensile steel ATB	InSync 178 w/adjustable preload, disc mount, 45mm travel	InSync 178 w/adjustable preload, disc mount, 45mm travel	InSync 178 w/adjustable preload, disc mount, 45mm travel
	REAR SHOCK										
wheels	WHEELS	Bontrager Corvair, machine welded rims; Shimano rear, alloy front hubs	Black triple cavity, alloy rims; Alloy hubs; 14G black spokes	Black triple cavity, alloy rims; Alloy hubs; 14G black spokes	Matrix 750, double walled rims; Alloy black front, Shimano RM40-8 rear hubs; 14G stainless spokes	Matrix 550 silver anodized rims; Alloy black hubs; 14G stainless spokes	Matrix 550 silver anodized rims; Alloy black hubs; 14G stainless spokes	Matrix 550 silver anodized rims; Alloy black hubs; 14G stainless spokes	Bontrager Corvair rims; Shimano Alivio rear, alloy front hubs; 15G stainless spokes	Bontrager Corvair rims; Shimano Alivio rear, alloy front hubs; 15G stainless spokes	Alloy rims; Shimano RM40 rear, alloy front hubs; 14G stainless spokes
	TIRES	Bontrager Jones AC, folding, 49/54 front and rear	Kenda Kinetics, 26x2.35	Kenda Kinetics, 26x2.35	Bontrager Jones, 49/53 front, 46/50 rear	26x1.95 Connection, 26 x 1.95"	26x1.95 Connection, 26 x 1.95"	26x1.95 Connection, 26 x 1.95"	Semi-smooth, 26 x 1.95", w/Kevlar and sealant	Semi-smooth, 26 x 1.95"	Semi-smooth, 26 x 1.95"
cockpit components	SADDLE	Bontrager FS 2000 WSD	Bontrager FS 2000 w/8mm rails	Bontrager FS 10 w/8mm rails	Trek supersoft	Trek supersoft	Trek supersoft	Trek supersoft	Trek webspring comfort w/flashing lights	Trek webspring comfort w/flashing lights	Trek webspring comfort
	SEATPOST	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alloy Suspension	Alloy Suspension	Alloy Suspension
	HANDLEBARS	Bontrager Crowbar Sport	4 piece alloy welded crossbar	Alloy, butted, 50mm rise	Bontrager Crowbar Sport	Trek high tensile, 30 mm rise	Trek high tensile, 30 mm rise	Trek high tensile, 60mm rise	SRAM Smartbar	Alloy, 50mm rise	50mm rise
	STEM	Bontrager Sport AHS	CNC 6061 alloy, front load	Alloy 6061 forged, front load	Bontrager Sport, 25° rise, front load	Bontrager Sport, 25° rise, front load	High tensile 40° rise, front load	High tensile 40° rise, front load	SRAM Smartbar, adjustable rise	Alloy adjustable rise, front load	Alloy adjustable rise, front load
	HEADSET	Dia-Compe STR ahead, 1 1/8", sealed	Dia-Compe STR ahead, 1 1/8", sealed	Dia-Compe STR ahead, 1 1/8", sealed	Dia-Compe STR ahead, 1 1/8", sealed	Dia-Compe STR ahead, 1 1/8", sealed	1 1/8" sealed	1 1/8" sealed	1 1/8" sealed	1 1/8" sealed	1 1/8" sealed
drivetrain	SHIFTERS	Shimano Alivio	Shimano Alivio	SRAM GripShift Centera	Shimano EF33 EZ-Fire	Shimano EF28 EZ-Fire	Shimano EF28 EZ-Fire	SRAM MRX	SRAM Smartbar	Shimano Nexave 400	Shimano C202 w/ dashboard
	FRONT DERAILLEUR	Shimano Acera-X	N/A	N/A	Shimano Altus	Shimano C050	Shimano TY32	Shimano TY32	Shimano Nexave 301	Shimano Nexave 301	Shimano C102
	REAR DERAILLEUR	Shimano Deore LX SGS	Shimano Deore LX	Shimano Alivio	Shimano Alivio	Shimano Acera	Shimano Acera	Shimano Altus	SRAM ESP 7.0	Shimano Nexave 400	Shimano C201
	CRANKSET	Shimano Acera-X 42/32/22	Truvativ Hussefelt DH 42 tooth	Truvativ FIREX 42 tooth	Shimano Altus 42/34/24	Shimano TY40 42/34/24	SR XR128-AB 48/38/28	SR XR128-AB 48/38/28	Shimano Nexave 300 48/38/28 w/chainguard	Shimano Nexave 300 48/38/28 w/chainguard	Shimano C202 48/38/28 w/chainguard
	CASSETTE	SRAM 5.0 11-32, 8spd	SRAM 5.0 11-32, 8spd	Sunrace 12-32, 8spd	SRAM ESP 5.0 11-32 8spd	Sunrace 11-30, 7spd	Sunrace 13-28 , 7spd	Sunrace 13-28 , 7spd	SRAM 5.0 11-32, 8spd	SRAM 5.0 11-32, 8spd	Shimano HG-40 11-34, 8spd
other components	BRAKESET	Alloy linear pull w/alloy levers	Avid Disc, mechanical w/alloy levers	Pro-Max 102, linear pull w/Pro-Max LV-77, linear pull levers	Alloy linear pull w/Shimano alloy levers	Alloy linear pull w/Shimano alloy levers	Alloy linear pull w/Shimano alloy levers	Alloy linear pull w/alloy levers	Shimano M420 linear pull w/modulator on front w/SRAM Smartbar levers	Shimano M420 linear pull w/Shimano Nexave 400 levers	Alloy linear pull w/modulator on front w/Shimano alloy levers
	PEDALS	Alloy ATB, clipless adaptable	Welgo BMX alloy platform	Welgo BMX alloy platform	Alloy platform	Nylon platform	Nylon platform	Nylon platform	Trek design dual density platform	Trek design dual density platform	Trek design dual density platform
	ADDITIONAL COMPONENTS		Chain tensioner	Chain tensioner							

	hybrid								cruiser	
Navigator 200	7700	7600	7500 FX	7800	7300	7200 FX	7200	700	Clyde	
(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 21"; (WS) 15", (WL) 16.5"	(XS) 13", 15", (S) 17.5", (M) 20", (L) 22.5"	(XS) 13", 15", (S) 17.5", (M) 20", (L) 22.5"	(XS) 15", (S) 17.5", (M) 20", (L) 22.5"	(XS) 13", 15", (S) 17.5", (M) 20", (L) 22.5"; (WS) 15", (WM) 17"	(XS) 13", 15", (S) 17.5", (M) 20", (L) 22.5"; (WS) 17", (WM) 20"	(XS) 15", (S) 17.5", (M) 20", (L) 22.5"; (WS) 17", (WM) 20"	(XS) 15", (S) 17.5", (M) 20", (L) 22.5"; (WS) 17", (WM) 20"	(XS) 15", (S) 17", (M) 19", (M) 21", (L) 23"; (WXS) 15", (WS) 17", (WM) 20"	(M) 20"; (WS) 17"	SIZES
Warm Silver/Glacier, Candy Red	Smooth Silver/Glacier	Gloss White/Navy Pearl	Spanish Gold/Candy Red	Gloss Black/Rainforest, Metallic Ice Red	Pearl Navy/Pearl White, Slate Pearl	Gloss Black/Bright Silver	Gloss Black, Bright Silver/Candy Blue	Graphite/Bright Silver, Rainforest, Pearl White/Red Fade	Matte Black	COLORS
Alpha Aluminum Comfort Specific. Oversized power tubes. Wishbone monostay. Replaceable derailleur hanger. 4.2 lb.	Alpha ZX Aluminum. Zero Excess material for a superior strength-weight ratio. Seamless drawn tubing. Custom computer butted head tube. Wishbone monostay. Stiff powerful elliptical chainstays. Cold forged replaceable derailleur hanger. 3.63 lb.	Alpha ZX Aluminum. Zero Excess material for a superior strength-weight ratio. Seamless drawn tubing. Custom computer butted head tube. Wishbone monostay. Stiff powerful elliptical chainstays. Cold forged replaceable derailleur hanger. 3.63 lb.	Alpha ZX Aluminum. Zero Excess material for a superior strength-weight ratio. Seamless drawn tubing. Custom computer butted head tube. Wishbone monostay. Stiff powerful elliptical chainstays. Cold forged replaceable derailleur hanger. 3.63 lb.	Alpha Aluminum. Oversized aero power tubes. Wishbone monostay. Replaceable derailleur hanger. 4.2 lb.	Alpha Aluminum. Oversized aero power tubes. Wishbone monostay. Replaceable derailleur hanger. 4.2 lb.	Alpha Aluminum. Oversized aero power tubes. Wishbone monostay. Replaceable derailleur hanger. 4.2 lb.	Alpha Aluminum. Oversized aero power tubes. Wishbone monostay. Replaceable derailleur hanger. 4.2 lb.	Trek high tensile steel with high grade Trek engineered swaged Cro-Moly steel seat tube. Excellent shock absorption.	Alpha aluminum. Comfort Cruiser geometry, strong and durable.	FRAME
Trek high tensile steel ATB	Rock Shox Ruby Metro XC, 30mm travel	Rock Shox Ruby Metro C, 30mm travel	Trek Cro-Moly	InSync Odessa 168, 45mm travel	Cro-moly ATB	Trek Cro-Moly ATB w/low rider mount	Cro-moly ATB	Trek high tensile steel ATB	Trek high tensile steel ATB	FORK
										REAR SHOCK
Alloy rims; Alloy hubs; 14G stainless spokes	Rolf Vector: KAZ reinforced welded machined rims; Vector sealed hubset; DT butted spokes	Bontrager Fairlane, machine welded rims; SRAM Dual Drive internal rear, alloy front hubs; 14G stainless spokes	Rolf Vector: KAZ reinforced welded machined rims; Vector sealed hubset; DT butted spokes	Bontrager Fairlane rims; Shimano Acera rear, alloy front hubs; 14G stainless spokes	Bontrager Fairlane rims; Shimano Acera rear, alloy front hubs; 14G stainless spokes	Vuelta Vision, eyeleted, machined rims; Shimano RM40-8 rear, alloy front hubs; 15G stainless spokes	Matrix 750, double walled rims	Alloy rims; Alloy quick release hubs; 14G stainless spokes	Vuelta Vision, black, machined rims, Shimano Nexus 4spd rear, alloy nutted front hubs; 14G stainless spokes	WHEELS
Semi-smooth, 26 x 1.95"	Invert 2, Kevlar belted, 700x38c	Invert 2, Kevlar belted, 700x38c	IRC Paperlite, 700x35c	Invert 2, 700x38c	Invert 2, 700x38c	700x35c	Invert 2, 700x38c	Invert 2, 700x38c	Blackwall, 26x2.0"	TIRES
Trek webspring comfort	Trek Hybrid Comfort w/tail light	Trek Hybrid Comfort w/tail light	Bontrager FS 2000	Oasis web spring (men's), Womens' w/springs (women's)	Oasis web spring (men's), Womens' w/springs (women's)	Trek ATB (men's), Bassano (women's)	Trek webspring comfort	Trek webspring comfort	Trek ATB	SADDLE
Alloy Suspension	Suspension	Suspension	Bontrager Sport	Suspension	Suspension	Alloy Suspension	Alloy Suspension	Alloy Suspension	Bontrager Sport	SEATPOST
50mm rise	Alloy	Alloy	Bontrager Crowbar Sport	Riser	Riser	30mm rise	50mm rise	50mm rise	Bontrager Crowbar Sport	HANDLEBARS
Alloy adjustable rise, front load	Alloy adjustable rise	Alloy adjustable rise	Bontrager Sport AHS	Alloy adjustable rise	Alloy adjustable rise	Alloy, 15° rise (men's), 40° rise (women's), front load	Alloy adjustable rise, front load	Alloy adjustable rise, front load	Bontrager Sport AHS	STEM
1 1/8" sealed	Passage, oversize sealed	Passage, oversize sealed	STR Aheadset	Oversize, sealed	Oversize, sealed	1 1/8" sealed	1 1/8" sealed	1" sealed	Dia-Compe STR ahead, 1 1/8" sealed	HEADSET
Shimano C050 w/ dashboard	Shimano C900	Sachs Dual Drive	Shimano Alivio	SRAM GripShift Centera	SRAM GripShift Centera	Shimano EF28 EZ-Fire	Shimano C202 w/dashboard	Shimano C050 w/ dashboard	Shimano Nexus Revo	SHIFTERS
Shimano C102	Shimano C900	SRAM Dual-Drive	Shimano Nexave 301	Shimano Nexave 301	Shimano Nexave 301	Shimano C102	Shimano C102	Shimano C102	N/A	FRONT DERAILLEUR
Shimano C201	Shimano C900	SRAM Dual-Drive	Shimano Deore SGS	Shimano Deore SGS	Shimano Deore SGS	Shimano C201	Shimano C201	Shimano C101	N/A	REAR DERAILLEUR
Shimano C102 48/38/28 w/chainguard	Shimano C900 46/34	Shimano Nexave 401 48/38/28	Shimano Nexave 401 48/38/28	Shimano Nexave 301 48/38/28, w/chainguard	Shimano Nexave 301 48/38/28, w/chainguard	Shimano T303 48/38/28 w/chainguard	Shimano C102	Shimano C102	TruVative 42T w/ chainguard	CRANKSET
Sunrace 13-34, 7spd	Shimano HG-50 11-32, 9spd	SRAM 7.0 11-32, 9spd	Shimano HG-50 11-30, 8spd	SRAM 5.0 11-32, 8spd	SRAM 5.0 11-32, 8spd	SRAM ESP 5.0 11-32, 8spd	Sunrace 11-30, 8spd	Sunrace 13-34 , 7spd	Shimano 20T	CASSETTE
Alloy linear pull w/modulator on front w/Shimano alloy levers	AVID S03, linear pull w/Shimano C900 levers	Forged alloy linear pull w/alloy levers	Forged alloy linear pull w/alloy levers	Alloy linear pull w/alloy levers	Alloy linear pull w/alloy levers	Alloy linear pull w/modulator on front w/Shimano alloy levers	Alloy linear pull w/ modulator w/Shimano alloy levers	Alloy linear pull w/ modulator w/Shimano alloy levers	Alloy linear pull w/alloy levers	BRAKESET
Trek design dual density platform	Shimano clipless/ platform	Alloy, sealed w/clips and straps	Alloy road, sealed w/clips and straps	Platform, dual density	Platform, dual density	Alloy/nylon ATB	Trek design dual density platform	Trek design dual density platform	Alloy platform	PEDALS
										ADDITIONAL COMPONENTS

frameset

wheels

cockpit components

drivetrain

other components

SPECS

CITY & BIKE PATH
cruiser

		Town & Country	Calypso	Cruiser Classic
frameset	SIZES	(M) 20"; (WS) 17"	(M) 20"; (WS) 17"	(M) 20"; (WS) 17"
	COLORS	Big Island Blue	Glacier, Candy Red	Black Gold, Alpine
	FRAME	Trek engineered, high tensile steel. Comfort Cruiser geometry, strong and durable.	Trek engineered, high tensile steel. Comfort Cruiser geometry, strong and durable.	Trek engineered, high tensile steel. Comfort Cruiser geometry, strong and durable.
	FORK	Trek high tensile steel ATB	Trek high tensile steel ATB	Trek high tensile steel ATB
	REAR SHOCK			
wheels	WHEELS	Alloy rims; Shimano Nexus 3spd w/coaster brake rear, alloy nutted front hubs; 14G stainless spokes	Alloy rims; Alloy nutted hubs; 14G stainless spokes	Alloy rims; Shimano single speed coaster brake rear, alloy front hubs; 14G stainless spokes
	TIRES	Whitewall, 26x2.0"	Whitewall, 26x2.0"	Whitewall, 26x2.0"
cockpit components	SADDLE	Trek webspring/ dual spring	Trek webspring/ dual spring	Trek webspring/ dual spring
	SEATPOST	Alloy pin type	Alloy pin type	Alloy pin type
	HANDLEBARS	Steel cruiser CP	Steel cruiser CP	Steel cruiser CP
	STEM	forged alloy	forged alloy	forged alloy
	HEADSET	1"	1"	1"
drivetrain	SHIFTERS	Shimano Nexus Revo	SRAM MRX	N/A
	FRONT DERAILLEUR	N/A	N/A	N/A
	REAR DERAILLEUR	N/A	Shimano C050	N/A
	CRANKSET	33T Nexus type	OPC/40T	OPC/40T
	CASSETTE	20T	Sunrace 13-34 , 7spd	18T
other components	BRAKESET	Shimano coaster rear	Cantilever	Shimano coaster rear
	PEDALS	Trek design dual density platform	Trek design dual density platform	Trek design dual density platform
	ADDITIONAL COMPONENTS	San Giorgio mudguards		

ACCESSORIES >>

Rolf Wheels.

Rolf Dietrich created Paired Spoke Technology™ to make road and off road wheels that are stiffer, lighter, stronger. And proven to help you perform better under all conditions. Whether you love to win, or simply love to ride. Check out WWW.ROLFWHEELS.COM.

Wheels: Good wheels are essential - only the frame has a bigger impact on how your bike rides and performs.

Rolf® Vector Pro Wheelset (Road)

- Weight, 700c clincher: 760g front, 930g rear.
- Wind tunnel tested to be among the fastest wire spoked wheels available, with equal the performance of the fastest composite wheels.
- Patented KAZ Reinforced Weld Technology rims with precision-machined sidewalls for a seamless braking surface.
- Swiss-made hubset with oversized alloy axles and patented Torque Transfer rear wheel design for equal torque transmission and longer spoke life.
- Ti skewers included.

Rolf® Urraco Disc Wheelset (Off Road)

- Weight: 740g front, 960g rear.
- Patented Torque Transfer rear wheel design for equal torque transmission and longer spoke life.
- Swiss made hubset with cartridge bearings. Fully user serviceable.
- Rotor spacing set to International standard.
- KAZ Reinforced Weld Technology rims for additional strength.
- 24 spoke front and rear, 14/15 SS spokes and alloy nipples.
- Skewers included.

Rolf® Sestriere Wheelset (Road)

- Weight: 650g front, 840g rear.
- 100g lighter than any wheel in its class.
- Superlight weight, amazing stiffness and wind-splitting aerodynamics.
- Proven performer in 2000 Tour de France.
- 23mm semi-aero rims with welded machined sidewalls.
- Triple sealed cartridge-bearing hubs with oversized aluminum axels.
- Stainless steel spokes with locking alloy external nipples.