









The 2007 model season from Marin Bikes brings sweeping change in the form of new technologies, better bike fit and an expanded assortment of models for all riding styles.

After 20 years of business, we haven't lost sight of our core values. We are committed to building a bicycle that is superbly engineered, lightweight yet durable, and designed to give riders the highest quality experiences for years to come.

We invite you to browse through this catalog to find information on the perfect bike that fits your current riding style or to find the dream machine that



DESIGNED IN MARIN COUNTY, CALIFORNI











# COMMITMENT

you wish to one day call your own. You'll find that whether it's a quick trip to the corner store or racing down your favorite single track, we've got a bike just for you.

Feel free to contact us for advice and recommendations. We can answer your questions because we ride (and dream), just like you.

Ride, rest, repeat... Enjoy!



- 4 BIKE LOCATOR
- B FRAME DESIGN & TECHNOLOGY
- 11 WOMEN'S FIT GEOMETRY
- 2 QUAD-LINK SUSPENSION OVERVIEW
- 8 BIKE MODELS
- 92 FRAME SIZE FITTING CHARTS
- 93 COMPONENT & GEOMETRY SPECS
- 114 WARRANTY INFORMATION











20 QUAD XC

25 QUAD XLT

29 QUAD TARA

31 HYDRO-LIGHT

36 ALLOY HT

21 MOUNT VISION PRO

22 MOUNT VISION

23 RIFT ZONE

24 EAST PEAK

26 QUAKE 7.3

27 QUAKE 7.2

28 QUAKE 7.1

30 WOLFRIDGE

32 NAIL TRAIL

33 JUNIPER TRAIL

34 PALISADES TRAIL

35 ELDRIDGE GRADE

37 HAWK HILL SE

38 BEAR VALLEY

39 BOBCAT TRAIL

40 ALPINE TRAIL

41 BOLINAS RIDGE

**42 PIONEER TRAIL** 







43 👭

47 EXOTIC HT

51 ALP

ss PRO-FIT

58 NATURAL-FIT

44 ROCKY RIDGE

45 B-17

46 NORTHSIDE TRAIL

48 INDIAN FIRE TRAIL

49 TEAM TITANIUM

50 PINE MOUNTAIN

52 HIGHWAY ONE

53 LUCAS VALLEY

54 FAIRFAX

56 STELVIO

57 SAN MARINO

59 VERONA

60 TREVISO

61 ARGENTA

62 VENEZIA

63 PORTOFINA

64 PORTOFINO









69 CITY

78 COMFORT

B2 GRUISERS

66 POINT REYES

67 NOVATO

68 MUIRWOODS

70 SAUSALITO

71 SAN ANSELMO

72 SAN RAFAEL

73 LARKSPUR

74 KENTFIELD

76 CORTE MADERA 79 REDWOOD

77 BELVEDERE 80 STINSON

81 COAST TRAIL

83 DRAKE'S BEACH

84 HEART'S DESIRE





86 👭

87 ALLOY HT

B9 CRUISERS

90 BWX

92 FIRST BIKE

86 WILDCAT TRAIL

87 BAYVIEW TRAIL
88 HIDDEN CANYON

89 MUIR BEACH

90 MBX 250 91 MBX 150 92 MBX 50 92 TINY TRAIL





## Frame Tech

A bicycle frame is a complicated creature. There exists a delicate balance between materials and construction, geometry and ride quality, and looks and performance. Changing one attribute, even in the slightest way, can affect them all. Two bikes with identical angles and components may feel very different on the trail because of a difference in material, or a difference in how a material is used. Whether it's a cromoly bike for daily urban abuse, or a hydroformed suspension bike for world class off-road performance, we work very hard to construct the best frame for every riding condition.

We expect nothing less from the companies we partner with than to produce the finest, most technologically advanced tubing to our unique specifications. After carefully studying the stresses transmitted through each frame, we determine the optimum profiling of our Edge, Edge II, and Hydro-Edge tubes. We then remove unnecessary material through processes such as butting, drawing, tapering and hydroforming. Each tube for every size in every bike is then custom shaped in Titanium, Steel or Aluminum, depending upon the model.

When you experience the outstanding ride qualities of every model in the Marin range you'll realize that we have taken the time to design a bike just for you, no matter what your riding style.



Butting: Every tube used in the construction of a Marin bike begins life as a simple, plain round tube. Butting is a process by which a plain round tube has material removed in order to make it lighter without sacrificing its useful strength. This basic process lies at the foundation of all of the shaped tubing used on Marin bikes.

In the case of a frame tube, it is logical that the material needs to be thicker near a weld, since the ends will experience the greatest amount of stress and strain. However, thicker material adds unnecessary weight towards the middle of the tube, and adds very little to the overall strength of the frame. So the tube is "butted", which makes the wall of the tube thinner towards its center, and thicker near the welded junctions.

Butting specifications are different from model to model, and from size to size within each model. For example, a frame designed to be used by a rider that is over 6 feet tall will need to have a different butting profile than a frame built with a 5 foot 2 inch rider in mind. Virtually every tube on every bike in the Marin line has been carefully considered, and butted accordingly.

Hydroforming: Hydroforming takes butting and shaping a step further by allowing complicated 3-dimensional engineered shapes to be readily manufactured. By changing the shape of a tube you can tune how it will behave under the riders load. Increasing the size of a tube near a welded junction increases its strength in a similar way as butting, but spreads the load over a larger area.

Our Hydro-Edge tubing starts as a butted round tube that is connected at both ends to a high pressure hydraulic pump. The tube is then placed into the mold and the press is closed. Hydraulic fluid is delivered at extremely high pressures and the tube is expanded out to the shape of the mold. This advanced manufacturing process produces tubes of remarkable strength, low weight, and striking aesthetic appeal.



## Frame Geometry

The frame is the single most important component in your bicycle. Like the foundation of a house, the frame is what a great bike is built upon. We have carefully considered the fit of every model in our line, and built frames for all types of riders, and every type of ride. We strive to build not only superbly constructed frames that are lightweight and durable, but frames that are engineered utilizing cutting edge technology to support and emphasize specific ride characteristics.

To achieve this, we use AutoCad to conceptually design Marin frames through 3- dimensional drafting and detailing in order to attain the perfect geometry for every bike. Different categories of bikes are intended for different riding conditions. For example, we carefully model and test a rider's fit and frame geometry until we achieve the optimal desired results. While computer modeling enables our Product Development department to begin the testing process steps ahead of the drafting table and calculator, we believe that there is no alternative to actual bicycle riding.

Every Marin bike is painstakingly designed and tested before it reaches the production floor. You can rest assured that whether

it's a slacker head tube angle on the Quake 7.1 or telescoping headtube on the Redwood or Fairfax, each bike was designed with performance, comfort, and aesthetics in mind. If it is an upright riding position with confident steering, an aggressive and responsive position on a road racing model, or a low slung center of gravity on a XC trail bike, the Marin Product Department has stressed the small stuff so you won't have to.



We started from scratch to create a selection of bicycles that fit the shape of a woman's body better than ever before.

With the same attention to detail as our other models, we use custom drawn and butted tubesets in each size to tailor the ride feel. We specifically tune suspension forks to better match a woman's weight distribution, and carefully chose parts to improve comfort and fit at all contact points.

Based on women riders' feedback, we have designed a custom handlebar and unique grip system that is slightly smaller in diameter for smaller hands to comfortably hold onto without excessive fatigue. Included with this system are a set of shims that allow the brake levers and shift levers to be positioned in the most effective positions for performance and comfort.

Typically a woman's body is in different proportions than a man's. Her longer legs relative to her torso may mean that some women fit better on a bike adjusted for these factors than a standard frame. Marin Women's Fit Geometry bikes like the Juniper Trail take this into consideration and are built with frame compartments shorter than corresponding conventional models. The end result is a near custom feel with our new Women's Fit Geometry.

## How the Women's Fit Geometry bikes are different:

- Shorter top tube reduces the reach to the handlebars
- Slightly relaxed steering geometry makes bike feel more stable
- Smaller diameter handlebars and grips reduce fatigue for smaller hands
- Custom tuned suspension components maximize performance for a woman's body weight distribution
- Women's specific saddles provide more consistent support for a woman's anatomy



A portion of the proceeds from the sale of Women's Fit Geometry bikes will be donated to Breast Cancer Research in hopes of helping to find a cure for a disease that effects so many.























## THE SUSPENSION SYSTEM AT THE CORI

The Quad-Link suspension system first appeared on Marin bikes in 2003 on the 4" Travel Quad XC models. This revolutionary floating swingarm suspension system redefined what was possible with mountain bike suspension.

Designed by Jon Whyte, a former Formula One suspension engineer, the Quad-Link suspension system addressed every weakness of previous single pivot designs. It is reactive to small bumps, resists bottoming on large impacts, and is not effected by pedaling forces.

In 2006 the Quad XLT was introduced, again changing the perceptions of what was possible with mountain bike suspension; long travel, efficient pedaling, reactive to small bumps, and a nearly bottomless feel on the larger hits and drops. For 2007 the Quad XC system has been completely reengineered to incorporate the design features of the Quad XLT, while maintaining the lightweight and efficient ride of the original Quad XC.





QUAD XC



OUAD XLT



OUAD TARA



## INSTANTANEOUS RESPONSE

The key to the effectiveness of the Quad-Link suspension system lies in the Instantaneous Pivot Center (IPC) concept and a specific tuned axle path. On all Quad-Link bikes, the IPC works with the specified axle path to optimize the leverage on the shock and keep the wheel firmly in contact with the ground. The IPC, which is a location in space around which the rear wheel rotates, or pivots, is constantly changing throughout the suspension cycle. The net effect is that the Quad-Link suspension is highly sensitive to small variation in the terrain, yet capable of handling larger hits without upsetting the forward momentum of the bike, and without bottoming out. The best of both worlds; small bump traction and big hit control. For indepth informtaion on the technology behind the Quad-Link, visit the Marin Bikes website Tech section.

QUAD XC: Simply put, the most efficient riding XC trail bike that exists today. The innovative 2007 Quad XC series of full suspension bikes has grown from our proven 4-bar link platform with major frame evolution and innovations. The hydroformed mainframe is a work of art that maximizes standover for a superior fit, efficiently minimizes stress to typical points of liability, and provides an exceptionally stiff platform from which to anchor the Quad linkage. While the wheel path is similar to that of the 2006 bikes, the linkage system has been completely redesigned to give more travel (120mm) and lower the leverage on the rear shock. This means a bike with better all-mountain abilities, greater small bump compliance, and time-proven pedaling performance.

QUAD XLT: Fast? We think so. Speed, however, is nothing without control. With nearly 7" of travel, these bikes can rip. The Quad XLT suspension system works on a four pivot, floating swingarm principle, with the path of the rear axle tuned to cancel out pedaling forces and to conform to terrain effectively. Complex engineering, yet simple operation helps us keep the weight down on our longest travel bike. We've designed the bike to be





-country suspension (D)U)/A\D) X\L7

incredibly stable by capturing the shock within the suspension parts to lower the bike's center of gravity. Capitalizing on its fast acting links this low slung beauty can be fired down the sickest trails with aggression and confidence in equal measure. With its tough hydroformed frame and precision sealed bearings your Quad XLT will be ready when you are, even if you have to pedal back to the top!

QUAD TARA: Updated from 2006, the Wolf Ridge enjoys a modified Monocoque stamping on the main frame. The travel is fixed for 2007 at 150mm (6"), and the adjustable frame geometry has been completely updated. The relaxed headtube and seat tube angles combined with a lowered BB and shortened chainstays make for a bike that is at home on technical trails, where tight and twisty is the norm. The linkage locations have been changed to optimize the leverage for the fixed 150mm travel. This provides more consistent leverage ratios throughout the travel, without sacrificing the pedaling efficiency the Quad system has been praised for. The Wolf Ridge may look familiar, but inside, it's a whole new beast.





# QUAD XLT

## DUAD FULL SUSPENSION TECHNOLOGY PUT TO THE TEST

There are at least two athletes we know who seem to be on their bikes almost every day of the year. Downhill and Freeride champions Shaums March and Mike Jones understand the torture that their bikes go through and have selected the Marin Quad XLT as their ride of choice.

As the founder of Mad March Racing Camps, Shaums March provides his students with detailed instruction geared to improve their riding skills. The Quad XLT is the perfect bike for Shaums and Mike to teach on, relying on it's efficient pedaling platform, perfectly

executed frame geometry and the bottomless feel to its suspension design. If you ask them what makes their coaching and training superior to any other camp around, they'll tell you that it is the cailber of their personable and internationally recognized rider instructors, but we know that it's really the bikes they ride!

To improve your riding skills, visit the Mad March Racing website, and to get on a better All Mountain Freeride bike, visit your local Marin dealer to ride one of the new 2007 Quad XLT's.













A highly efficient 5" travel bike developed from our championship winning Quad XC 4 Bar Linkage designed to cope with the most arduous conditions the trail can throw at you.







## **MOUNT VISION PRO**

## ANODIZED BLACK

FRAME

6061 Aluminum, Fully Hydroformed Mainframe and Swingarm, Quad-Link XC 2.0 Suspension System, Disc Specific

REAR SUSPENSION

Fox Float RP23 with Rebound Adjustment, Dual Position ProPedal with 3 Position ProPedal Lever Adjustment

FURK

Fox 32 Float RLC, 120mm with Compression and Rebound Adjustment, Lockout, Blow-Off Threshold Adjustment and Air Spring Preload

HUBS

DT 240S, 32 Hole Disc with Centerlock

RIMS

Mavic XC-717, 32 Hole Disc

SHIFTERS

Shimano XTR, with 2 Way Release, 9 Speed

REAR DERAILLEUR

Shimano XTR

CRANKSET

Shimano XTR, 44/32/22 with HollowTech II

BRAKES

Shimano XTR Hydraulic Disc

FULL SPECS: PG. 94





Short linkages allow the Quad-Link suspension system to instantaneously tune itself to create the most ideal riding conditions. The axle path moves rearward early in its travel then about one third the way through, it moves forward to eliminate pedal induced feedback.



## **MOUNT VISION**

## GLOSS SLATE BLUE

## FRAME

6061 Aluminum, Fully Hydroformed Mainframe and Swingarm, Quad-Link XC 2.0 Suspension System, Disc Specific

## REAR SUSPENSION

Fox Float RP23 with Rebound Adjustment, Dual Position ProPedal with 3 Position ProPedal Lever Adjustment

## FORK

Fox 32 Float RL, 120mm with Rebound Adjustment, Lockout, and Air Spring Preload

## HIIRS

WTB LaserDisc Lite, 32 Hole

## RIMS

Mavic XM-317, 32 Hole Disc

## SHIFTERS

Shimano XT, with 2 Way Release, 9 Speed

## REAR DERAILLEUR

Shimano XTR

## CRANKSET

Shimano XT, 44/32/22 with HollowTech II

## BRAKES

Avid Juicy 7 Hydraulic Disc

FULL SPECS : PG. 94









## RIFT ZONE

## GLOSS OCEAN

FRAME

6061 Aluminum, Fully Hydroformed Mainframe and Swingarm, Quad-Link XC 2.0 Suspension System, Disc Specific

REAR SUSPENSION

Fox Float R with Rebound Adjustment

FORK

Fox 32 Float R, 120mm with Rebound Adjustment, and Air Spring Preload

HUBS

WTB LaserDisc Lite, 32 Hole

RIMS

Mavic XM-317, 32 Hole Disc

SHIFTERS

Shimano LX, with 2 Way Release, 9 Speed

REAR DERAILLEUR

Shimano XT CRANKSET

TruVativ Firex 3.2, 44/32/22 with 2 Alloy Chainrings and Giga X Pipe Exterior BB System

BRAKES

Avid Juicy 5 Hydraulic Disc

FULL SPECS: PG. 94





The hydroformed top and down tubes allow for expanded tubing diameters, resulting in increased weld surfaces, material interface and superior strength. The application of intricate 3 dimensional shaping not only improves the quality of the ride, but turns this bike into a virtual work of art.

# COLOR OPTION: Gloss Pewter

## **EAST PEAK**

## GLOSS BRIGHT RED

FRAME

6061 Aluminum, Fully Hydroformed Mainframe and Swingarm, Quad-Link XC 2.0 Suspension System, Disc Specific

REAR SUSPENSION

Fox Float R with Rebound Adjustment

FORK

Marzocchi MX Pro Lo, 120mm with Preload, Rebound Adjustment and Lockout

SAIIH

Shimano Deore Disc, 32 Hole

RIMS

Mavic XM-117, 32 Hole Disc

SHIFTERS

Shimano LX, with 2 Way Release, 9 Speed

REAR DERAILLEUR

Shimano LX

CRANKSET

TruVativ Five D, 44/32/22 with Alloy Outer Chainring

BRAKES

Avid Juicy 3 Hydraulic Disc

FULL SPECS: PG. 94



By sloping the hydroformed top tube in the Quad XC series, we've designed a bike with the optimum riding geometry while maintaining maximum standover and enough room for your favorite water bottle.



# DUADXI

## LONG TRAVEL FREERIDE, GO EVERYWHERE

Built with long travel, big hit durability blended with our efficient pedaling IPC design, the Quad XLT bikes tackles new school style bike parks yet can still be pedaled back to the top when lifts stop running.







# QUAD XLT

## **QUAKE 7.3**

## ANODIZED BLACK

## FRAME

6061 QUAD XLT Aluminum with Edge II Plus Top Tube and Hydroformed Down Tube, 6061 QUAD XLT 6.8" Travel. 4 Bar Link Aluminum Swingarm with Disc Mounts

## REAR SUSPENSION

Fox DHX Air 5.0 with Air Spring Adjustment, Rebound Adjustment, ProPedal Adjustment, Boost Valve Adjustment, Bottom Resistance Schraeder Tuning Range Adjustment

## FORK

Fox 36 TALAS RC2,100+130+160mm with Rebound Adjustment, High and Low Speed Compression Adjustment, Position Sensitive Damper and Air Spring Preload

## HIRS

WTB LaserDisc Super Duty, 32 Hole with 20mm Through Axle, 32 Hole Rear

## RIMS

Mavic EX-325, 32 Hole Disc

## SHIFTERS

SRAM X-9, 9 Speed Trigger

## REAR DERAILLEUR SSRAM X-9

## GRANKSET

TruVativ Holzfeller 2.2 RG DH, 36/24 with E-13 Shift Guide Dual Ring Security and Bash Guard

## BRAKES

Hayes HFX Mag Hydraulic Disc, with V8 Rotor Front, V7 Rotor Rear

FULL SPECS: PG. 95









## **QUAKE 7.2**

## GLOSS PEARL

## FRAME

6061 QUAD XLT Aluminum with Edge II Plus Top Tube and Hydroformed Down Tube, 6061 QUAD XLT 6.8" Travel. 4 Bar Link Aluminum Swingarm with Disc Mounts

## REAR SUSPENSION

Fox DHX 5.0 with Coil Spring Preload, Rebound Adjustment, ProPedal Adjustment, Boost Valve Adjustment, Bottom Resistance Schraeder Tuning Range Adjustment

## EUBK

Marzocchi 66 RCV, 160mm, 1.5" Steerer with Air Spring Preload, External Rebound and Compression Adjustment

## HUBS

WTB LaserDisc Super Duty, 32 Hole with 20mm Through Axle. 32 Hole Rear

## RIMS

WTB SpeedDisc XL, 32 Hole Disc

## SHIFTERS

SRAM X-7, 9 Speed Trigger

## REAR DERAILLEUR SSRAM X-7

## GRANKSET

TruVativ Hussefelt 2.2 RG DH, 36/24 with E-13 Shift Guide Dual Ring Security and Bash Guard

## BRAKES

Hayes HFX-9 Hydraulic Disc, with V8 Rotor Front, V7 Rotor Rear

FULL SPECS: PG. 95





The shock is captured within the suspension system to achieve a low center of gravity, resulting in an incredibly stable ride. The system works on a four pivot, floating swingarm principle, with the path of the rear axle tuned to cancel out pedaling forces and to conform to terrain effectively.

## **QUAKE 7.1**





Whether it is the Marzocchi AM 4 fork or the top the line Marzocchi Rocco rear shock, the parts selection on the Quake 7.1 has been chosen for performance and reliability. The 7.1 is the work horse of the Quad XLT crew.

## GLOSS BRIGHT RED

## FRAME

6061 QUAD XLT Aluminum with Edge II Plus Top Tube and Hydroformed Down Tube, 6061 QUAD XLT 6.8" Travel. 4 Bar Link Aluminum Swingarm with Disc Mounts

## REAR SUSPENSION

Marzocchi Rocco TST with Coil Spring Preload, Rebound Adjustment, and 5 position TST compression Austment

## FORK

Marzocchi AM 4, 160mm with OR20 Front Axle, External Air Preload and Internal Rebound Adjustment

## HIIRS

Pro Alloy Quad Sealed, 32 Hole Disc with 20mm Through Axle Shimann Denre 32 Hole Disc Rear

WTB Dual Duty Freeride, Double Wall, 32 Hole

## SHIFTERS

SRAM X-5, 8 Speed Trigger

## REAR DERAILLEUR SRAM X-7

TruVativ Ruktion, 32/22 with E-13 Shift Guide Dual Ring Security and Bash Guard

Hayes HFX-9 Hydraulic Disc, with V8 Rotor Front, V7 Rotor Rear

FULL SPECS : PG. 95



The Wolf Ridge is an all mountain trail bike with 6" of travel designed to feel at home on technical trails, where tight and twisty is the norm. Slack geometry with a low center of gravity and short chainstays insure a controlled and riveting ride.











Shorter links are faster to react, lighter, and considerably stiffer. The high speed at which the links can move allows the Instantaneous Pivot Center to tune itself and create the most ideal leverage rate and maximum ground traction.

## **WOLF RIDGE**

## MATTE JADE

## FRAME

6061 TARA Aluminum, Twin Monocoque Front, New 6061 TARA 6" Travel Monocoque with Adjustable Ride Height, Quad-Link Alumnium Swingarm, Disc Specific

## REAR SUSPENSION

Fox Float RP23 with Rebound Adjustment, DOHC ProPedal 2 Position Plus ProPedal with 3 Position Lever Adjustment

## FORK

Fox 32 Float RL, 140mm with Rebound Adjustment, Lockout, and Air Spring Preload

## HUBS

WTB LaserDisc Lite 32 Hole

## SMIS

WTB SpeedDisc All Mountain, Double Wall, 32 Hole Disc

## SHIFTERS

Shimano LX, with 2 Way Release, 9 Speed

## REAR DERAILLEUR

Shimano XT

## GRANKSET

TruVativ Firex 2.0 AM, 36/24 with Alloy All Mountain Bash Guard and Giga X Pipe Exterior BB System

## BRAKES

Hayes HFX-9 Hydraulic Disc, with V7 Rotor Front, V6 Rotor Rear

FULL SPECS: PG. 95









# HYDRO-LIGHT HT

## **NAIL TRAIL**





With a compartment longer than the Alloy HT category, the Hydro-Light HT series is designed with performance and aesthetics in mind. Carefully shaped tubesets allow for maximum rigidity and responsiveness.

## GLOSS STEEL

FRAME

6061 Aluminum, New Double Butted Hydro-Edge Top and Down Tubes, New Double Butted 4-Side Seat and Chain Stays, Disc Specific

FORK

Fox 32 F100R, 100mm with Rebound Adjustment and Air Spring Preload

HUBS

Shimano Deore, 32 Hole Disc

RIMS

Mavic XM-117, 32 Hole Disc

SHIFTERS

Shimano LX, with 2 Way Release, 9 Speed

FRONT DERAILLEUR

Shimano Deore

REAR DERAILLEUR Shimano XT

RANKSET

TruVativ Firex 3.2, 44/32/22 with 2 Alloy Chainrings and Giga X Pipe Exterior BB System

BRAKES

Avid Juicy 3 Hydraulic Disc

FULL SPECS: PG. 97

## **JUNIPER TRAIL**

## GLOSS VAPOR

FRAME

6061 Double Butted Aluminum with Women's Fit Geometry, New Double Butted Hydro-Edge Top and Down Tubes, New 4-Side Seat and Chain Stays, Disc Specific

FORK

Marzocchi MZ Race, 100mm, Tuned for Women with Preload Adjustment and Lockout

HUBS

Shimano, 32 Hole Disc

RIMS

WTB SX24, Double Wall, 32 Hole Disc

HANDLEBAR

Women's Custom Taper Double Butted Alloy, 31.8mm Center Tapering to 19.1mm Control Section, with 25.4mm Rise. Shift and Brake Lever Adjustment Shims with 0-3mm of Adjustment

SHIFTERS

Shimano LX, with 2 Way Release, 9 Speed

FRONT DERAILLEUR

Shimano Deore

REAR DERAILLEUR

Shimano LX

CRANKSET
TruVativ Five D 3.1, 44/32/22 with Alloy Outer Chainring and Power Spline

BRAKES

Hayes Sole Hydraulic Disc with V6 Rotors

FULL SPECS: PG. 97













MOUNTAIN HT

# HYDRO-LIGHT HT

## **PALISADES TRAIL**

## MATTE RED ROCK

FRAME

6061 Aluminum, New Double Butted Hydro-Edge Top and Down Tubes, New Double Butted 4-Side Seat and Chain Stays, Disc Specific

FORK

Marzocchi MZ Race, 100mm with Preload Adjustment and Lockout

HUBS

Shimano, 32 Hole Disc

RIMS

WTB SX24, Double Wall, 32 Hole Disc

SHIFTERS

Shimano LX, with 2 Way Release, 9 Speed

FRONT DERAILLEUR

Shimano Deore

REAR DERAILLEUR Shimano LX

CRANKSET

TruVativ Five D 3.1, 44/32/22 with Alloy Outer Chainring and Power Spline

BRAKES

Hayes Sole Hydraulic Disc with V6 Rotors

FULL SPECS : PG. 97









## **ELDRIDGE GRADE**

## MATTE SLATE

FRAME

6061 Aluminum, New Double Butted Hydro-Edge Top and Down Tubes, New Double Butted 4-Side Seat and Chain Stays, Disc Specific

FORK

Marzocchi MZ Super Comp, 100mm with Preload and Rebound Adjustment

HUBS

Shimano, 32 Hole Disc

RIMS

WTB SX24. Double Wall. 32 Hole Disc

SHIFTERS

Shimano Deore, 9 Speed

FRONT DERAILLEUR Shimano Deore

REAR DERAILLEUR

Shimano LX

TruVativ Five D 3.1, 44/32/22 with Alloy Outer Chainring and Power Spline

BRAKES

Hayes MX-2 XC Mechanical Disc with V6 Rotors

FULL SPECS: PG. 97





With the attention to detail like a CNC'd brake bridge on each of the Hydro-Light framesets, it is clear that every last component and geometry measurement was carefully considered in order to provide the most ideal ride possible.









# **HAWK HILL SE**

## GLOSS STEEL

FRAME

7005 Aluminum with Edge II Top Tube and Triple Butted Down Tube, New 4-Side Seat Stay, Disc Specific

FORK

Marzocchi MZ Comp, 100mm with Preload Adjustment

HUBS

Alloy Double Sealed, 32 Hole Disc with QR

RIMS

WTB DX23, Double Wall, 32 Hole Disc

SHIFTERS

Shimano Deore, 9 Speed

FRONT DERAILLEUR

Shimano Deore

REAR DERAILLEUR

Shimano Deore

CRANKSET

TruVativ IsoFlow 3.0, 44/32/22 with Power Spline

BRAKES

Hayes MX-2 XC Mechanical Disc with V6 Rotors

FULL SPECS: PG. 98





Careful attention is taken in order to skillfully draw double and triple butted tubes that minimize weight while increasing strength and torsional rigidity. Flaring the stress areas of a tube result in a stiffer and better performing bike.



# **BEAR VALLEY**

#### GLOSS PINK

#### FRAME

7005 Triple Butted Aluminum, Women's Fit Geometry, with Edge II Top Tube and Triple Butted Down Tube, New 4-Side Seat Stay, Disc Specific

#### FORK

Rock Shox Dart 1, 100mm, Tuned for Women with Preload Adjustment

#### HUBS

Alloy Double Sealed, 32 Hole Disc with QR

#### RIM 2

WTB DX23, Double Wall, 32 Hole Disc

#### HANDLEBAR

Women's Custom Taper Double Butted Alloy, 31.8mm Center Tapering to 19.1mm Control Section, with 25.4mm Rise. Shift and Brake Lever Adjustment Shims with 0-3mm of Adjustment

#### SHIFTERS

Shimano EF50 EZ-FIRE Plus, 8 Speed

#### FRONT DERAILLEUR

Shimano Acera

#### REAR DERAILLEUR

Shimano Deore

#### CRANKSET

TruVativ X-Flow 3.0, 42/32/22

#### BRAKES

Hayes MX-2 XC Mechanical Disc with V6 Rotors

FULL SPECS : PG. 98



The Marin Women's bar feels more comfortable and gives more control than a conventional handlebar. We acheived this by narrowing the width and reducing the diameter. This bike is built with women's specific requirements in mind.

# **BOBCAT TRAIL**

# MATTE BRUSHED POLISH

FRAME

7005 Aluminum with Edge II Top Tube and Triple Butted Down Tube, New 4-Side Seat Stay, Disc Specific

FORK

Rock Shox Dart 1, 100mm with Preload Adjustment

HUBS

Alloy Double Sealed, 32 Hole Disc with QR

RIMS

WTB DX23, Double Wall, 32 Hole Disc

SHIFTERS

Shimano EF50 EZ-FIRE Plus, 8 Speed

FRONT DERAILLEUR

Shimano Acera

REAR DERAILLEUR

Shimano Deore

CRANKSET

TruVativ X-Flow 3.0, 42/32/22

BRAKES

Hayes MX-2 XC Mechanical Disc with V6 Rotors





# **BOLINAS RIDGE**

#### MATTE VAPOR

FRAME

7005 Aluminum with Edge II Top Tube and Down Tube, New 4-Side Seat Stay

FORK

Spinner Grind OS 2, 100mm with Oversize 28.6mm Legs and Preload Adjustment

HUBS

Alloy Double Sealed, 32 Hole with QR

RIMS

Alex TA-19. Double Wall, 32 Hole with CNC Side Walls

SHIFTERS

Shimano EF50 EZ-FIRE Plus, 8 Speed

FRONT DERAILLEUR

Shimano Acera

REAR DERAILLEUR

Shimano Acera

CRANKSET

TruVativ X-Flow 3.0, 42/32/22

BRAKES

Forged Alloy Linear Pull

FULL SPECS : PG. 99





New Four Side Seat Stays stiffen the rear triange of Marin bicycles making them more efficient to ride. This translates into a better transfer of power from rider to trail, and less energy expended.

MOUNTAIN HT



# **PIONEER TRAIL**

## MATTE GRANITE

FRAME

7005 Aluminum with Edge II Top Tube and Down Tube, New 4-Side Seat Stay

FORK

Spinner Grind OS 2, 100mm with Oversize 28.6mm Legs and Preload Adjustment

HIIRS

Alloy Double Sealed, 32 Hole with QR

RIMS

Alloy, 36 Hole with QR

SHIFTERS

Shimano EF50 EZ-FIRE Plus, 7 Speed

FRONT DERAILLEUR Shimano CO50

IIIIIaiio 0000

REAR DERAILLEUR Shimano Altus

SIIIIIIAIIU AILUS

CRANKSET

TruVativ X-Flow 3.0, 42/34/24

BRAKES

Forged Alloy Linear Pull

FULL SPECS : PG. 99



A suspension fork and upright riding position make the Pioneer Trail an ideal first mountain bike for either light trail riding or just getting around town.











# **ROCKY RIDGE**

## MATTE STEEL

#### FRAME

7005 Aluminum, Oversize Double Butted Edge II Top and Oversize Double Butted Edge Plus II Down Tube, AXC XXL Tri-Burner Seat and Chain Stays

#### FORK

Rock Shox TORA 318 U-Turn, 85-130mm with External Rebound, Compression Adjustment and Lock Out

#### HUBS

Shimano, 32 Hole Disc

#### RIMS

WTB SpeedDisc All Mountain, Double Wall, 32 Hole Disc

#### SHIFTERS

SRAM X-5, 9 Speed Trigger

#### FRONT DERAILLEUR

Shimano Deore

# REAR DERAILLEUR

SRAM X-9

#### GRANKSET

TruVativ Firex 2.0 AM, 36/24 with Alloy All Mountain Bash Guard and Giga X Pipe Exterior BB System

#### BRAKES

Hayes HFX-9 Hydraulic Disc, with V7 Rotor Front, V6 Rotor Rear









#### MATTE BRONZE

FRAME

7005 Aluminum, Oversize Double Butted Edge II Top and Oversize Double Butted Edge Plus II Down Tube, AXC XXL Tri-Burner Seat and Chain Stays

FORK

Rock Shox TORA 289 U-Turn, 85mm-130mm with External Rebound Adjustment

HUBS

Shimano, 32 Hole Disc

RIMS

WTB SpeedDisc All Mountain, Double Wall, 32 Hole Disc

SHIFTERS

SRAM X-5, 8 Speed Trigger

FRONT DERAILLEUR

Shimano Alivio

REAR DERAILLEUR SRAM X-7

GRANKSE

TruVativ Blaze 2.0 AM, 36/24 with Power Spline and Alloy All Mountain Bash Guard

BRAKES

Hayes Sole Hydraulic Disc, with V7 Rotor Front, V6 Rotor Rear

FULL SPECS: PG. 99





The fully gusseted headtube of the AXC series of trail hardtails is slack enough to feel solid on the more aggressive terrain, but perfectly balanced to be responsive on tight twisty singletrack. This is the play bike that every rider needs to have in his garage.





Double butted Edge II top and down tubes, longer travel forks, and reliable SRAM drivetrain make the Northside Trail the ideal bike for all-around riding. This model is for the young at heart who aren't afraid to have fun.

# **NORTHSIDE TRAIL**

#### MATTE COAL

FRAME

7005 Aluminum, Oversize Edge II Top and Oversize Edge Plus II Down Tube, AXC XXL Tri-Burner Seat and Chain Stays

FORK

Marzocchi MZ Comp, 120mm with Preload Adjustment

HUBS

Shimano, 32 Hole Disc

RIMS

WTB SpeedDisc All Mountain, Double Wall, 32 Hole Disc

SHIFTERS

SRAM X-5, 8 Speed Trigger

FRONT DERAILLEUR

Shimano Alivio

REAR DERAILLEUR

SRAM X-4

CRANKSET

TruVativ Blaze 2.0 RG, 36/24 with Power Spline and Composite Rock Guard

BRAKES

Hayes MX-2 HD Mechanical Disc, with V7 Rotor Front, V6 Rotor Rear









# **INDIAN FIRE TRAIL**

## GLOSS PEARL

FRAME

6061 Aluminum, New Double Butted Hydro-Edge Top and Down Tubes, New Double Butted 4-Side Seat and Chain Stays, Disc Specific

FORK

Fox 32 F100RL, 100mm with Rebound Adjustment, Lockout and Air Spring Preload

HUBS

WTB LaserDisc Lite, 32 Hole

RIMS

Mavic XM-317, 32 Hole Disc

SHIFTERS

Shimano LX, with 2 Way Release, 9 Speed

FRONT DERAILLEUR

Shimano LX

REAR DERAILLEUR Shimano XTR

CRANKSET

TruVativ Stylo XR, 44/32/22 with 2 Alloy Chainrings and Giga X Pipe Exterior BB System

BRAKES

Avid Juicy 5 Hydraulic Disc









# **TEAM TITANIUM**

#### NATURAL TITANIUM

FRAME

Titanium Hardtail, Special 20th Anniversary Edition

FORK

Fox 32 F100RLC, 100mm with Rebound and Compression Adjustment, Lockout and Air Spring Preload

HUBS

DT 240S, 32 Hole Disc with Centerlock

RIMS

Mavic XC-717, 32 Hole Disc

SHIFTERS

Shimano XTR, with 2 Way Release, 9 Speed

FRONT DERAILLEUR

Shimano XTR

REAR DERAILLEUR

Shimano XTR

**CRANKSE** 

Shimano XTR, 44/32/22 with HollowTech II

BRAKES

Shimano XTR Hydraulic Disc

FULL SPECS: PG. 100





This special edition hand built titanium hardtail commemorates Marin Bikes' 20th anniversary. It was a commitment to excellence that put Marin on the map 20 years ago with our first edition of the Team Titanium race bike. No detail was overlooked to create the original or today's rideable work of art.



Still the standard by which other materials are measured, the Pine Mountain is built with Columbus Zona Cromoly tubing. Steel is for every rider who appreciates its solid, reliable and natural dampening qualities. Still real.

# PINE MOUNTAIN

## GLOSS BRONZE

FRAME

Full Double Butted Columbus Zona Cromoly Tubing with Mega Top and Down Tubes, Double Butted Anti-Flex Tri-Burner Seat and Chain Stays, Disc Specific

FORK

Fox 32 F100R, 100mm with Rebound Adjustment and Air Spring Preload

HUBS

WTB LaserDisc Lite, 32 Hole

RIMS

WTB LaserDisc Lite, 32 Hole Disc

SHIFTERS

Shimano LX, with 2 Way Release, 9 Speed

FRONT DERAILLEUR

Shimano LX

REAR DERAILLEUR Shimano XT

GRANKSET

TruVativ Stylo XR, 44/32/22 with 2 Alloy Chainrings and Giga X Pipe Exterior BB System


BRAKES

Avid Juicy 3 Hydraulic Disc











# **HIGHWAY ONE**

## CARBON GLOSS BLACK

FRAME

CXR Venus 7 Carbon with Alloy Junctions

FORE

Carbon Monocoque Rigid 1 1/8"

HUBS

Mavic Aksium

RIMS

Mavic Aksium, 20 Hole Front, 24 Hole Rear, Wheelset

SHIFTERS

Shimano SL-R770, 10 Speed

FRONT DERAILLEUR

Shimano R773

REAR DERAILLEUR

Shimano Ultegra

CRANKSET

FSA K-Force, 53/39/30 with Carbon Monocoque Arms and MegaExo BB System

BRAKES

Avid Single Digit 7 with Shimano Front Power Modulator

FULL SPECS: PG. 101



Carefully woven carbon fiber, whether as a complete frame or component of the frame, delivers a ride that is fast, efficient, and comfortable. No other material has the properties of carbon, and no other flat bar road bike is as comfortable as a Marin.

# **LUCAS VALLEY**

# GLOSS TITANIUM

FRAME

7005 Aluminum, Full Triple Butted Edge II Shaped Tubing with Carbon Seat Stays and Double Butted Tri-Burner Chain Stays

FORK

Carbon Monocoque Rigid 1 1/8"

HUBS

Formula, 32 Hole

Alex DC-19, Double Wall, 28 Hole Front, 32 Hole Rear with CNC Side Walls

SHIFTERS

Shimano ST-R225, EZ-Fire Plus, 8 Speed

FRONT DERAILLEUR

Shimano R453

REAR DERAILLEUR Shimano Tiagra

CRANKSET FSA CFM, 52/42/30

BRAKES

Forged Alloy Linear Pull with Front Power Modulator















## GLOSS SMOKE

FRAME

7005 Aluminum, Full Triple Butted Edge II Shaped Tubing with Double Butted Tri-Burner Seat and Chain Stays

FORK

Carbon Monocoque Rigid 1 1/8"

HUBS

Formula, 32 Hole

RIMS

Alex DC-19, Double Wall, 28 Hole Front, 32 Hole Rear with CNC Side Walls

SHIFTERS

Shimano ST-R225, EZ-Fire Plus, 8 Speed

FRONT DERAILLEUR

Shimano R453

REAR DERAILLEUR

Shimano RD-2200

CRANKSET

TruVativ Touro 3.0, 52/42/30

BRAKES

Forged Alloy Linear Pull with Front Power Modulator

FULL SPECS : PG. 101



The design of the Fairfax combines the upright and comfortable riding position of a City bike with the efficient aerodynamics and low rolling resistance of a light weight road bike.



With well balanced fit and race tuned geometry, professional level component groups are built on a CXR Venus 7 monocoque carbon fiber frame and fork. The Stelvio and San Marino are performance road bikes built with precision and elegance in mind.









# **STELVIO**

## CUSTOM CARBON

FRAME

Full Carbon Monocoque

FORK

Custom Carbon Road 1 1/8"

HUBS

Mavic Ksyrium Elite

RIMS

Mavic Ksyrium Elite, Wheelset

SHIFTERS

Shimano Dura-Ace, 10 Speed

FRONT DERAILLEUR

Shimano Dura-Ace

REAR DERAILLEUR

Shimano Dura-Ace

CRANKSET

FSA K-Force, 53/39 with Carbon Monocoque Arms and MegaExo BB System

BRAKES

Shimano Dura-Ace Dual-Pivot Calipers

FULL SPECS : PG. 102



The complete CXR Venus 7 carbon monocoque with Dura-Ace drivetrain was designed for riders who appreciate craftsmanship, attention to detail, and perfect balance. This bike is designed for the serious cyclist who will have nothing but the best.

# SAN MARINO

## CUSTOM CARBON

FRAME

Full Carbon Monocoque

FORK

Custom Carbon Road 1 1/8"

HUBS

Mavic Aksium

RIMS

Mavic Aksium, 20 Hole Front, 24 Hole Rear, Wheelset

SHIFTERS

Shimano Ultegra, 10 Speed

FRONT DERAILLEUR

Shimano Ultegra

REAR DERAILLEUR

Shimano Ultegra

CRANKSET

FSA K-Force Compact, 50/34 with Carbon Monocoque Arms and MegaExo BB System

BRAKES

Shimano Ultegra Dual-Pivot Calipers



















## GLOSS MERCURY

FRAME

7005 Triple Butted Aluminum, Edge II Mainframe with Carbon Seat Stay and New 4-Side Chain Stays

FORK

Carbon Road 1 1/8"

HUBS

Mavic Aksium

RIMS

Mavic Aksium, 20 Hole Front, 24 Hole Rear, Wheelset

SHIFTERS

Shimano 105 STI, 10 Speed

FRONT DERAILLEUR

Shimano 105

REAR DERAILLEUR

Shimano Ultegra

CRANKSET

FSA SLK Compact, 50/34 with Carbon Monocoque Arms and MegaExo BB System

BRAKES

Shimano 105 Dual-Pivot Calipers







# **TREVISO**

## GLOSS OCEAN

FRAME

7005 Triple Butted Aluminum, Women's Fit Geometry, Edge II Mainframe with Carbon Seat Stay and New 4-Side Chain Stay

FORK

Carbon Road 1 1/8"

HUBS

Shimano WH-R500

RIMS

Shimano WH-R500, Wheelset

SHIFTERS

Shimano ST-R700 10 Speed with levers designed for riders with smaller hands

FRONT DERAILLEUR

Shimano 105

REAR DERAILLEUR

Shimano 105

FSA Gossamer, 50/39/30 with Alloy Outer Chainring

BRAKES

**Dual-Pivot Calipers** 

FULL SPECS: PG. 102



Along with frame innovations and components specific for a woman, the Marin Plush Women's saddle fits a women's body and is supportive in different areas than a traditional men's saddle.

# **ARGENTA**

## GLOSS COAL

FRAME

7005 Triple Butted Aluminum, Natural Fit Geometry Edge II Mainframe with Carbon Seat Stay and New 4-Side Chain Stays

FORK

Carbon Road 1 1/8"

HUBS

Shimano WH-R500

RIMS

Shimano WH-R500, Wheelset

SHIFTERS

Shimano 105 STI, 10 Speed

FRONT DERAILLEUR

Shimano 105

REAR DERAILLEUR

Shimano 105

CRANKSET

FSA Gossamer, 50/39/30 with Alloy Outer Chainring

BRAKES

**Dual-Pivot Calipers** 











# VATURALER

# **VENEZIA**

## GLOSS STEEL

FRAME

7005 Triple Butted Aluminum, Natural Fit Geometry Edge II Mainframe with Carbon Seat Stay and New 4-Side Chain Stays

FORK

Carbon Road 1 1/8"

HUBS

Formula, 32 Hole

2 MIS

Alex R450, Double Wall, 28 Hole Front, 32 Hole Rear with CNC Side Walls

SHIFTERS

Shimano Sora STI, 8 Speed

FRONT DERAILLEUR

Shimano 2203

REAR DERAILLEUR Shimano Tiagra

CRANKSET FSA CFM, 52/42/30

BRAKES

Dual-Pivot Calipers

FULL SPECS: PG. 103





The carbon fiber seat stay and fork provide for an ride that is responsive and agile, but comfortable as well. A light weight Edge II tubeset complements the carbon to deliver a world class ride at a remarkably reasonable price.

# **PORTOFINA**



## GLOSS PEARL

FRAME

7005 Triple Butted Aluminum, Women's Fit Geometry, Edge II Mainframe with New 4-Side Seat and Chain Stays

FORK

Carbon Road 1 1/8"

HUBS

Formula, 32 Hole

Alex R450, Double Wall, 28 Hole Front, 32 Hole Rear with CNC Side Walls

SHIFTERS

Shimano Sora STI, 8 Speed

FRONT DERAILLEUR

Shimano 2203

REAR DERAILLEUR Shimano Sora

CRANKSET

FSA CFM, 52/42/30

BRAKES

**Dual-Pivot Calipers** 

FULL SPECS: PG. 103



63



# **PORTOFINO**

## GLOSS SILVER

FRAME

7005 Triple Butted Aluminum, Edge II Mainframe with New 4-Side Seat and Chain Stays

FORK

Carbon Road 1 1/8"

HUBS

Formula, 32 Hole

RIMS

Alex R450, Double Wall, 28 Hole Front, 32 Hole Rear with CNC Side Walls

SHIFTERS

Shimano Sora STI, 8 Speed

FRONT DERAILLEUR

Shimano 2203

REAR DERAILLEUR Shimano Sora

CRANKSET

FSA CFM, 52/42/30

BRAKES

**Dual-Pivot Calipers** 

FULL SPECS: PG. 103



The adjustable stem and suspension seatposts are just two of the many innovations incorporated into the Portofino and Women's Portofina. They are designed with the rider's comfort and enjoyment in mind. These bikes are ideal for your first benefit ride or vineyard tour.









# **POINT REYES**

## MATTE SMOKE

FRAME

7005 Aluminum, Triple Butted Edge Shaped Tubing with Double Butted New 4-Side Seat and Chain Stays, Disc Specific

FORK

RFE Carbon 1 1/8"

HUBS

Alloy Double Sealed, 32 Hole Disc with Locking QR

2 MI

WTB SX24, Double Wall, 32 Hole Disc

SHIFTERS

Shimano Deore, 9 Speed

FRONT DERAILLEUR

Shimano Deore

REAR DERAILLEUR

Shimano LX

CRANKSET

TruVativ Five D 3.1, 48/36/26 with Alloy Outer Chainring

BRAKES

Hayes MX-2 XC Mechanical Disc with V6 Rotors









## MATTE GRANITE

FRAME

7005 Aluminum Triple Butted Edge Shaped Tubing with New 4-Side Seat and Chain Stays, Disc Specific

FORK

Aluminum Rigid 1 1/8" with Disc Mount

HUBS

Alloy Double Sealed, 32 Hole Disc with QR

RIMS

WTB Dual Duty XC, Double Wall, 32 Hole with CNC Side Walls

SHIFTERS

Shimano EF50 EZ-FIRE Plus, 8 Speed

FRONT DERAILLEUR

Shimano C-100

REAR DERAILLEUR

Shimano Deore

CRANKSET

TruVativ X-Flow C 3.0, 48/38/28

BRAKES

Tektro IO Mechanical Disc

FULL SPECS : PG. 106





Disk brakes ensure that stopping will never be an issue anywhere this bike may go. An action oriented position, rigid fork and quick release levers are all components of the perfect urban machine.













# SAN ANSELMO

#### MATTE STEEL

FRAME

7005 Aluminum with New Edge II Flared Top Tube and Triple Butted Edge Down Tube, New 4-Side Seat and Chain Stay

FORK

SR Suntour NCXD, 63mm with Preload Adjustment and Lockout

HUBS

Alloy Double Sealed, 36 Hole with QR Front, Shimano, 36 Hole Rear

RIMS

WTB Dual Duty, Double Wall, 36 Hole with CNC Side Walls

SHIFTERS

Shimano Alivio, 8 Speed

FRONT DERAILLEUR

Shimano Nexave T300

REAR DERAILLEUR Shimano Deore

CRANKSET

Suntour NCX-420, 48/38/28 with Alloy Outer Chainring

BRAKES

Forged Alloy Linear Pull with Front Power Modulator

FULL SPECS: PG. 107





Lock out the fork for maximum stiffness and efficiency or keep the suspension active for the bumpier roads. No other City bike models have the suspension options and adjustability that the Marin San Rafael, San Anselmo and Sausalito offer.



# SAN RAFAEL

## GLOSS MICA

FRAME

7005 Aluminum with New Edge II Flared Top Tube and Triple Butted Edge Down Tube, New 4-Side Seat and Chain Stay

FORK

Spinner Odesa LX, 63mm with Preload Adjustment and Lockout

HUBS

Alloy Double Sealed, 36 Hole with QR

RIMS

WTB DX23, Double Wall, 36 Hole with CNC Side Walls

SHIFTERS

Shimano EF50 EZ-FIRE Plus, 8 Speed

FRONT DERAILLEUR

Shimano C-100

REAR DERAILLEUR Shimano Alivio

\_\_\_\_

Suntour NCX410, 48/38/28 with Chain Guard

BRAKES

Forged Alloy Linear Pull with Front Power Modulator









### LARKSPUR

### GLOSS BRUSHED POLISH

FRAME

7005 Aluminum with New Edge II Flared Top Tube and Triple Butted Edge Down Tube, New 4-Side Seat and Chain Stay

FORK

Cromoly Rigid 1 1/8"

HUBS

Alloy Double Sealed, 36 Hole with QR

RIMS

Alex TA-19, Double Wall, 36 Hole with CNC Side Walls

SHIFTERS

Shimano EF50 EZ-FIRE Plus, 8 Speed

FRONT DERAILLEUR

Shimano C-100

REAR DERAILLEUR

Shimano Acera

CRANKSET

Suntour NCX410, 48/38/28 with Chain Guard

BRAKES

Forged Alloy Linear Pull with Front Power Modulator

FULL SPECS: PG. 108





Adjustable stems come standard on most Marin City bike models. This feature allows riders to custom fit their position to a more comfortable riding position, minimizing lower back and shoulder strain and maximizing fun and efficiency.



## SPORTS LEGISLATION OF THE SPORT OF THE SPORT

### FUNCTIONAL, FAST AND DEPENDABLE

Bike To Work Week? No way, it's Bike To Work Year! With fenders and a full complement of rack mounts these versatile, dependable bikes will make sure you get there.







# SPORT COMMUTED

### **CORTE MADERA**

### GLOSS VAPOR

FRAME

7005 Aluminum, Full Triple Butted Edge II Shaped Tubing with New Double Butted 4-Side Seat and Chain Stays

FORK

Alloy Rigid 1 1/8"

HUBS

Formula, 32 Hole

IMS

Alex DC-19, Double Wall, 32 Hole with CNC Side Walls

SHIFTERS

Shimano Alivio, 8 Speed

FRONT DERAILLEUR

Shimano Nexave T300

REAR DERAILLEUR Shimano Tiagra

CRANKSET

TruVativ IsoFlow C 3.0, 48/38/28 with Power Spline and Chain Guard

BRAKES

Avid Single Digit 3 with Shimano Front Power Modulator

FULL SPECS: PG. 108









### MATTE COAL

FRAME

7005 Aluminum, Double Butted Edge II Shaped Tubing with New 4-Side Seat and Chain Stays

FORK

Cromoly Rigid 1 1/8"

HUBS

Formula, 32 Hole

RIMS

Alex DC-19, Double Wall, 32 Hole with CNC Side Walls

SHIFTERS

Shimano EF50 EZ-FIRE Plus, 8 Speed

FRONT DERAILLEUR

Shimano Nexave T300

REAR DERAILLEUR

Shimano Sora

CRANKSET

TruVativ X-Flow C 3.0, 48/38/28

BRAKES


Forged Alloy Linear Pull with Front Power Modulator

FULL SPECS: PG. 108





As gas prices soar, Marin Sport Commuter bikes become a necessity. Custom painted fenders are the finishing touches on this bike, which was designed for effciency and utility. A gusseted frameset and Edge II tubing ensure that every ounce of energy you invest will move you further ahead in life.









### REDWOOD

### GLOSS PEWTER

FRAME

7005 Butted Aluminum with Edge II Top and Down Tubes

FORK

Spinner EnRoute AC, 63mm with Lockout and Preload Adjustment

HUBS

Alloy Double Sealed, 32 Hole with QR

RIMS

Alex TA-19. Double Wall, 32 Hole with CNC Side Walls

SHIFTERS

Shimano Alivio, 8 Speed

FRONT DERAILLEUR

Shimano Nexave T300

REAR DERAILLEUR

Shimano Alivio

CRANKSET

Suntour NCX-420, 48/38/28 with Alloy Outer Chainring

BRAKES

Forged Alloy with Linear Spring

FULL SPECS: PG. 109





Our most versatile Comfort bike, the lockout equipped Redwood is nearly two bikes in one. Make the suspension fork rigid for a fast and efficient ride or activate the suspension with the flip of a lever to maximize comfort.



### STINSON

### GLOSS SLATE

FRAME

7005 Butted Aluminum with Edge II Top and Down Tubes

FORM

Spinner EnRoute AC, 63mm with Preload Adjustment

HIIRS

Alloy Double Sealed, 36 Hole with QR

RIMS

Alloy, 36 Hole with QR

SHIFTERS

Shimano EF50 EZ-FIRE Plus, 7 Speed

FRONT DERAILLEUR

Shimano CO51

REAR DERAILLEUR

Shimano Altus

CRANKSET

SR Suntour XCC, 48/38/28 with Chain Guard

BRAKES

Forged Alloy Linear Pull with Front Power Modulator

FULL SPECS: PG. 109









### **COAST TRAIL**

### GLOSS MICA

FRAME

7005 Butted Aluminum with Edge II Top and Down Tubes

FORK

Spinner EnRoute AC, 63mm with Preload Adjustment

HUBS

Alloy Double Sealed, 36 Hole with QR

RIMS

Alloy, 36 Hole with QR

SHIFTERS

SRAM ESP 3.0, 7 Speed

FRONT DERAILLEUR

Shimano CO51

REAR DERAILLEUR

SRAM 3.0 CRANKSET

SR Suntour XCC, 48/38/28 with Chain Guard

BRAKES


Forged Alloy Linear Pull with Front Power Modulator

FULL SPECS: PG. 109





Marin Comfort bikes all come with ergonomic and upright handlebars, which deliver a ride that feels safe and secure. Think couch on wheels.





Reminiscent of a different era these boardwalk cruisers are manufactured in modern lightweight aluminum. With stylish colors and optional step through frame this is the perfect time machine, so relax and watch the world slip by.







### DRAKE'S BEACH

SINGLE SPEED & 3-SPEED MODELS

### GLOSS TITANIUM

FRAME (3 SPEED)

7005 Aluminum with a "European" BB Shell

FRAME (SINGLE SPEED)

7005 Aluminum with a "Éuropean" BB Shell

FORK

Cromoly Rigid

REAR HUB (3 SPEED)

Shimano Nexus, 3 speed Internal Gear with Coaster Brake, 36 Hole

REAR HUB (SINGLE SPEED) Coaster Brake, 36 Hole

RIMS

Alloy, 36 Hole

TIRES

Kenda Flame, 26" x 2.125"

CRANKSET

Alloy Cruiser, 42T x 170mm

SADDLE

Lounge Chair Comfort

HANDLEBAR

Alloy Long Horn

BRAKES

Rear Coaster Brake

FULL SPECS : PG. 110





With bikes for both men and women, Marin Cruisers are designed with style and function in mind. Choose from the new 3 speed internally geared version or the traditional single speed model. Sit back, relax, and enjoy a simple trip into the past.



### **HEART'S DESIRE BEACH**

SINGLE SPEED & 3-SPEED MODELS

### GLOSS VAPOR

FRAME (3 SPEED)

7005 Aluminum Women's Frame with a "European" BB Shell

FRAME (SINGLE SPEED)

7005 Aluminum Women's Frame with a "European" BB Shell

FORK

Cromoly Rigid

REAR HUB (3 SPEED)

Shimano Nexus, 3 Speed Internal Gear with Coaster Brake, 36 Hole

REAR HUB (SINGLE SPEED)

Coaster Brake, 36 Hole

RIMS

Alloy, 36 Hole

TIRES

Kenda Flame, 26" x 2.125"

Alloy Cruiser, 42T x 170mm

Lounge Chair Comfort

HANDLEBAR

Alloy Long Horn

BRAKES

Rear Coaster Brake

FULL SPECS : PG. 110











### **WILDCAT TRAIL 24**

### MATTE GUNMETAL

FRAME

7005 Aluminum, 24" Wheel, Edge II Top and Edge Plus II Down Tube, A-XC XL Tri-Burner Seat and Chain Stays, Disc Specific

FORK

Marzocchi MZ III. 100mm of Travel, with Preload Adjustment

HUBS

Shimano, 32 Hole Disc

Alex ACE20. Double wall, 32 Hole, 24"

SHIFTERS

Shimano Alivio, 8 Speed

FRONT DERAILLEUR Shimano Alivio

REAR DERAILLEUR Shimano Acera

CRANKSET

TruVativ Ruktion, 32/22, 165mm with Rock Guard

BRAKES

Hayes MX-2 HD Mechanical Disc with V6 Rotors

FULL SPECS : PG. 111

### **BAYVIEW TRAIL 24**

### GLOSS BRUSHED POLISH

FRAME

7005 Double Butted Aluminum 24" Wheel with Edge II Top and Down Tubes

FORK

Spinner Grind 1, 70mm, 24"

HUBS

Alloy Double Sealed, 32 Hole with QR

RIMS

Alloy, 32 Hole, 24"

SHIFTERS

Shimano EF50 EZ-FIRE Plus, 7 Speed

FRONT DERAILLEUR

Shimano CO50

REAR DERAILLEUR

Shimano Altus

CRANKSET TruVativ X-Flow 3.0, 42/34/24

BRAKES

Forged Alloy Linear Pull

FULL SPECS: PG. 111





The Bayview Trail is built to the rigorous standards of a Marin adult performance bike, while it is stylized and executed as a kid's fun bike. The second "real" mountain bike that your little rider will own, after the Hidden Canyon of course. This bike is safe, reliable and built for years of enjoyment.

### ALLOY HT KIDS STEP-THRU : Matte Vapor COLOR OPTION : Matte Red Rock

### **HIDDEN CANYON 20**

### MATTE SMOKE

FRAME

7005 Double Butted Aluminum 20" Wheel with Edge II Top and Down Tubes

FORK

Spinner Grind 2, 50mm, 20"

HUBS

Alloy Double Sealed, 32 Hole

RIMS

Alloy, 32 Hole, 20"

SHIFTERS

SRAM MRX, 7 Speed

FRONT DERAILLEUR

Shimano

REAR DERAILLEUR Shimano TY-22

OIIIIIIIIIII 11-22

Alloy MTB, 42/32 with Chain Guard

BRAKES

Forged Alloy Linear Pull

FULL SPECS : PG. 111









### **MUIR BEACH 20**

### GLOSS PINK

FRAME (BOY'S)

7005 Aluminum, Boy's 20" Wheel Single Speed Cruiser Frame

FRAME (GIRL'S)

7005 Aluminum, Girl's 20" Wheel Single Speed Cruiser Frame

FORK

Cromoly Rigid

HUBS

Alloy Sealed, 36 Hole

RIMS

Alloy, 32 Hole, 20"

CRANKSET

Alloy, 44T x 152mm

BRAKES

Rear Coaster Brake

FULL SPECS : PG. 112





Cruising in style isn't just reserved for Mom and Dad. The Muir Beach Boy's or Girl's models are geared for kids' shorter legs and have been designed as the ultimate in schoolyard cool.



### **MBX 250**

### GLOSS MICA

FRAME

7005 Aluminum 20" Wheel with Edge Top and Down Tubes

EUBN

Taper Cut Oversize

BRAKES

Forged Alloy Linear Pull Rear

HUBS

Alloy Double Sealed, 36 Hole Front, Alloy Sealed, 36 Hole Rear

RIMS

Alex DM-24 Alloy, Double Wall, 36 Hole

CRANKSET

Cro-mo 3 Piece, 165mm, 44 Tooth



### **MBX 150 JUNIOR**

### GLOSS VAPOR

FRAME

7005 Aluminum 20" Wheel with Edge Top and Down Tubes

FORK

Taper Cut Oversize

BRAKES

Coaster Brake Rear and Hand Brake Rear

HUBS

Alloy Double Sealed, 36 Hole Front, Coaster Brake, 36 Hole Rear

RIMS

Alex X-303 Alloy, with Eyelet, 36 Hole

CRANKSET

Cro-mo 1 Piece, 165mm, 44 Tooth

FULL SPECS: PG. 113





If mountain bikes aren't your kid's style, go for the Marin MBX 250 or MBX 150. These models are designed for the ride to school or cross town adventure. Our sidewalk BMX bikes are tough, reliable, and built for the rigors that your new rider will surely bring their way.

### FIRST BIKE KIDS

### **MBX 50 / TINY TRAIL**

### MATTE GRANITE & GLOSS PINK

FRAME

7005 Aluminum 16" Wheel with Edge Top and Down Tubes

EUBN

Suspension, 40mm of Travel, 16"

HUBS

BMX, 28 Hole

RIMS

Alloy, 32 Hole, 16"

CRANKSET

Steel BMX, 36T x 114mm

BRAKES

Coaster Brake Rear and Hand Brake Rear







Built with the same Edge shaped tubing as our adult bikes, these are among the lightest 16" kid's bikes available. Unique with suspension forks, they are not only light, but tough and ready to ride.

### FRAME SIZE FIT CHARTS

This tool should be used as a guideline to determine what range of sizes fit you best. Inseam, torso length, arm length and physical fitness are all components of a proper fit. While this chart will provide you with an excellent starting point, this should only be used

as the most base line recommendation. The best and most effective way to fit yourself on your new bicycle is in person at you local Marin dealer. Visit the Marin Bikes website at www.marinbikes.com to search for a dealer near you.

### **ADULT FRAME SIZE CHART**

RIDER HEIGHT	4'11"	5'0"	5'1"	5'2"	5'3"	5'4"	5'5"	5'6"	5'7"	5'8"	5'9"	5'10"	5'11"	6'0"	6'1"	6'2"	6'3"	6'4"
QUAD XC				X-SMALL				SMALL		MEDIUM					LARGE			
QUAD XLT							SMALL				MEDIUM				LARGE			
QUAD TARA							SMALL				MEDIUM				LARGE			
AXC							SMALL				MEDIUM				LARGE			
HYDRO-LIGHT HT			13					15			17		19		2	0.5		22
ALLOY HT			13					15			17		19		2	0.5		22
EXOTIC HT			13					15			17		19		2	0.5		22
ALP			13.5				1	5.5			17.5			19			20.5	
PRO ROAD			50XS				528		54M		56L			58XL				
NATURAL ROAD			52XS						54S		56M			58L		61XL		
URBAN			13				1	5				17		18.5			20	
CITY/HYBRID			13.5 or 13W				15.5 o	r 15W			1	17.5		19			20.5	i
COMMUTER			13.5				15	i.5			1	17.5		19			20.5	i
COMFORT			13 or 13W				1	5		17			18.5				20	

### KIDS FRAME SIZE CHART

AGE	3	4	5	6	7	8	9	10	11	12	13
WILDCAT 24"										WILDCAT 24"	
BAYVIEW TRAIL							BAYVIEW	/ TRAIL			
MUIR BEACH					MUIR BEACH						
HIDDEN CANYON				HIDDEN CANYON							
MBX-250								MBX-250			
MBX-150						MBX-150					
MBX-50			MBX-50								
TINY TRAIL			TINY TRAIL								



This is intended to be used as a guide only. Age ranges are very subjective. Parents are the only determiners of appropriate size, fit and child's'safety.

### 20 QUAD XC COMPONENTS

	MODEL NAME	MOUNT VISION PRO	Mount Vision	RIFT ZONE	EAST PEAK
4	COLOR	Anodized Black	Gloss Slate Blue	Gloss Ocean, Gloss Pink	Gloss Pewter, Gloss Bright Red
	SIZES	XS, S, M, L	XS, S, M, L	XS, S, M, L	XS, S, M, L
SET	FRAME	6061 Aluminum, Fully Hydroformed Mainframe and Swingarm, Quad-Link XC 2.0 Suspension System, Disc Specific	6061 Aluminum, Fully Hydroformed Mainframe and Swingarm, Quad-Link XC 2.0 Suspension System, Disc Specific	6061 Aluminum, Fully Hydroformed Mainframe and Swingarm, Quad-Link XC 2.0 Suspension System, Disc Specific	6061 Aluminum, Fully Hydroformed Mainframe and Swingarm, Quad-Link XC 2.0 Suspension System, Disc Specific
FRAMESET	REAR Suspension	Fox Float RP23 with Rebound Adjustment, Dual Position ProPedal with 3 Position ProPedal Lever Adjustment	Fox Float RP23 with Rebound Adjustment, Dual Position ProPedal with 3 Position ProPedal Lever Adjustment	Fox Float R with Rebound Adjustment	Fox Float R with Rebound Adjustment
	FORK	Fox 32 Float RLC, 120mm with Compression and Rebound Adjustment, Lockout, Blow-Off Threshold Adjustment and Air Spring Preload	Fox 32 Float RL, 120mm with Rebound Adjustment, Lockout, and Air Spring Preload	Fox 32 Float R, 120mm with Rebound Adjustment, and Air Spring Preload	Marzocchi MX Pro Lo, 120mm with Preload, Rebound Adjustment and Lockout
	HEADSET	FSA Orbit MX, 1 1/8" Threadless, Alloy	FSA Orbit MX, 1 1/8" Threadless, Alloy	TH-857, 1 1/8", Threadless, Alloy	TH-888, 1 1/8", Threadless
	REAR HUB	DT 240S, 32 Hole Disc with Centerlock	WTB LaserDisc Lite, 32 Hole Disc	WTB LaserDisc Lite, 32 Hole Disc	Shimano Deore, 32 Hole Disc
Б	FRONT HUB	DT 240S, 32 Hole Disc with Centerlock	WTB LaserDisc Lite, 32 Hole Disc	WTB LaserDisc Lite, 32 Hole Disc	Shimano Deore, 32 Hole Disc
ELS	SPOKES	DT Super Comp 14/16.5/15 Butted, Black Stainless with Alloy Nipples	DT Competition 14/15/14 Double Butted, Black Stainless with Alloy Nipples	WTB 15 Gauge Black Stainless	WTB 15 Gauge Black Stainless
WHEELSET	RIMS	Mavic XC-717, 32 Hole Disc	Mavic XM-317, 32 Hole Disc	Mavic XM-317, 32 Hole Disc	Mavic XM-117, 32 Hole Disc
>	TIRES	WTB MotoRaptor Race, 26" x 2.14" (49/52) with DNA Compound Tread and Folding Aramid Bead	WTB MotoRaptor Race, 26" x 2.14" (49/52) with DNA Compound Tread and Folding Aramid Bead	WTB MotoRaptor Comp, 26" x 2.14" (49/52)	WTB MotoRaptor Comp, 26" x 2.14" (49/52)
	SHIFTERS	Shimano XTR, with 2 Way Release, 9 Speed	Shimano XT, with 2 Way Release, 9 Speed	Shimano LX, with 2 Way Release, 9 Speed	Shimano LX, with 2 Way Release, 9 Speed
	FRONT Derailleur	Shimano XTR	Shimano New XT	Shimano Deore	Shimano Deore
DRIVETRAIN	REAR Derailleur	Shimano XTR	Shimano XTR	Shimano XT	Shimano LX
IVE	CASSETTE	Shimano XTR, 11-34, 9 Speed	Shimano XT, 11-32, 9 Speed	Shimano, 11-32, 9 Speed	Shimano, 11-32, 9 Speed
DR	CHAIN	Shimano XTR	Shimano XT	Shimano HG53	Shimano HG53
	CRANKSET	Shimano XTR, 44/32/22 with HollowTech II	Shimano XT, 44/32/22 with HollowTech II	TruVativ Firex 3.2, 44/32/22 with 2 Alloy Chainrings and Giga X Pipe Exterior BB System	TruVativ Five D, 44/32/22 with Alloy Outer Chainring
	BOTTOM BRACKET	Shimano XTR Big Pipe Billet Integrated with Crankset	Shimano XT Big Pipe Billet Integrated with Crankset	TruVativ with Giga X Pipe Exterior System Integrated with Crankset	TruVativ with Sealed Cartridge
	SEATPOST	Easton EC70 Carbon 30.9mm	FSA SL-K, Carbon, 30.9mm x 350mm	Comp Alloy Micro Adjust, 30.9mm x 350mm	Comp Alloy Micro Adjust, 30.9mm x 350mm
PIT	SADDLE	WTB Devo Team with Nicro Tubular Rails	WTB Devo Team with Cromo Rails	WTB Laser V Comp with Love Channel, Comfort Zone and Cromoly Rails	WTB Speed V ATB with Love Channel and Comfort Zone
COCKPIT	HANDLEBAR	Easton EC70 Monkey Lite XC Carbon, OS-31.8mm, Low Rise	Easton EA70, OS-31.8mm, Low Rise	Double Butted 6061 Alloy, OS-31.8mm, 25.4mm Rise	Double Butted 6061 Alloy, OS-31.8mm, 25.4mm Rise
5	STEM	FSA OS115 Threadless with Carbon Face Plate and 31.8mm Bar Clamp	FSA OS150 Threadless with Alloy Face Plate and 31.8mm Bar Clamp	FSA 0S170 Threadless with Alloy Face Plate and 31.8mm Bar Clamp	Marin OS Alloy Threadless, with 31.8mm Bar Clamp
	GRIPS	WTB Moto Grip	WTB Moto Grip	WTB Moto Grip	WTB Moto Grip
~	BRAKES	Shimano XTR Hydraulic Disc	Avid Juicy 7 Hydraulic Disc	Avid Juicy 5 Hydraulic Disc	Avid Juicy 3 Hydraulic Disc
OTHER	BRAKE Levers	Shimano XTR Hydraulic Disc	Avid Hydraulic	Avid Hydraulic	Avid Hydraulic
1	PEDALS	Crank Bros Egg Beater	Crank Bros Candy C	Shimano M520 Clipless	Ritchey Logic Mountain V4 Clipless











### 25 QUAD XLT 29 QUAD TARA

	MODEL NAME	QUAKE 7.3	QUAKE 7.2	QUAKE 7.1	Walf Ridge
4	COLOR	Anodized Black	Gloss Pearl	Gloss Black Pearl, Gloss Bright Red	Matte Jade
	SIZES	S, M, L	S, M, L	S, M, L	S, M, L
ET	FRAME	6061 QUAD XLT Aluminum with Edge II Plus Top Tube and New Hydroformed Down Tube, 6061 QUAD XLT 6.8" Travel 4 Bar Link Aluminum Swingarm with Disc Mounts	6061 QUAD XLT Aluminum with Edge II Plus Top Tube and New Hydroformed Down Tube, 6061 QUAD XLT 6.8" Travel 4 Bar Link Aluminum Swingarm with Disc Mounts	6061 QUAD XLT Aluminum with Edge II Plus Top Tube and New Hydroformed Down Tube, 6061 QUAD XLT 6.8" Travel 4 Bar Link Aluminum Swingarm with Disc Mounts	6061 TARA Aluminum, Twin Monocoque Front, New 6061 TARA 6" Travel Monocoque with Adjustable Ride Height, Quad-Link Alumnium Swingarm, Disc Specific
FRAMESET	REAR Suspension	Fox DHX Air 5.0 with Air Spring Adjustment, Rebound Adjustment, ProPedal Adjustment, Boost Valve Adjustment, Bottom Resistance Schraeder Tuning Range Adjustment	Fox DHX 5.0 with Coil Spring Preload, Rebound Adjustment, ProPedal Adjustment, Boost Valve Adjustment, Bottom Resistance Schraeder Tuning Range Adjustment	Marzocchi Rocco TST with Coil Spring Preload, Rebound Adjustment, and 5 position TST compression Ajustment	Fox Float RP23 with Rebound Adjustment, DOHC ProPedal 2 Position Plus ProPedal with 3 Position Lever Adjustment
	FORK	Fox 36 TALAS RC2,100+130+160mm with Rebound Adjustment, High and Low Speed Compression Adjustment, Position Sensitive Damper and Air Spring Preload	Marzocchi 66 RCV, 160mm, 1.5" Steerer with Air Spring Preload, External Rebound and Compression Adjustment	Marzocchi AM 4, 160mm with QR20 Front Axle, External Air Preload and Internal Rebound Adjustment	Fox 32 Float RL, 140mm with Rebound Adjustment, Lockout, and Air Spring Preload
	HEADSET	FSA Orbit DL R, 1.5", Threadless with Forged Alloy Cups and reduction to 1 1/8"	FSA Orbit DL, 1.5", Threadless with Forged Alloy Cups	FSA The Big Fat Pig R, 1.5" Threadless with Forged Alloy Cups and reduction to 1 $1/8\ensuremath{^{\circ}}$	TH-857, 1 1/8", Threadless, Alloy
	REAR HUB	WTB LaserDisc Lite, 32 Hole Disc	Shimano Deore, 32 Hole Disc	Shimano Deore, 32 Hole Disc	WTB LaserDisc Lite, 32 Hole Disc
ET	FRONT HUB	WTB LaserDisc Super Duty, 32 Hole with 20mm Through Axle	WTB LaserDisc Super Duty, 32 Hole with 20mm Through Axle	Pro Alloy Quad Sealed, 32 Hole Disc with 20mm Through Axle	WTB LaserDisc Lite, 32 Hole Disc
WHEELSET	SPOKES	DT 14 Gauge Black Stainless	DT 14 Gauge Black Stainless	DT 14 Gauge Black Stainless	WTB 15 Gauge Black Stainless
NHE	RIMS	Mavic EX-325, 32 Hole Disc	WTB SpeedDisc XL, 32 Hole Disc	WTB Dual Duty Freeride, Double Wall, 32 Hole	WTB SpeedDisc All Mountain, Double Wall, 32 Hole Disc
_	TIRES	WTB TimberWolf, 26" x 2.3"	WTB TimberWolf, 26" x 2.5"	Kenda Kinetics, 26"x 2.35", Knobby	WTB MotoRaptor Comp., 26" x 2.24" (52/54)
	SHIFTERS	SRAM X-9, 9 Speed Trigger	SRAM X-7, 9 Speed Trigger	SRAM X-5, 8 Speed Trigger	Shimano LX, with 2 Way Release, 9 Speed
	FRONT Derailleur	Shimano XT	Shimano Deore	Shimano Alivio	Shimano Deore
DRIVETRAIN	REAR Derailleur	SRAM X-9	SRAM X-7	SRAM X-7	Shimano XT
INE	CASSETTE	SRAM PG-980, Power Glide II, 11-34, 9 Speed	SRAM PG-950, Power Glide II, 11-34, 9 Speed	SRAM PG-830, Power Glide II, 11-32, 8 Speed	SRAM PG-970, Power Glide II, 11-34, 9 Speed
DR	CHAIN	SRAM PC-991	SRAM PC-991	Shimano HG50	Shimano HG53
	CRANKSET	TruVativ Holzfeller 2.2 RG DH, 36/24 with E-13 Shift Guide Dual Ring Security and Bash Guard	TruVativ Hussefelt 2.2 RG DH, 36/24 with E-13 Shift Guide Dual Ring Security and Bash Guard	TruVativ Ruktion, 32/22 with E-13 Shift Guide Dual Ring Security and Bash Guard	TruVativ Firex 2.0 AM, 36/24 with Alloy All Mountain Bash Guard and Giga X Pipe Exterior BB System
	BOTTOM BRACKET	TruVativ Howitzer XR	TruVativ Howitzer XR	TruVativ Howitzer XR	TruVativ with Giga X Pipe Exterior System Integrated with Crankset
	SEATPOST	Gravity SPDH-300, 7075, 31.6mm x 350mm	Gravity SPDH-300, 7075, 31.6mm x 350mm	FSA FR-270, 2014, 31.6mm x 350mm	FSA SL-280, 6061, 30.9mm x 350mm
ш	SADDLE	WTB Pure V Race with Love Channel and Comfort Zone, Cromoly Rails	WTB Pure V Race with Love Channel and Comfort Zone, Cromoly Rails	WTB Pure V Comp with Love Channel and Comfort Zone	WTB Pure V Comp with Love Channel and Comfort Zone
COCKPIT	HANDLEBAR	Truvativ Holzfeller Riser Bar, OS-31.8mm, 35mm Rise	FSA Maximus, Double Butted Alloy, OS-31.8, 40mm Rise	All Mountain Double Butted 6061 Alloy, OS-31.8mm, 42mm Rise	FSA Maximus, Double Butted Alloy, OS-31.8, 40mm Rise
00	STEM	Gravity FR200 OS Threadless with Alloy Face Plate and 31.8mm Bar Clamp	Gap ST-FR-230 OS 1.5" Threadless with Alloy Face Plate, with 31.8mm Bar Clamp	Gap FR230 OS Threadless with Alloy Face Plate, with 31.8mm Bar Clamp	Gravity FR200 OS Threadless with Alloy Face Plate and 31.8mm Bar Clamp
	GRIPS	WTB MotoTec Locking with Drop Guard End Plugs	WTB MotoTec Locking with Drop Guard End Plugs	WTB Moto Grip	WTB MotoTec Locking with Drop Guard End Plugs
R	BRAKES	Hayes HFX Mag Hydraulic Disc, with V8 Rotor Front, V7 Rotor Rear	Hayes HFX-9 Hydraulic Disc, with V8 Rotor Front, V7 Rotor Rear	Hayes HFX-9 Hydraulic Disc, with V8 Rotor Front, V7 Rotor Rear	Hayes HFX-9 Hydraulic Disc, with V7 Rotor Front, V6 Rotor Rear
OTHER	BRAKE Levers	Hayes HFX Mag Full Hydraulic Disc	Hayes HFX-9 Full Hydraulic Disc with Alloy Levers	Hayes HFX-9 Full Hydraulic Disc with Alloy Levers	Hayes HFX-9 Full Hydraulic Disc with Alloy Levers
1	PEDALS	Crank Bros 50/50 XX	Crank Bros 50/50 XX	BMX Platform	Crank Bros Acid

	MODEL NAME	Моимт	VISION	Pro		Моцит	VISION			RIFT Z	ONE			EAST P	EAK			Z
	FRAME SIZE	XS	S	М	L	XS	S	М	L	XS	S	М	L	XS	S	М	L	_
4	HEAD ANGLE	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	5
	SEAT ANGLE	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	72.0°	
	TOP TUBE: ACTUAL	21.3"	21.8"	22.3"	22.8"	21.3"	21.8"	22.3"	22.8"	21.3"	21.8"	22.3"	22.8"	21.3"	21.8"	22.3"	22.8"	
TRY	TOP TUBE: EFFEC.	22.3"	22.8"	23.3"	23.8"	22.3"	22.8"	23.3"	23.8"	22.3"	22.8"	23.3"	23.8"	22.3"	22.8"	23.3"	23.8"	֡֓֡֓֡֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֡֓֓֓֓֡֡֡֓֓֓֓
崮	BB HEIGHT	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	12.8"	?
EOME	STANDOVER	30.1"	30.1"	31.2"	31.7"	30.1"	30.1"	31.2"	31.7"	30.1"	30.1"	31.2"	31.7"	30.1"	30.1"	31.2"	31.7"	•
9	WHEEL BASE	41.2"	41.7"	42.2"	42.8"	41.2"	41.7"	42.2"	42.8"	41.2"	41.7"	42.2"	42.8"	41.2"	41.7"	42.2"	42.8"	
	CHAIN STAY	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"	
	SEAT POST	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	
1	HEAD TUBE LENGTH	100мм	120мм	135мм	150мм	100мм	120мм	135мм	150мм	100мм	120мм	135мм	150мм	100мм	120мм	135мм	150мм	
	MODEL NAME	FOR AL	L QUAD	XLT BIK	ES: QUA	KE AL 7	7.3, QUA	KE CL '	7.2, ℚ⊔	AKE ML	7.1			N				

٦	NEAD TODE LENGTH	TUUMM TZUMM	MMRel	IOUMM	TUUMM 120M	M I	MMGGI	TUUMM	TUUMM	IZUMM	IOUMM	LIJUMIM	TUUMN	1
	MODEL NAME	FOR ALL QUA	AD XLT E	BIKES: QUA	KE AL 7.3, [	JUAKE	CL	7.2, QUAK	E ML	7.1				25
	FRAME SIZE	LOW BB POSITION	SMALL 16.9"	HIGH BB POSITION	LOW BB POSITION	MEDIUM	17.7"	HIGH BB POSITION	LOW BB		LARGE 18.9"	HIGH BB POSIT	TION	"
4	HEAD ANGLE	67.0°		68.0°	67.0°			68.0°		67.0°		68.0°		Ξ
	SEAT ANGLE	69.5°		70.5°	69.5°			70.5°		69.5°		70.5°		
	BB HEIGHT, NO SAG	13.9"		14.5"	13.9 "			14.5"		13.9 "		14.5"		
	BB HEIGHT, 30% SAG	12.2"		12.9"	12.2 "			12.9"		12.2"		12.9"		
K	STANDOVER	31.1"		31.7"	31.1"			31.7"		31.4"		32.0"		×
JME	TOP TUBE: ACTUAL		21.8"			22.8"	'				23.6"			ī
NE I	TOP TUBE: EFFEC.		23.3"			24.0"	'				25.1"			
	WHEEL BASE		44.2"			45.1"	'				46.0"			
	CHAIN STAY		17.3"			17.3	"				17.3"			
	SEAT POST		31.6мм			31.6м	IM				31.6мм			
٦	HEAD TUBE LENGTH		130мм			130м	М				130мм			
	MODEL NAME	WOLF RIDGE												29
	FRAME SIZE	LOW BB POSITION	SMALL 15.5"	HIGH BB POSITION	LOW BB POSITION	MEDIUM	17.5"	HIGH BB POSITION	LOW BB		LARGE 19.0"	HIGH BB POSIT	TION	9

	MODEL NAME	Wolf Ridge						29
	FRAME SIZE	LOW BB POSITION SMAL	. 15.5" HIGH BB POSITION	LOW BB POSITION MEDIU	M 17.5" HIGH BB POSITION	LOW BB POSITION LARGE	19.0" HIGH BB POSITION	9
1	HEAD TUBE ANGLE	67.8°	68.9°	67.8°	68.9°	67.8°	68.9°	
	SEAT TUBE ANGLE	70.1°	71.1°	70.1°	71.1°	70.1°	71.1°	
	BB HEIGHT, NO SAG	13.3"	13.8"	13.3"	13.8"	13.3 "	13.8 "	A
	BB HEIGHT, 30% SAG	11.8"	12.3"	11.8"	12.3"	11.8 "		
	REAR, 20mm FRONT							TARA
_	STANDOVER	29.6"	30.0"	29.6"	30.0"	30.2 "	30.7 "	ī
GEOMETRY	TOP TUBE: CENTER	21	6"	22	.1"	22.	9"	D
ME	TO CENTER							
GE(	TOP TUBE: HORIZ.	22	.8"	23	1.2"	23.	9"	
	WHEEL BASE	42	5"	42	.9"	43.	7"	
	CHAIN STAY	16	8"	10	3.8"	16	.8"	
•	SEAT POST	30.9	MM	30.	9мм	30.9	Эмм	
-	HEAD TUBE LENGTH	120	MM	12	Омм	150	ММ	



### COMPONENTS AND GEOMETRY

																		0011				
	MODEL NAME	NAIL	TRAIL					JUNIPER T	RAIL WOME	n's	PALIS	SADES	TRAII	L			ELDR	IDGE	GRAD	E		
4	COLOR	Gloss Steel						Gloss Vapor			Matte Red I	Rock					Matte Slate					
	SIZES	13", 15", 17	", 19", 20.5", 2	22"				13", 15", 17"			13", 15", 17	", 19", 20.5", 2	22"				13", 15", 17"	, 19", 20.5", 2	!2"			
FRAMESE	FRAME	6061 Alumi Double Butt	inum, New Do ed 4-Side Sea	uble Butted H at and Chain :	lydro-Edge To Stays, Disc S	p and Down 'pecific	Tubes, New	6061 Double Butted Alumii Hydro-Edge Top and Down	num with Women's Fit Geor Tubes, New 4-Side Seat an	metry, New Double Butted d Chain Stays, Disc Specific	6061 Alum Double Butt	inum, New Do ed 4-Side Se	uble Butted H at and Chain :	lydro-Edge To <sub>l</sub> Stays, Disc Sp	p and Down 1 pecific	ubes, New	6061 Alumi Double Butt	num, New Do ed 4-Side Sea	uble Butted H at and Chain :	lydro-Edge To Stays, Disc S	op and Down T pecific	iubes, New
FRA	FORK	Fox 32 F10	OR, 100mm w	vith Rebound A	Adjustment a	nd Air Spring	Preload	Marzocchi MZ Race, 100i and Lockout	mm, Tuned for Women wit	th Preload Adjustment	Marzocchi I	MZ Race, 100	mm with Prel	oad Adjustme	nt and Locko	ıt	Marzocchi N	MZ Super Com	np, 100mm w	ith Preload a	nd Rebound A	djustment
	HEADSET	TH-888, 1	1/8", Threadle	SS				TH-888, 1 1/8", Threadle:	SS		TH-888, 1	1/8", Threadle	SS				TH-888, 1 1	/8", Threadle:	SS			
	REAR HUB	Shimano De	ore, 32 Hole	Disc				Shimano, 32 Hole Disc			Shimano, 3	2 Hole Disc					Shimano, 32	2 Hole Disc				
ᇤ	FRONT HUB	Shimano De	ore, 32 Hole	Disc				Shimano, 32 Hole Disc			Shimano, 3	2 Hole Disc					Shimano, 32	2 Hole Disc				
WHEELSE	SPOKES	WTB 15 Ga	uge Black Sta	inless				WTB 15 Gauge Black Sta	inless		WTB 15 Ga	uge Black Sta	inless				15 Gauge S	tainless				
E	RIMS	Mavic XM-1	17, 32 Hole D	lisc				WTB SX24, Double Wall,	32 Hole Disc		WTB SX24,	Double Wall,	32 Hole Disc				WTB SX24,	Double Wall,	32 Hole Disc			
	TIRES	WTB MotoR	aptor, 26" x 2	2.14" (49/52)	with DNA Co	ompound Trea	d	WTB MotoRaptor Comp, 2	26" x 2.1" (49/52)		WTB MotoR	aptor Comp, 1	26" x 2.1" (49	3/52)			WTB MotoR	aptor Comp, 2	26" x 2.1" (49	3/52)		
	SHIFTERS	Shimano LX	, with 2 Way	Release, 9 Sp	oeed			Shimano LX, with 2 Way	Release, 9 Speed		Shimano L)	, with 2 Way	Release, 9 Sp	need			Shimano De	ore, 9 Speed				
	FRONT DERAILLEUR	Shimano De	eore					Shimano Deore			Shimano De	eore					Shimano De	ore				
2	REAR DERAILLEUR	Shimano XT						Shimano LX			Shimano L)						Shimano LX					
TR/	CASSETTE	Shimano, 1	1-32, 9 Speed	1				Shimano, 11-32, 9 Speed	I		Shimano, 1	1-32, 9 Speei	1				Shimano, 11	1-32, 9 Speed	i			
S E	CHAIN	Shimano HO	353					Shimano HG53			Shimano H	G53					Shimano HG	353				
8	CRANKSET	TruVativ Fire Exterior BB		/22 with 2 Al	loy Chainring	s and Giga X	Pipe	TruVativ Five D 3.1, 44/3	2/22 with Alloy Outer Cha	ainring and Power Spline	TruVativ Fiv	e D 3.1, 44/3	2/22 with All	oy Outer Chai	nring and Pov	ver Spline	TruVativ Five	D 3.1, 44/3	2/22 with All	oy Outer Cha	inring and Pow	ver Spline
	BOTTOM BRACKET	TruVativ wit	h Giga X Pipe	Exterior Syst	em Integrated	d with Cranks	et	TruVativ with Sealed Cartr	ridge and Power Spline		TruVativ wit	h Sealed Cart	ridge and Pov	ver Spline			TruVativ with	Sealed Cartr	ridge and Pov	ver Spline		
	SEATPOST	FSA SL-280	, 6061, 30.9	mm x 350mn	n			FSA SL-280, 6061, 30.9r	mm x 350mm		FSA SL-280	0, 6061, 30.9	mm x 350mn	1			Comp Alloy	Micro Adjust,	30.9mm x 3	50mm		
	SADDLE	WTB Speed	V Comp with	Love Channe	l and Comfor	t Zone		WTB Speed She Comp wi	ith Love Channel and Com	nfort Zone	WTB Speed	V ATB with L	ove Channel a	and Comfort Z	one.		WTB Speed	V Sport SE w	vith Love Char	nel and Com	ıfort Zone	
COCKPIT	HANDLEBAR	Double Butt	ed 6061 Alloy	y, OS-31.8mn	n, 25.4mm Ri	ise		Women's Custom Taper D 19.1mm Control Section, ment Shims with O-3mm	louble Butted Alloy, 31.8m with 25.4mm Rise. Shift a of Adjustment	nm Center Tapering to and Brake Lever Adjust-	Double Butt	ed 6061 Allo	y, OS-31.8mn	n, 25.4mm Ris	92		Double Butt	ed 6061 Alloy	y, OS-31.8mn	n, 25.4mm Ri	se	
	STEM	FSA OS170	Threadless wi	ith Alloy Face	Plate and 31	1.8mm Bar Cl	amp	FSA OS170 Threadless wi	th Alloy Face Plate and 3	1.8mm Bar Clamp	FSA 0S170	Threadless w	ith Alloy Face	Plate and 31	.8mm Bar Cla	mp	FSA OS190	Threadless wi	ith Alloy Face	Plate and 3	1.8mm Bar Cla	amp
	GRIPS	WTB Moto I	Grip					New Marin Custom Dual De	nsity Women's Grips for 19.1	1mm Bars and Smaller Hands	Marin Dual	Density					Marin Dual	Density				
HE.	BRAKES	Avid Juicy 3	3 Hydraulic Di	SC				Hayes Sole Hydraulic Disc	c with V6 Rotors		Hayes Sole	Hydraulic Dis	c with V6 Rot	ors			Hayes MX-2	XC Mechanic	cal Disc with	V6 Rotors		
E	BRAKE LEVERS	Avid Hydrau	lic	N			365	Hayes Hydraulic Disc			Hayes Hydr	aulic Disc					Pro 3 Finger	r with Dual Po	sition Levera	ge Adjustmer	ıt	
4	PEDALS	Ritchey Log	ic Mountain V	4 Clipless				Alloy Double Sided Mount	tain		Alloy Doubl	e Sided Moun	tain				Composite v	vith Alloy Cag	е			
350	FRAME SIZE					20.5"	22"	13"			13"				20.5"	22"	13"				20.5"	22"
4	HEAD ANGLE	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	70.5°	70.5°	70.5°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°
	SEAT ANGLE	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	74.0°	74.0°	74.0°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°
	TOP TUBE: ACTUAL	21.0"	21.3 "	21.9"	22.6"	23.4"	24.1"	21.0"	21.3"	21.7"	21.0"	21.3 "	21.9"	22.6"	23.4"	24.1"	21.0"	21.3 "	21.9"	22.6"	23.4"	24.1"
RY	TOP TUBE: EFFEC.	20.9"	21.8 "	22.7"	23.5"	24.3"	25.0"	20.7"	21.6"	22.3"	20.9"	21.8 "	22.7"	23.5"	24.3"	25.0"	20.9"	21.8 "	22.7"	23.5"	24.3"	25.0"
MET	BB HEIGHT	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"
GEOM	STANDOVER	27.8"	28.9 "	30.1"	31.3"	32.4"	33.6"	27.8"	28.9"	30.1"	27.8"	28.9 "	30.1"	31.3"	32.4"	33.6"	27.8"	28.9 "	30.1"	31.3"	32.4"	33.6"
	WHEEL BASE	39.4"	40.5 "	41.5"	42.4"	43.3"	44.1"	40.0"	41.0"	41.7"	39.4"	40.5 "	41.5"	42.4"	43.3"	44.1"	39.4"	40.5 "	41.5"	42.4"	43.3"	44.1"
	CHAIN STAY	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"
	SEAT POST	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм
1	HEAD TUBE LENGTH	105мм	110мм	120мм	135мм	150мм	180мм	105мм	110мм	120мм	105мм	110мм	120мм	135мм	150мм	180мм	105мм	110мм	120мм	135мм	150мм	180мм

31 HYDRO-LIGHT HT

97

### COMPONENTS AND GEOMETRY

			<b>-</b>															0.0	,,,,,,		AND	01011	
	MODEL NAME	HAW	к Ніі	LSE				BEAR VALL	EY WOMEN'S	i	Вовс	AT TR	AIL				ALP	NE T	RAIL				
4	COLOR	Gloss Steel						Gloss Mica, Gloss Pink			Matte Brushe	ed Polish, Matt	e Bronze				Gloss Blad	ck Pearl					
Б	SIZES	13", 15", 17	", 19", 20.5	", 22"				13", 15", 17"			13", 15", 17",	19", 20.5", 22	"				13", 15", 1	7", 19", 20.5	5", 22", 15"(	(W)			
FRAMESET	FRAME	7005 Alum New 4-Side	inum with E e Seat Stay,	dge II Top T Disc Specif	lube and Tripic	ole Butted D	own Tube,	7005 Triple Butted Alumin Triple Butted Down Tube, N	um, Women's Fit Geometry, Iew 4-Side Seat Stay, Disc S	with Edge II Top Tube and Specific	7005 Alumin Seat Stay, Di	ium with Edge isc Specific	II Top Tube a	nd Triple Butter	d Down Tube,	New 4-Side	7005 Alur 4-Side Se	ninum with at Stay with	Edge II Top Disc Moun	Tube and T its	riple Butted	Down Tube	, New
뜐	FORK	Marzocchi	MZ Comp, 1	100mm with	Preload Adj	justment		Rock Shox Dart 1, 100mm	, Tuned for Women with Pre	load Adjustment	Rock Shox D	Oart 1, 100mm	with Preload	Adjustment			Rock Sho	Dart 1, 10	Omm with F	Preload Adju	stment		
	HEADSET	TH-888, 1	1/8", Thread	dless				TH-888, 1 1/8", Threadles	S		TH-888, 1 1.	/8", Threadless	3				Ritchey LE	3, 1 1/8" Th	readless				
	REAR HUB	Alloy Doubl	le Sealed, 3	2 Hole Disc	with QR			Alloy Double Sealed, 32 H	ole Disc with QR		Alloy Double	Sealed, 32 Ho	ole Disc with O	R			Alloy Doub	ole Sealed, S	32 Hole with	h QR			
WHEELSET	FRONT HUB	Alloy Doubl	le Sealed, 3	2 Hole Disc	with QR			Alloy Double Sealed, 32 H	ole Disc with QR		Alloy Double	Sealed, 32 Ho	ole Disc with C	R			Alloy Doub	ole Sealed, 3	32 Hole with	h QR			
E	SPOKES	15 Gauge S	Stainless					15 Gauge Stainless			15 Gauge St	ainless					15 Gauge	Stainless					
MH	RIMS	WTB DX23,	, Double Wa	all, 32 Hole [	Disc			WTB DX23, Double Wall, 3	12 Hole Disc		WTB DX23, I	Double Wall, 3	2 Hole Disc				Alex TA-19	9, Double W	'all, 32 Hole	with CNC	Side Walls		
	TIRES	WTB MotoR	Raptor Comp	o, 26" x 2.1"	(49/52)			WTB MotoRaptor Comp, 20	6" x 2.1" (49/52)		WTB MotoRa	ptor Comp, 26	i" x 2.1" (49/	52)			Kenda Koy	rote, 26" x 3	2.1", Knobby	/			
	SHIFTERS	Shimano D	eore, 9 Spe	ed				Shimano EF50 EZ-FIRE PI	us, 8 Speed		Shimano EF5	50 EZ-FIRE Plu	ıs, 8 Speed				Shimano B	F50 EZ-FIF	RE Plus, 8 S	Speed			
	FRONT DERAILLEUR	Shimano D	eore					Shimano Acera			Shimano Ace	era					Shimano A	Acera					
\ \ \ \	REAR DERAILLEUR	Shimano D	eore					Shimano Deore			Shimano Dec	ore					Shimano A	Alivio					
DRIVETRAIN	CASSETTE	Shimano, 1	1-32, 9 Sp	eed				Shimano HG 30, 11-32, 8	Speed		Shimano HG	30, 11-32, 8	Speed				Shimano I	4G 30, 11-3	32, 8 Speed	i			
DRI	CHAIN	Shimano H	G53					HG40			HG40						HG40						
	CRANKSET	TruVativ Iso	Flow 3.0, 4	4/32/22 wit	th Power Sp	line		TruVativ X-Flow 3.0, 42/32	2/22		TruVativ X-FI	ow 3.0, 42/32	/22				TruVativ X	-Flow 3.0, 4	2/32/22				
	BOTTOM BRACKET	TruVativ wit	th Sealed Ca	artridge and	Power Splin	ne e		TruVativ with Sealed Cartri	dge		TruVativ with	Sealed Cartric	lge				TruVativ w	ith Sealed (	Cartridge				
	SEATPOST	Alloy Micro	Adjust, 30.	9mm x 350	lmm			Alloy Micro Adjust, 27.2mr	n x 350mm		Alloy Micro A	Adjust, 27.2mm	x 350mm				Alloy Micr	o Adjust, 27	.2mm x 351	0mm			
	SADDLE	WTB Speed	d V Sport SI	E with Love I	Channel and	l Comfort Zo	ne	WTB Speed She Sport wit	h Love Channel and Comfort	Zone	WTB Speed	V Sport SE wit	th Love Chann	el and Comfort	Zone		WTB Spee	d V Sport S	E with Love	e Channel a	nd Comfort .	Zone	
COCKPIT	HANDLEBAR	Double But	ted 6061 A	lloy, OS-31.8	Втт, 25.4п	nm Rise		Women's Custom Taper Do 19.1mm Control Section, v Shims with O-3mm of Adji	ouble Butted Alloy, 31.8mm with 25.4mm Rise. Shift and ustment	Center Tapering to Brake Lever Adjustment	Double Butte	d 6061 Alloy,	OS-31.8mm,	25.4mm Rise			Double Bu	tted 6061 /	Alloy, OS-31	1.8mm, 38n	nm Rise		
	STEM	Forged Allo	y, Threadles	ss with 31.8	mm Bar Cla	mp		Forged Alloy, Threadless w	ith 31.8mm Bar Clamp		Forged Alloy,	Threadless wi	ith 31.8mm B	ar Clamp			Forged All	oy, Threadle	ess with 31.	.8mm Bar C	lamp		
	GRIPS	Marin Dual	Density					New Marin Custom Dual De	nsity Women's Grips for 19.1r	nm Bars and Smaller Hands	Marin Dual D	Density					Marin Con	nfort Dual D	ensity				
2	BRAKES	Hayes MX-	2 XC Mecha	anical Disc w	vith V6 Roto	rs		Hayes MX-2 XC Mechanic	al Disc with V6 Rotors		Hayes MX-2	XC Mechanica	l Disc with V6	Rotors			Forged All	oy Linear P	ull				The same
OTHER	BRAKE LEVERS	Forged Allo	y 3 Finger					Shimano with Integrated S	hifters		Shimano wit	h Integrated SI	hifters				Shimano v	vith Integrat	ted Shifters				
4	PEDALS	Composite						Composite			Composite						Composite						-
	FRAME SIZE	13"	15"	17"	19"	20.5"	22"	13"	15"	17"	13"	15"	17"	19"	20.5"	22"	13"	15"	17"	19"	20.5"	22"	15"W
4	HEAD ANGLE	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.0°	70.0°	70.0°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°
	SEAT ANGLE	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	74.0°	74.0°	74.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°
	TOP TUBE: ACTUAL	20.9 "	20.8"	21.2"	21.9"	22.7"	23.4"	21.0"	21.1"	21.5"	20.9 "	20.8"	21.2"	21.9"	22.7"	23.4"	20.9 "	20.8"	21.2"	21.9"	22.7"	23.4"	21.8"
R.Y	TOP TUBE: EFFEC.	21.2"	21.5"	22.1"	22.8"	23.6"	24.3"	20.8"	21.4"	22.1"	21.2"	21.5"	22.1"	22.8"	23.6"	24.3"	21.2"	21.5"	22.1"	22.8"	23.6"	24.3"	21.5"
GEOMETRY	BB HEIGHT	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"
GE0	STANDOVER	28.3"	29.4"	30.4"	31.7"	32.7"	33.9"	28.3"	29.5"	30.5"	28.3"	29.4"	30.4"	31.7"	32.7"	33.9"	28.3"	29.4"	30.4"	31.7"	32.7"	33.9"	27.4"
	WHEEL BASE	40.1"	40.4"	41.0"	41.8"	42.6"	43.3"	40.4"	41.0"	41.8"	40.1"	40.4"	41.0"	41.8"	42.6"	43.3"	40.1"	40.4"	41.0"	41.8"	42.6"	43.3"	40.4"
	CHAIN STAY	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"
	SEAT POST	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм
^	HEAD TUBE LENGTH	105мм	110мм	120мм	135мм	150мм	180мм	105мм	110мм	120мм	105мм	110мм	120мм	135мм	150мм	180мм	105мм	110мм	120мм	135мм	150мм	180мм	110мм

36 ALLOY HT

	41	ALL	.OY I	HT co	ONT'D										43	AXC					
	MODEL NAME	BoL	INAS	RIDE	3E				PION	IEER	TRAI	L				ROCKY RIC	GE		B-17		
4	COLOR	Matte Vap	or, Gloss Ar	nethyst					Matte Gra	nite, Matte	Red Rock, N	Matte Slate	Blue (W)			Matte Steel			Matte Bronze		
_	SIZES	13", 15", 1	7", 19", 20.5	5", 22", 15"\	W (Amethys	st Only)			13", 15", 1	7", 19", 20.	5", 22", 15"\	N				S, M, L			S, M, L		
FRAMESET	FRAME	7005 Alun	ninum with	Edge II Top	Tube and I	Down Tube,	New 4-Side	Seat Stay	7005 Alur	ninum with	Edge II Top	Tube and I	Down Tube,	New 4-Side	Seat Stay	7005 Aluminum, Oversize Butted Edge Plus II Dowr	e Double Butted Edge II Top 1 Tube, AXC XXL Tri-Burner	and Oversize Double Seat and Chain Stays	7005 Aluminum, Oversizi Butted Edge Plus II Down	e Double Butted Edge II Top n Tube, AXC XXL Tri-Burner	and Oversize Double Seat and Chain Stays
FR/	FORK	Spinner Gr Adjustmen		100mm with	n Oversize 2	28.6mm Leg	s and Prelo	ad	Spinner G Adjustmer		100mm with	o Oversize 2	!8.6mm Leg	s and Prelo	ad	Rock Shox TORA 318 U- sion Adjustment and Loc	Furn, 85-130mm with Exter k Out	nal Rebound, Compres-	Rock Shox TORA 289 U- Adjustment	Turn, 85mm-130mm with E	xternal Rebound
	HEADSET	Ritchey LB	3, 1 1/8" Th	readless					Ritchey LE	, 1 1/8" Th	readless					TH-857, 1 1/8", Threadles	ss, Alloy		Ritchey LB, 1 1/8" Threa	dless	
	REAR HUB	Alloy Doub	ole Sealed, 3	32 Hole witl	h QR				Alloy Doub	le Sealed,	36 Hole wit	h QR				Shimano, 32 Hole Disc			Shimano, 32 Hole Disc		
SET	FRONT HUB	Alloy Doub	ole Sealed, 3	32 Hole with	h QR				Alloy Doub	le Sealed,	36 Hole wit	h QR				Shimano, 32 Hole Disc			Shimano, 32 Hole Disc		
WHEELSET	SPOKES	15 Gauge	Stainless						15 Gauge	Stainless						WTB 14 Gauge Black Sta	inless		14 Gauge Stainless with	Brass Nipples	
WH	RIMS	Alex TA-19	3, Double W	/all, 32 Hole	with CNC	Side Walls			Alloy, 36 I	łole with Q	R					WTB SpeedDisc All Mour	tain, Double Wall, 32 Hole	Disc	WTB SpeedDisc All Mour	ntain, Double Wall, 32 Hole	Disc
	TIRES	Kenda Koy	rote, 26" x 2	2.1", Knobby	у				Kenda, 26	" x 1.95", <i>F</i>	III Condition					WTB TimberWolf, 26" x 2	2.3"		Kenda Kinetics, 26"x 2.3	5", Knobby	
	SHIFTERS	Shimano E	F50 EZ-FIF	RE Plus, 8 S	Speed				Shimano E	F50 EZ-FII	RE Plus, 7 S	Speed				SRAM X-5, 9 Speed Trigg	jer –		SRAM X-5, 8 Speed Trig	ger	
	FRONT DERAILLEUR	Shimano A	Acera						Shimano (	050						Shimano Deore			Shimano Alivio		
RAIN	REAR DERAILLEUR	Shimano A	Acera						Shimano A	Altus						SRAM X-9			SRAM X-7		
ETR	CASSETTE	Shimano F	łG 30, 11-3	32, 8 Speed	i .				Shimano,	14-28, 7 S	peed					Shimano, 11-32, 9 Speei	1		Shimano HG 30, 11-32,	8 Speed	
DRIVET	CHAIN	HG40							UG50							Shimano HG53			HG40		
	CRANKSET	TruVativ X-	-Flow 3.0, 4	2/32/22					TruVativ X	Flow 3.0, 4	12/34/24					TruVativ Firex 2.0 AM, 36 Pipe Exterior BB System	1/24 with Alloy All Mountain	n Bash Guard and Giga X	TruVativ Blaze 2.0 AM, 3 Bash Guard	6/24 with Power Spline and	Alloy All Mountain
	BOTTOM BRACKET	TruVativ w	ith Sealed (	Cartridge					TruVativ w	ith Sealed I	Cartridge					TruVativ with Giga X Pipe	Exterior System Integrated	with Crankset	TruVativ with Sealed Cart	ridge and Power Spline	
	SEATPOST	Alloy Micro	o Adjust, 27	.2mm x 35	0mm				Alloy Micr	Adjust, 2	7.2mm x 35	Omm				Comp Alloy Micro Adjust,	30.9mm x 400mm		Alloy Micro Adjust, 30.9r	nm x 400mm	
ΡΠ	SADDLE	WTB Spee	d V Sport S	SE with Love	e Channel a	ınd Comfort	Zone		WTB Spee	d V Sport S	SE with Love	e Channel a	nd Comfort	Zone		WTB Pure V Comp with L	ove Channel and Comfort 2	one .	Marin AXC		
COCKPIT	HANDLEBAR	Double Bu	tted 6061 /	Alloy, OS-31	1.8mm, 38r	nm Rise			Double Bu	tted 6061	Alloy, OS-31	1.8mm, 38r	nm Rise			FSA Maximus, Double Bu	tted Alloy, OS-31.8, 40mm	Rise	FSA Maximus, Double Bu	itted Alloy, OS-31.8, 40mm	Rise
5	STEM	Forged All	oy, Threadle	ess with 31.	.8mm Bar C	Clamp			Forged All	oy, Threadle	ess with 31.	.8mm Bar C	lamp			Gap FR230 OS Threadles	s with Alloy Face Plate, wit	h 31.8mm Bar Clamp	Forged Alloy, Threadless	A-XC, with 31.8mm Bar Cla	mp
	GRIPS	Marin Com	nfort Dual D	ensity					Marin Con	nfort Dual C	lensity					WTB MotoTec Locking wi	th Drop Guard End Plugs		WTB Weirwolf with Drop	Guard End Plugs	
~	BRAKES	Forged All	oy Linear Pi	ull	704				Forged All	oy Linear P	ull					Hayes HFX-9 Hydraulic D	isc, with V7 Rotor Front, Vi	Rotor Rear	Hayes Sole Hydraulic Dis	c, with V7 Rotor Front, V6 F	Rotor Rear
OTHER	BRAKE LEVERS	Shimano v	vith Integrat	ted Shifters					Shimano v	vith Integra	ted Shifters					Hayes Hydraulic Disc			Hayes Hydraulic Disc		
9	PEDALS	Composite				100			Composite							BMX Platform			BMX Platform		
	FRAME SIZE	13"	15"	17"	19"	20.5"	22"	15"W	13"	15"	17"	19"	20.5"	22"	15"W	SMALL (13")	MEDIUM (14")	LARGE (16")	SMALL (13")	MEDIUM (14")	LARGE (16")
4	HEAD ANGLE	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	70.5°	68°	68°	68°	68.5°	68.5°	68.5°
	SEAT ANGLE	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	73.0°	71°	71°	71°	71.5°	71.5°	71.5°
	TOP TUBE: ACTUAL	20.9"	20.8"	21.2"	21.9"	22.7"	23.4"	21.8"	20.9"	20.8"	21.2"	21.9"	22.7"	23.4"	21.8"	22.0"	22.5"	23.0"	22.0"	22.5"	23.0"
TRY	TOP TUBE: EFFEC.	21.2"	21.5"	22.1"	22.8"	23.6"	24.3"	21.5"	21.2"	21.5"	22.1"	22.8"	23.6"	24.3"	21.5"	22.5"	23.2"	23.8"	22.8"	23.5"	24.1"
GEOMETR	BB HEIGHT	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	12.0"	12.0"	12.0"	11.8"	11.8"	11.8"
GEC	STANDOVER	27.9"	29.0"	30.1"	31.3"	32.3"	33.6"	27.1"	27.9"	29.0"	30.1"	31.3"	32.3"	33.6"	27.1"	28.9"	29.5"	30.8"	28.7"	29.3"	30.6"
	WHEEL BASE	40.1"	40.4"	41.0"	41.8"	42.6"	43.3"	40.4"	40.1"	40.4"	41.0"	41.8"	42.6"	43.3"	40.4"	42.6"	43.3"	43.9"	42.4"	43.1"	43.7"
	CHAIN STAY	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.9"	16.9"	16.9"	16.9"	16.9"	16.9"
	SEAT POST	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм
	HEAD TUBE LENGTH	105мм	110мм	120мм	135мм	150мм	180мм	110мм	105мм	110мм	120мм	135мм	150мм	180мм	110мм	120мм	130мм	150мм	120мм	130мм	150мм

	MODEL NAME	Northsid	E TRAIL		INDIA	N FIR	E TRA	AIL.			TEAM TI	TANIUM			PINE	Мош	NIATN			
4	COLOR	Matte Coal			Gloss Pearl						Natural Titanium				Gloss Bronz	:e				
_	SIZES	S, M, L			13", 15", 17"	, 19", 20.5", 2	2"				15", 17", 19", 20.5"	,			13", 15", 17	", 19", 20.5", 2	22"			
FRAMESET	FRAME	7005 Aluminum, Oversize AXC XXL Tri-Burner Seat	Edge II Top and Oversize and Chain Stays	Edge Plus II Down Tube,	6061 Alumi Double Butt	num, New Do ed 4-Side Sea	uble Butted F at and Chain	lydro-Edge To Stays, Disc S	p and Down ' pecific	Tubes, New	Titanium Hardtail,	Special 20th Annive	rsary Edition		Full Double Tubes, Doub	Butted Colum ole Butted Ant	ibus Zona Cro i-Flex Tri-Burr	moly Tubing v ner Seat and I	vith Mega Top Chain Stays, I	and Down Disc Specific
FRA	FORK	Marzocchi MZ Comp, 120	Omm with Preload Adjustme	ent	Fox 32 F100 Preload	ORL, 100mm	with Rebound	l Adjustment,	Lockout and	Air Spring	Fox 32 F100RLC, Lockout and Air Sp		d and Compression	Adjustment,	Fox 32 F10	OR, 100mm w	rith Rebound i	Adjustment ar	nd Air Spring	Preload
	HEADSET	Ritchey LB, 1 1/8" Threa	dless		TH-857, 1 1	/8", Threadles	s, Alloy				WTB Grease Guard	d, 1 1/8", Threadless			TH-857, 1 1	/8", Threadles	ss, Alloy			
	REAR HUB	Shimano, 32 Hole Disc			WTB LaserD	lisc Lite, 32 H	lole Disc				DT 240S, 32 Hole	Disc with Centerloc	k		WTB Laser[	Disc Lite, 32 H	łole Disc			
Ш	FRONT HUB	Alloy Double Sealed, 32 l	Hole Disc with QR		WTB LaserD	lisc Lite, 32 H	lole Disc				DT 240S, 32 Hole	Disc with Centerloc	k		WTB Laser[	Disc Lite, 32 H	łole Disc			
NHEELSET	SPOKES	14 Gauge Stainless with	Brass Nipples		DT Competit	tion 14/15/14	1 Double Butt	ed, Black Sta	inless with Al	loy Nipples	DT Super Comp 14	4/16.5/15 Butted, B	lack Stainless with A	lloy Nipples	WTB 15/17	Gauge Black	Stainless, wit	h Brass Nippl	es	
/HE	RIMS	WTB SpeedDisc All Mour	tain, Double Wall, 32 Hole	Disc	Mavic XM-3	17, 32 Hole D	isc				Mavic XC-717, 32	Hole Disc			WTB Laser[	Disc Lite, 32 H	łole Disc			
>	TIRES	Kenda Kinetics, 26"x 2.3	5", Knobby		WTB MotoR Folding Aran		6" x 2.14" (4	19/52) with D	NA Compoun	d Tread and	WTB MotoRaptor F Folding Aramid Be	Race, 26" x 2.14" (4 ad	9/52) with DNA Cor	npound Tread and	WTB MotoR	aptor, 26" x 2	2.14" (49/52)	with DNA Co	mpound Trea	d
	SHIFTERS	SRAM X-5, 8 Speed Trigg	er		Shimano LX	, with 2 Way	Release, 9 Sp	peed			Shimano XTR, with	n 2 Way Release, 9	Speed		Shimano LX	l, with 2 Way	Release, 9 Sp	oeed		
	FRONT DERAILLEUR	Shimano Alivio			Shimano LX						Shimano XTR				Shimano LX	(				
AIN	REAR DERAILLEUR	SRAM X-4			Shimano XT	R					Shimano XTR				Shimano XT					
DRIVETRAIN	CASSETTE	Shimano HG 30, 11-32,	B Speed		SRAM PG-9	80, Power Gli	de II, 11-32,	9 Speed			Shimano XTR, 11-	34, 9 Speed			Shimano, 1	1-32, 9 Speei	1			
R	CHAIN	HG40			Shimano HG	373					Shimano XTR				Shimano HO	G73				
0	CRANKSET	TruVativ Blaze 2.0 RG, 36	1/24 with Power Spline and	Composite Rock Guard	TruVativ Styl Exterior BB		/22 with 2 Al	loy Chainring:	s and Giga X	Pipe	Shimano XTR, 44/	'32/22 with HollowT	ech II		TruVativ Sty Exterior BB	lo XR, 44/32. System	/22 with 2 All	loy Chainrings	and Giga X I	Pipe Drive
	BOTTOM BRACKET	TruVativ with Sealed Cart	ridge and Power Spline		TruVativ with	n Giga X Pipe	Exterior Syst	tem Integrated	d with Cranks	et	Shimano XTR Big	Pipe Billet Integrate	d with Crankset		TruVativ with	h Giga X Pipe	Exterior Syst	em Integrated	with Cranks	et
	SEATPOST	Alloy Micro Adjust, 30.9n	nm x 400mm		FSA SL-K, C	arbon, 30.9m	m x 350mm				Easton EC70 Carbi	on 27.2mm			FSA SL-K, C	Carbon, 27.2m	m x 350mm			
PIT	SADDLE	Marin AXC			WTB Devo 1	eam					WTB Devo Team w	vith Nicro Tubular Ra	ils		WTB Laser	V Comp with	Love Channel	Comfort Zon	e and Cromol	y Rails
COCKPIT	HANDLEBAR	Double Butted 6061 Allo	, OS-31.8mm, 25.4mm Ris	SE	Double Butt	ed 6061 Alloy	, OS-31.8mn	n, 25.4mm Ri	se		Easton EC70 Monk	cey Lite XC Carbon,	OS-31.8mm, Low Ris	Se	Double Butt	ed 6061 Allo	y, OS-31.8mn	n, 25.4mm Ri	se	
5	STEM	J ,	A-XC, with 31.8mm Bar Cla	ımp	FSA OS115	Threadless w	ith Alloy Face	Plate and 31	1.8mm Bar Cl	amp	FSA OS115 Thread	lless with Carbon Fa	ce Plate and 31.8mi	m Bar Clamp	FSA OS150	Threadless w	ith Alloy Face	Plate and 31	.8mm Bar Cl	amp
	GRIPS	WTB Weirwolf with Drop			WTB Moto (	Grip					WTB Moto Grip				WTB Moto I	Grip				
OTHER	BRAKES	Hayes MX-2 HD Mechani	cal Disc, with V7 Rotor Fro	nt, V6 Rotor Rear	,	i Hydraulic Di	SC				Shimano XTR Hydi				Avid Juicy 3	3 Hydraulic Di	SC		-10	
01	BRAKE LEVERS	Forged Alloy 3 Finger			Avid Hydrau						Shimano XTR Hydi	raulic Disc			Avid Hydrau	ılic				
•	PEDALS	BMX Platform			Shimano MS	520 Clipless					Crank Bros Egg Be	eater			Shimano M	520 Clipless				
	FRAME SIZE	SMALL (13")	MEDIUM (14")	LARGE (16")	13"	15"	17"	19"	20.5"	22	15"	17"	19"	20.5"	13"	15"	17"	19"	20.5"	22
4	HEAD ANGLE	69.0°	69.0°	69.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°	71.0°
	SEAT ANGLE	72.0°	72.0°	72.0°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°
>-	TOP TUBE: ACTUAL	22.0"	22.5"	23.0"	21.0"	21.3"	21.9"	22.6"	23.4"	24.1"	21.3"	21.9"	22.6"	23.4"	21.0"	21.3"	21.9"	22.6"	23.4"	24.1"
ETR	TOP TUBE: EFFEC.	22.8"	23.5"	24.1"	20.9"	21.8"	22.7"	23.5"	24.3"	25.0"	21.8"	22.7"	23.5"	24.3"	20.9"	21.8"	22.7"	23.5"	24.3"	25.0"
O MI	BB HEIGHT	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"
GE	STANDOVER	28.7"	29.3"	30.6"	27.8"	28.9"	30.1"	31.3"	32.4"	33.6"	28.9"	30.1"	31.3"	32.4"	27.8"	28.9"	30.1"	31.3"	32.4"	33.6"
	WHEEL BASE	42.2"	42.9"	43.5"	39.4"	40.5"	41.5"	42.4"	43.3"	44.1"	40.5"	41.5"	42.4"	43.3"	39.4"	40.5"	41.5"	42.4"	43.3"	44.1"
	CHAIN STAY	16.9"	16.9"	16.9"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"
	SEAT POST	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм	30.9мм
•	HEAD TUBE LENGTH	120мм	130мм	150мм	105мм	110мм	120мм	135мм	150мм	180мм	110мм	120мм	135мм	150мм	105мм	110мм	120мм	135мм	150мм	180мм
$\cap \cap$																				

COMPONENTS AND GEOMETRY

M	ODEL NAME	HIGHWA	Y ONE			LUCAS	VALLE	Υ			FAIRFA	X			
4	COLOR	Carbon Gloss Blac	k			Gloss Titanium	1				Gloss Smoke				
HT.		15.5", 17.5", 19", 20	0.5"			13.5", 15.5", 1	7.5", 19", 20.5"				13.5", 15.5", 1	7.5", 19", 20.5", 1	15"W		
FRAMESET	FRAME	CXR Venus 7 Carb	on with Alloy Junctio	ons		7005 Aluminu Stays and Dou	m, Full Triple Bu ıble Butted Tri-Bı	tted Edge II Sha urner Chain Stay	ped Tubing with s	Carbon Seat	7005 Aluminu Tri-Burner Sea	m, Full Triple Bu t and Chain Stay	itted Edge II Sha ys	ped Tubing with	Double Butter
FR	FORK	Carbon Monocoque	e Rigid 1 1/8"			Carbon Monoc	oque Rigid 1 1/	8"			Carbon Monoc	oque Rigid 1 1/	8"		
	HEADSET	FSA Orbit C, 1 1/8	s", Threadless for Car	mpagnolo Hiddenset	System	Double Sealed	, 1 1/8", Thread	229			Double Sealed	, 1 1/8", Thread	less		
		Mavic Aksium				Formula, 32 H	lole				Formula, 32 H	ole			
ᇤ		Mavic Aksium				Formula, 28 H	lole				Formula, 28 H				
WHEELSEI		Mavic				14 Gauge Stai	inless with Brass	Nipples			14 Gauge Stai	nless with Brass	Nipples		
VHE		Mavic Aksium, 20	Hole Front, 24 Hole	Rear, Wheelset		Alex DC-19, D	ouble Wall, 28 H	lole Front, 32 Ho	le Rear with CN	C Side Walls	Alex DC-19, D	ouble Wall, 28 H	Hole Front, 32 Ho	ole Rear with CN	C Side Walls
>		Vittoria Zaffiro, 700 Belt	0 x 28c with Folding	Kevlar Bead and Pu	ncture Resistant	Kenda Road, 7	700 x 28c				Kenda Road, 7	00 x 28c			
	SHIFTERS	Shimano SL-R770,	10 Speed			Shimano ST-R	225, EZ-Fire Plu	s, 8 Speed			Shimano ST-R	225, EZ-Fire Plu	ıs, 8 Speed		
		Shimano R773				Shimano R453	3				Shimano R453	}			
2	DERAILLEUR														
DRIVET RAIN	DERAILLEUR	Shimano Ultegra				Shimano Tiagr					Shimano RD-2				
NE.		Shimano 105, 12-	27, 10 Speed			12-24, 8 Spee					12-24, 8 Spee				
R	CHAIN	Shimano 105				Shimano HG4					Shimano HG40				
	CRANKSET	FSA K-Force, 53/3 System	19/30 with Carbon N	Nonocoque Arms and	l MegaExo BB	FSA CFM, 52/	42/30				TruVativ Touro	3.0, 52/42/30			
BOTTO	IM BRACKET	FSA MegaExo Syst	em Integrated with	Crankset		Sealed Cartrid	<u> </u>				Sealed Cartrid	ge			
		FSA SL-K, Carbon,					icro Adjust, 27.2i				- 1	st, 27.2mm x 30			
<u></u>			ce with Cromoly Rail	S			Sport with Com					-1	ove Channel and	Comfort Zone	
COCKPIT		Carbon XC, OS-31.					6061 Alloy, OS					6061 Alloy, Fla	t		
<b>.</b>			lless with Alloy Face	Plate and 31.8mm	Bar Clamp		readless with All	oy Face Plate a	nd 31.8mm Bar	Clamp	Marin Alloy, Th	readless			
		Marin Dual Density				Dual Density					Dual Density				
~	BRAKES	- 0	with Shimano Front	Power Modulator		,	inear Pull with F		ulator		, ,		ront Power Mod	ulator	
OTHER —	BRAKE Levers	Shimano BL-M420				Shimano with	Integrated Shifte	ers			Shimano with	Integrated Shifte	BLZ		
	PEDALS	None	- 100			Composite wit	h Alloy Cage	The same			Composite wit	h Alloy Cage			
	FRAME SIZE	15.5"	17.5"	19"	20.5"	13.5"	15.5"	17.5"	19"	20.5"	13.5"	15.5"	17.5"	19"	20.5"
4	HEAD ANGLE	71°	71°	71°	71°	71°	71°	71°	71°	71°	71°	71°	71°	71°	71°
	SEAT ANGLE	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°
	JBE: ACTUAL	21.0"	21.9"	23.1"	20.5"	21.0"	21.9"	22.7"	23.1"	20.5"	21.0"	21.9"	22.7"	23.1"	
TOP T	UBE: EFFEC.	21.8"	22.4"	23.6"	21.4"	21.8"	22.4"	23.2"	23.6"	21.4"	21.8"	22.4"	23.2"	23.6"	
1	BB HEIGHT	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	
GEOMETRY	STANDOVER	29.0"	30.4"	11.4" 31.6"	32.9"	27.7"	28.9"	30.2"	31.4"	32.7"	27.7"	28.9"	30.2"	31.4"	32.7"
3	WHEEL BASE	41.0"	41.7"	42.4"	42.9"	40.6"	41.0"	41.7"	42.4"	42.9"	40.6"	41.0"	41.7"	42.4"	42.9"
	CHAIN STAY	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"
	SEAT POST	27.2мм	27.2мм	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM	27.2MM
IIITAD-T		130.0	27.2MM 150.0	180.0	210.0					190mm					190mm
HEAU I		130.0	100.0	100.0	210.0	100мм	112мм	130мм	160мм	IBUMM	100мм	112мм	130мм	160мм	IBUMM

51 ALP



	MODEL NAME	STELVIO	SAN MARINO	VERONA	TREVISO 10 SPD WOMEN'S
4	COLOR	Clear Carbon with Red Accents	Clear Carbon with Blue Accents	Gloss Mercury with Gloss Carbon Seat Stays	Gloss Ocean
	SIZES	50XS, 52S, 54M, 56L, 58XL	50XS, 52S, 54M, 56L, 58XL	52XS, 54S, 56M, 58L, 61XL	52XS, 54S, 56M
FRAMESET	FRAME	Full Carbon Monocoque	Full Carbon Monocoque	7005 Triple Butted Aluminum, Edge II Mainframe with Carbon Seat Stay and New 4-Side Chain Stays	7005 Triple Butted Aluminum, Women's Fit Geometry, Edge II Mainframe with Carbon Seat Stay and New 4-Side Chain Stay
FR/	FORK	Custom Carbon Road 1 1/8"	Custom Carbon Road 1 1/8"	Carbon Road 1 1/8"	Carbon Road 1 1/8"
	HEADSET	FSA Orbit CS Plus, 1 1/8", Threadless for Campagnolo Hiddenset System	FSA Orbit C, 1 1/8", Threadless for Campagnolo Hiddenset System	Ritchey Logic Comp Zero Integrated Drop-in, 1 1/8", Threadless for Campagnolo Hiddenset System	Ritchey Logic Comp Zero Integrated Drop-in, 1 1/8", Threadless for Campagnolo Hiddenset System
	REAR HUB	Mavic Ksyrium Elite	Mavic Aksium	Mavic Aksium	Shimano WH-R500
ь	FRONT HUB	Mavic Ksyrium Elite	Mavic Aksium	Mavic Aksium	Shimano WH-R500
WHEELSET	SPOKES	Mavic	Mavic	Mavic	Shimano
N H H	RIMS	Mavic Ksyrium Elite, Wheelset	Mavic Aksium, 20 Hole Front, 24 Hole Rear, Wheelset	Mavic Aksium, 20 Hole Front, 24 Hole Rear, Wheelset	Shimano WH-R500, Wheelset
	TIRES	Vittoria Diamante Pro, 700 x 23c with Kevlar Bead Vittoria	Vittoria Zaffiro Pro, 700 x 23c with Kevlar Bead	Kenda Koncept Lite, 700 x 23c with Kevlar Bead	Kenda Koncept Lite, 700 x 23c with Kevlar Bead
	SHIFTERS	Shimano Dura-Ace, 10 Speed	Shimano Ultegra, 10 Speed	Shimano 105 STI, 10 Speed	Shimano ST-R700 10 Speed with levers designed for riders with smaller hands
	FRONT Derailleur	Shimano Dura-Ace	Shimano Ultegra	Shimano 105	Shimano 105
DRIVETRAIN	REAR Derailleur	Shimano Dura-Ace	Shimano Ultegra	Shimano Ultegra	Shimano 105
RIVE	CASSETTE	Shimano Ultegra, 12-25, 10 Speed	Shimano 105, 12-25, 10 Speed	Shimano 105, 12-27, 10 Speed	Shimano 105, 12-27, 10 Speed
	CHAIN	Shimano Ultegra	Shimano 105	Shimano 105	Shimano 105
	CRANKSET	FSA K-Force, 53/39 with Carbon Monocoque Arms and MegaExo BB System	FSA K-Force Compact, 50/34 with Carbon Monocoque Arms and MegaExo BB System	FSA SLK Compact, 50/34 with Carbon Monocoque Arms and MegaExo BB System	FSA Gossamer, 50/39/30 with Alloy Outer Chainring
	BOTTOM BRACKET	FSA MegaExo System Integrated with Crankset	FSA MegaExo System Integrated with Crankset	FSA MegaExo System Integrated with Crankset	Sealed Cartridge
	SEATPOST	FSA SL-K, Carbon, 27.2mm x 350mm	FSA SL-K, Carbon, 27.2mm x 350mm	Pro Carbon Fiber Micro Adjust, 27.2mm x 250mm	Comp Alloy Micro Adjust, 27.2mm x 300mm
П	SADDLE	Selle Italia SLR-XP	Selle Italia C2 Special	Selle Italia X2 Special Edition	Marin Women's Plush Road
COCKPI	HANDLEBAR	FSA K-Wing, OS-31.8mm, Aero Anatomic Carbon	FSA Wing Pro, OS-31.8mm, Aero-Anatomic	FSA Wing, OS-31.8mm, Aero-Anatomic	6061 Alloy, OS-31.8mm, Sized for Women
2	STEM	FSA OS115 Threadless with Carbon Face Plate and 31.8mm Bar Clamp	FSA OS150 Threadless with Carbon Face Plate and 31.8mm Bar Clamp	FSA OS150 Threadless with Alloy Face Plate and 31.8mm Bar Clamp	FSA OS170 Threadless with Alloy Face Plate and 31.8mm Bar Clamp
	GRIPS	Cork	Cork	Cork with Plush Gel	Cork with Plush Gel
~	BRAKES	Shimano Dura-Ace Dual-Pivot Calipers	Shimano Ultegra Dual-Pivot Calipers	Shimano 105 Dual-Pivot Calipers	Dual-Pivot Calipers
OTHER	BRAKE Levers	Shimano with Integrated Shifters	Shimano with Integrated Shifters	Shimano with Integrated Shifters	Shimano with Integrated Shifters
•	PEDALS	None	None	None	Composite with Alloy Cage

For additional detailed information about the quality components featured in our 2007 line, visit the websites of the following companies.















HAYESBRAKE.COM TRUVATIV.COM

AVIDBIKE.COM

DTSWISS.COM

MAVIC.COM

### 61 NATURAL FIT ROAD CONT'D COMPONENTS

	MODEL NAME	ARGENTA 10 SPD	VENEZIA	Portofino	PORTOFINA WOMEN'S
4	COLOR	Gloss Coal	Gloss Steel	Gloss Silver, Gloss Pearl	Gloss Pearl, Gloss Pink
_		52XS, 54S, 56M, 58L, 61XL	52XS, 54S, 56M, 58L, 61XL	52XS, 54S, 56M, 58L (Silver Only), 61XL (Silver Only)	52XS, 54S, 56M, 58L (Pink Only), 61XL (Pink Only)
FRAMESET	FRAME	7005 Triple Butted Aluminum, Natural Fit Geometry Edge II Mainframe with Carbon Seat Stay and New 4-Side Chain Stays	7005 Triple Butted Aluminum, Natural Fit Geometry Edge II Mainframe with Carbon Seat Stay and New 4-Side Chain Stays	7005 Triple Butted Aluminum, Edge II Mainframe with New 4-Side Seat and Chain Stays	7005 Triple Butted Aluminum, Women's Fit Geometry, Edge II Mainframe with New 4-Side Seat and Chain Stays
FR/	FORK	Carbon Road 1 1/8"	Carbon Road 1 1/8"	Carbon Road 1 1/8"	Carbon Road 1 1/8"
	HEADSET	Ritchey Logic Comp Zero Integrated Drop-in, 1 1/8", Threadless for Campagnolo Hiddenset System	Ritchey Logic Comp Zero Integrated Drop-in, 1 1/8", Threadless for Campagnolo Hiddenset System	Ritchey Logic Comp, 1 1/8", Threadless	Ritchey Logic Comp, 1 1/8", Threadless
		Shimano WH-R500	Formula, 32 Hole	Formula, 32 Hole	Formula, 32 Hole
Ш		Shimano WH-R500	Formula, 28 Hole	Formula, 28 Hole	Formula, 28 Hole
ELS		Shimano	15 Gauge Stainless	15 Gauge Stainless	15 Gauge Stainless
WHEELSET		Shimano WH-R500, Wheelset	Alex R450, Double Wall, 28 Hole Front, 32 Hole Rear with CNC Side Walls	Alex R450, Double Wall, 28 Hole Front, 32 Hole Rear with CNC Side Walls	Alex R450, Double Wall, 28 Hole Front, 32 Hole Rear with CNC Side Walls
		Kenda Koncept Lite, 700 x 23c with Kevlar Bead	Kenda Koncept, 700 x 23c	Kenda Koncept, 700 x 23c	Kenda Koncept, 700 x 23c
	SHIFTERS	Shimano 105 STI, 10 Speed	Shimano Sora STI, 8 Speed	Shimano Sora STI, 8 Speed	Shimano Sora STI, 8 Speed
	FRONT Derailleur	Shimano 105	Shimano 2203	Shimano 2203	Shimano 2203
DRIVETRAIN	REAR Derailleur	Shimano 105	Shimano Tiagra	Shimano Sora	Shimano Sora
RIVE	CASSETTE	Shimano 105, 12-27, 10 Speed	12-24, 8 Speed	12-24, 8 Speed	12-24, 8 Speed
	CHAIN	Shimano 105	Shimano HG40	Shimano HG40	Shimano HG40
	CRANKSET	FSA Gossamer, 50/39/30 with Alloy Outer Chainring	FSA CFM, 52/42/30	FSA CFM, 52/42/30	FSA CFM, 52/42/30
	BOTTOM BRACKET	Sealed Cartridge	Sealed Cartridge	Sealed Cartridge	Sealed Cartridge
		Comp Alloy Micro Adjust, 27.2mm x 300mm	Comp Alloy Micro Adjust, 27.2mm x 300mm	Suspension Post, 27.2mm x 300mm	Suspension Post, 27.2mm x 300mm
Η		Selle Italia XO	Marin Plush Road	Marin Plush Road	Marin Women's Plush Road
COCKPIT		6061 Alloy, OS-31.8mm	6061 Alloy, OS-31.8mm	6061 Alloy, OS-31.8mm	6061 Alloy, OS-31.8mm, Sized for Women
23		FSA OS170 Threadless with Alloy Face Plate and 31.8mm Bar Clamp	Marin OS Alloy Threadless, with 31.8mm Bar Clamp	Alloy Adjustable with 0° to 60° Rise, with 31.8mm Bar Clamp	Alloy Adjustable with 0° to 60° Rise, with 31.8mm Bar Clamp
		Cork with Plush Gel	Cork with Plush Gel	Cork with Plush Gel	Cork with Plush Gel
~	BRAKES	Dual-Pivot Calipers	Dual-Pivot Calipers	Dual-Pivot Calipers	Dual-Pivot Calipers
OTHER	BRAKE Levers	Shimano with Integrated Shifters	Shimano with Integrated Shifters	Shimano with Integrated Shifters	Shimano with Integrated Shifters
4	PEDALS	Composite with Alloy Cage	Composite with Alloy Cage	Composite with Alloy Cage	Composite with Alloy Cage















SELLEITALIA.COM

WTB.COM

EASTONBIKE.COM

FOXRACINGSHOX.COM

RITCHEYLOGIC.COM MARZOCCHI.COM

### 55 PRO FIT ROAD GEOMETRY

### 58 NATURAL FIT ROAD GEOMETRY

_																			
	MODEL NAME	STELV	10				SAN N	1ARINO				VERON	1A				TREVISO	10 SPD Wom	IEN'S
-	FRAME SIZE						XS					2X					2X		
4		50см	52см	54см	56см	58см	50см	52см	54см	56см	58см	52см	54см	56см	58см	61см	52см	54см	56см
4	THEORETICAL Level top tube																		
	CENTER TO																		
		50см	52см	54см	56см	58см	50см	52см	54см	56см	58см	46.5см	49.5см	54.5см	56.5см	58.5см	46.5см	49.5см	54.5см
	ACTUAL CENTER To top																		
		525мм	531мм	545мм	565мм	572мм	525мм	531мм	545мм	565мм	572мм	520mm	535мм	543mm	551mm	571mm	520мм	535мм	543мм
_	EFFECTIVE	UZUMM	OUTMIN	UTUWIWI	Joomm	UTZIWIWI	UZUWIWI	JOTHM	UTUWW	OUDIWINI	UIZMM	UZUMM	Joomm	UTUMM	JUTHIM	OT IMM	OZOWIW	OGOWIW	OTOMM
GEOMETRY		512мм	519мм	534мм	553мм	561мм	512мм	519мм	534мм	553мм	561мм	506мм	521mm	529мм	537мм	555мм	506мм	521мм	529мм
5		756мм	771мм	771мм	808мм	822мм	756мм	771мм	771мм	808mm	822мм	739мм	763мм	783мм	805мм	836мм	739мм	763мм	783мм
		72.0°	72.5°	73.0°	73.5°	73.5°	72.0°	72.5°	73.0°	73.5°	73.5°	71.5°	72.0°	72.0°	72.0°	73.0°	71.5°	72.0°	72.0°
		75.0°	75.0°	74.0°	73.5°	73.0°	75.0°	75.0°	74.0°	73.5°	73.0°	75.0°	75.0°	74.0°	73.0°	73.0°	75.0°	75.0°	74.0°
		130мм	145мм	160мм	175мм	190мм	130мм	145мм	160мм	175мм	190мм	135мм	155мм	170мм	185мм	215мм	135мм	155мм	170мм
		405мм	405мм	405мм	405мм	405мм	405мм	405мм	405мм	405мм	405мм	415мм	415мм	415мм	415мм	415мм	415мм	415мм	415мм
		270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм
7	FORK OFFSET	43мм	43мм	43мм	43мм	43мм	43мм	43мм	43мм	43мм	43мм	50мм	50мм	50мм	45мм	45мм	50мм	50мм	50мм
J	SEAT POST	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм


### LOCATION IS EVERYTHING.

We design our bikes based on the geography that makes up Marin County, from trails to towns, the bikes are named after the locations where we love to ride. To learn more about Marin visit our interactive map: www.marinbikes.com/map



### 61 NATURAL FIT ROAD GEOMETRY CONT'D GEOMETRY

	MODEL NAME	ARGEN	NTA 10	SPD			VENEZ	IA				PORTO	FINO				PORTOFINA	WOMEN'S	
	FRAME SIZE	XS	S	М	L	XL	XS	S	М	L	XL	XS	S	М	L	XL	XS	S	М
1		52см	54см	56см	58см	61см	52см	54см	56см	58см	61см	52см	54см	56см	58см	61см	52см	54см	56см
4	THEORETICAL Level top tube																		
	SEAT TUBE:	46.5см	49.5см	54.5см	56.5см	58.5см	46.5см	49.5см	54.5см	56.5см	58.5см	46.5см	49.5см	54.5см	56.5см	58.5см	46.5см	49.5см	54.5см
		520мм	535мм	543мм	551мм	571мм	520мм	535мм	543мм	551мм	571мм	520мм	535мм	543мм	551mm	571mm	520мм	535мм	543MM
≿		ozomiii	000111111	O TOMAN	55111111	011111111	OLOMMI	COOMM	0 10111111	001111111	0.11111111	ozomiii		0 10111111	001111111		ozomiii	30011111	5 1011111
GEOMETRY		506мм	521мм	529мм	537мм	555мм	506мм	521мм	529мм	537мм	555мм	506мм	521мм	529мм	537мм	555мм	506мм	521мм	529мм
E01																			
9		739мм	763мм	783мм	805мм	836мм	739мм	763мм	783мм	805мм	836мм	739мм	763мм	783мм	805мм	836мм	739мм	763мм	783мм
		71.5°	72.0°	72.0°	72.0°	73.0°	71.5°	72.0°	72.0°	72.0°	73.0°	71.5°	72.0°	72.0°	72.0°	73.0°	71.5°	72.0°	72.0°
		75.0°	75.0°	74.0°	73.0°	73.0°	75.0°	75.0°	74.0°	73.0°	73.0°	75.0°	75.0°	74.0°	73.0°	73.0°	75.0°	75.0°	74.0°
	HEAD TUBE Length	135мм	155мм	170мм	185мм	215мм	135мм	155мм	170мм	185мм	215мм	135мм	155мм	170мм	185мм	215мм	135мм	155мм	170мм
		415мм	415мм	415мм	415мм	415мм	415мм	415мм	415мм	415мм	415мм	415мм	415мм	415мм	415мм	415мм	415мм	415мм	415мм
		270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм	270мм
1	FORK OFFSET	50мм	50мм	50мм	45мм	45мм	50мм	50мм	50мм	45мм	45мм	50мм	50мм	50мм	45мм	45мм	50мм	50мм	50мм
٦		27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм



-	OHE	-11										OOM	DIVERTO	AND UL	DIVILLI
MODEL NAME	POINT	REYES	3			Nova.	то				MUIRV	voods			
COLOR	Matte Smoke					Matte Granite					Matte Coal				
SIZES	13", 15", 17", 1	8.5", 20"				13", 15", 17",	18.5", 20"				13", 15", 17", 1	8.5", 20"			
FRAME	7005 Aluminur 4-Side Seat ar	m, Triple Butted nd Chain Stays,	Edge Shaped Tu Disc Specific	ibing with Doubl	e Butted New	7005 Aluminu Chain Stays, D	ım Triple Butted Disc Specific	Edge Shaped Tu	bing with New 4	-Side Seat and	Double Butted Double Butted	Cromoly Front 1 Anti-Flex Tri-Bu	Triangle, with Edo Irner Seat and Cl	ge II Shaped Tub hain Stays	ing with
FORK	RFE Carbon 1	1/8"				Aluminum Rig	id 1 1/8" with D	isc Mount			Cromoly Rigid	1 1/8"			
HEADSET	TH-888, 1 1/8	", Threadless				Ritchey LB, 1	1/8" Threadless				Ritchey LB, 1	1/8" Threadless			
REAR HUB	Alloy Double S	ealed, 32 Hole I	Disc with Lockin	g QR		Alloy Double S	Sealed, 32 Hole I	Disc with QR			Alloy Double S	Gealed, 32 Hole	with QR		
FRONT HUB	Alloy Double S	ealed, 32 Hole I	Disc with Lockin	g QR		Alloy Double S	Sealed, 32 Hole I	Disc with QR			Alloy Double S	Sealed, 32 Hole	with QR		
SPOKES	WTB 14 Gauge	Black Stainles	S			WTB 14 Gaug	e Black Stainles	S			WTB 14 Gaug	e Black Stainles	S		
RIMS	WTB SX24, Do	uble Wall, 32 H	ole Disc			WTB Dual Dut	ty XC, Double Wa	all, 32 Hole with	CNC Side Walls		Alex TA-19, Do	ouble Wall, 32 H	lole with CNC Si	de Walls	
TIRES	Continental Sp	ort Contact, 26"	x 1.6" with Saf	ety System		CST Urban, 26	6" x 1.4" with Ke	evlar Inside Pund	ture Protection		CST Urban, 26	3" x 1.4"			
SHIFTERS	Shimano Deore	e, 9 Speed				Shimano EF50	D EZ-FIRE Plus,	8 Speed			Shimano EF50	EZ-FIRE Plus,	8 Speed		
FRONT DERAILLEUR	Shimano Deore	В				Shimano C-10	00				Shimano C-10	0			
REAR DERAILLEUR	Shimano LX					Shimano Deor	re				Shimano Alivio	)			
CASSETTE	Shimano, 11-3	12, 9 Speed				Shimano HG 3	30, 11-32, 8 Spe	eed			Shimano HG 3	10, 11-32, 8 Spe	eed		
CHAIN	Shimano HG53	3				HG40					HG40				
CRANKSET	TruVativ Five D	3.1, 48/36/26	with Alloy Oute	r Chainring		TruVativ X-Flo	w C 3.0, 48/38/	28			TruVativ X-Flov	v C 3.0, 48/38/	'28		
BOTTOM BRACKET	TruVativ with S	ealed Cartridge				TruVativ with S	Sealed Cartridge				TruVativ with S	Sealed Cartridge			
SEATPOST	Comp Alloy Mi	cro Adjust, 27.2	mm x 350mm			Alloy Micro Ad	djust, 27.2mm x	300mm			Alloy Micro Ad	ljust, 27.2mm x	300mm		
SADDLE	WTB Speed V	Comp with Love	Channel and Co	omfort Zone		WTB Speed V	Sport SE with L	ove Channel and	l Comfort Zone		WTB Speed V	Sport SE with L	ove Channel and	Comfort Zone	
HANDLEBAR	Double Butted	6061 Alloy, OS	-31.8mm, 25.4n	nm Rise		Double Butted	6061 Alloy, OS	-31.8mm, 25.4r	nm Rise		Double Butted	6061 Alloy, OS	-31.8mm, 25.4m	nm Rise	
STEM	Marin OS Alloy	Threadless, wit	h 31.8mm Bar (	Clamp		Marin OS Allo	y Threadless, wit	h 31.8mm Bar	Clamp		Marin OS Alloy	/ Threadless, wit	th 31.8mm Bar (	Clamp	
GRIPS	WTB Street Sn	nart with Drop G	Guard End Plugs			WTB Street Si	mart with Drop G	Guard End Plugs			WTB Street Sr	nart with Drop G	Guard End Plugs		
BRAKES	Hayes MX-2 X	C Mechanical Di	isc with V6 Roto	rs		Tektro IO Mec	hanical Disc				Forged Alloy L	inear Pull			
BRAKE Levers	Forged Alloy 3	Finger				Shimano with	Integrated Shifte	ers			Shimano with	Integrated Shifte	ers		
PEDALS	BMX Platform					Composite wit	th Alloy Cage				Composite wit	h Alloy Cage			
FRAME SIZE	13"	15"		18.5"	20"	13"	15"		18.5"	20"	13"	15"		18.5"	20
HEAD ANGLE	70°	70°	70°	70°	70°	71°	71°	71°	71°	71°	71°	71°	71°	71°	71
SEAT ANGLE	73°	73°	73°	73°	73°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.5°	73.
TOP TUBE: ACTUAL	20.5"	21.0"	21.7"	22.5"	23.0"	20.5"	21.0"	21.7"	22.5"	23.0"	20.5"	21.0"	21.7"	22.5"	23.
TOP TUBE: EFFEC.	21.3"	21.3" 21.8" 22.5" 23.2" 23.6"			23.6"	21.3"	21.8"	22.5"	23.2"	23.6"	21.3"	21.8"	22.5"	23.2"	23.
BB HEIGHT	11.6"	11.6" 11.6" 11.6" 11.6" 11.6		11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.6"	11.	
STANDOVER	27.6"	28.5"	29.8"	31.0"	32.3"	28.2"	29.2"	30.5"	31.7"	33.0"	28.2"	29.2"	30.5"	31.7"	33.
WHEEL BASE	40.6"	41.1"	41.8"	42.6"	43.0"	40.2"	40.8"	41.5"	42.3"	42.7"	40.2"	40.8"	41.5"	42.3"	42.
CHAIN STAY	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.8"	16.
SEAT POST	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.21
HEAD TUBE LENGTH	102мм	102мм	120MM	150мм	180мм	102мм	102мм	120MM	150мм	180мм	102мм	102мм	120MM	150мм	180











MODEL NAME	SAUSA	ALITO				SAN	ANS	ELM					SAN	RAF	AEL				
COLOR	Matte Granite					Matte Ste	el						Gloss Mic	a					
SIZES	13.5", 15.5", 17	'.5", 19", 20.5"				13.5", 15.	5", 17.5", 19	", 20.5", 13	W, 15"W				13.5", 15.	5", 17.5", 19	", 20.5", 13	"W, 15"W			
FORK	7005 Aluminur Down Tube, Ne	n with New Edg w Double Butter	ge II Flared Top 1 d 4-Side Seat a	Tube and Triple E nd Chain Stay	Butted Edge	7005 Alur Down Tub	minum with e, New 4-Si	New Edge de Seat ani	II Flared Top d Chain Stay	Tube and	Triple Butte	d Edge	7005 Alur Down Tub	minum with e, New 4-Si	New Edge ide Seat an	II Flared Top d Chain Stay	Tube and '	Triple Butte	d Edge
FAX FORK	SR Suntour NC	XD, 63mm with	Preload Adjusti	ment and Lockou	ıt	SR Sunto	ur NCXD, 63	Imm with P	reload Adju	stment and	Lockout		Spinner O	desa LX, 63	3mm with P	reload Adju:	stment and	Lockout	
HEADSET	TH-888, 1 1/8	", Threadless				TH-888, 1	1/8", Thre	adless					TH-888, 1	1/8", Thre	adless				
REAR HUB	Shimano Deore	e, 36 Hole				Shimano	RM-30, 36	Hole					Alloy Dou	ble Sealed,	36 Hole wit	th QR			
FRONT HUB	Shimano Deore	e, 36 Hole				Alloy Dou	ble Sealed,	36 Hole wit	h QR				Alloy Dou	ble Sealed,	36 Hole wit	th QR			
SPOKES	DT 14 Gauge E	Black Stainless				14 Gauge	Stainless						14 Gauge	Stainless					
FRONT HUB SPOKES RIMS	WTB Dual Duty	, Double Wall, 3	36 Hole with CN	C Side Walls		WTB Dual	Duty, Doub	le Wall, 36	Hole with (	CNC Side W	alls		WTB DX2	3, Double V	Vall, 36 Hole	with CNC	Side Walls		
TIRES	WTB All Terrain	nasaurus, 700 x	32/30c			Maxxis O	erdrive, 70	0 x 35c wit	h Kevlar Ins	ide Punctur	e Protection	1	Kenda Kw	est, 700 x 3	35c with K-	Shield Punc	ture Protect	tion	
SHIFTERS	Shimano Deore	e, 9 Speed				Shimano .	Alivio 8 Spe	ed					Shimano	EF50 EZ-FI	RE Plus, 8	Speed			
FRONT DERAILLEUR	Shimano Deore	}				Shimano	Nexave T30	0					Shimano	C-100					
REAR DERAILLEUR	Shimano LX					Shimano	Deore						Shimano .	Alivio					
REAR DERAILLEUR CASSETTE CHAIN	Shimano, 11-3	2, 9 Speed				Shimano	HG 30, 11-	32, 8 Speed	i				Mini Mega	Range, 11	-28, 8 Spe	ed			
CHAIN	Shimano HG53	no HG53 no Deore, 48/36/26 with Hollowtech and Octalink				HG40							HG40						
CRANKSET	Shimano Deore	o Deore, 48/36/26 with Hollowtech and Octalink				Suntour N	CX-420, 48	/38/28 wit	h Alloy Out	er Chainring			Suntour N	CX410, 48	/38/28 with	Chain Gua	rd		
BOTTOM BRACKET	Shimano with	o with Splined OctaLink				TruVativ w	ith Sealed	Cartridge					Sealed Ca	rtridge					
SEATPOST	Suspension Po	with Splined OctaLink ion Post, 27.2mm x 300mm				Suspensio	n Post, 27.2	mm x 300	mm				Suspensio	n Post, 27.2	2mm x 300	mm			
SADDLE	WTB Comfort \	/ Dual Density,	Soft Shell with L	ove Channel		WTB Com	fort V with	Love Chann	el and Com	fort Zone			WTB Com	fort V with	Love Chann	el and Com	fort Zone		
SAUULE HANDLEBAR	Double Butted	6061 Alloy, 25.	.4mm Rise			Double Bu	itted 6061	Alloy, 25.4n	nm Rise				Double Bu	itted 6061	Alloy, 30mr	n Rise			
STEM	Alloy Threadles	s, Adjustable w	rith 0° to 60° Ri	ise		Alloy Thre	adless, Adji	ıstable with	0° to 60°	Rise			Alloy Thre	adless, Adji	ustable with	0° to 60°	Rise		
GRIPS	Marin Comfort	Dual Density				Marin Cor	nfort						Dual Dens	sity					
BRAKES	Shimano Deore	with Front Pow	ver Modulator			Forged Al	loy Linear P	ull with Fro	nt Power Mi	odulator			Forged Al	loy Linear P	ull with Fro	nt Power Mi	odulator		
BRAKE LEVERS	Shimano with	Integrated Shifte	ers		>	Forged Al	loy 3 Finger						Shimano	with Integra	ited Shifters	l			
PEDALS	Composite with	1 Alloy Cage		2		Composite	with Alloy	Cage		_			Composite	}					
FRAME SIZE	13.5"	15.5"	17.5"	19"	20.5"	13.5"	15.5"	17.5"	19"	20.5"	13"W	15"W	13.5"	15.5"	17.5"	19"	20.5"	13"W	15"
HEAD ANGLE	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°
SEAT ANGLE	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°
TOP TUBE: ACTUAL	20.5"	21.0"	21.7"	22.5"	23.0"	20.5"	21.0"	21.7"	22.5"	23.0"	20.5"	21.0"	20.5"	21.0"	21.7"	22.5"	23.0"	20.5"	21.0
TOP TUBE: EFFEC.	21.1"					21.1"	21.8"	22.6"	23.5"	24.0"	21.1"	21.8"	21.1"	21.8"	22.6"	23.5"	24.0"	21.1"	21.8
BB HEIGHT	11.7"					11.7"	11.7"	11.7"	11.7"	11.7"	11.7"	11.7"	11.7"	11.7"	11.7"	11.7"	11.7"	11.7"	11.3
BB HEIGHT STANDOVER	29.4"	29.4" 30.6" 31.9" 33.1" 34.3"			34.3"	29.4"	30.6"	31.9"	33.1"	34.3"	27.7"	27.9"	29.4"	30.6"	31.9"	33.1"	34.3"	27.7"	27.9
WHEEL BASE	40.9"	41.7"	42.6"	43.5"	44.0"	40.9"	41.7"	42.6"	43.5"	44.0"	40.9"	41.7"	40.9"	41.7"	42.6"	43.5"	44.0"	40.9"	41.
CHAIN STAY	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3
SEAT POST	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.21
HEAD TUBE LENGTH	90мм	102мм	120мм	150мм	180мм	90мм	102мм	120мм	150мм	180мм	90мм	102мм	90мм	102мм	120mm	150мм	180мм	90мм	102N



		911																				00111111	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	AITD GL	01111
	MODEL NAME	LAR	KSPU	R					KEN	TFIEL	.D					CORTE	MADE	RA			BELVE	DERE			
4	COLOR	Gloss Bru	shed Polish,	Gloss Blac	k Pearl				Gloss Pew	ter, Gloss S	lmoke					Gloss Vapor					Matte Coal, Ma	atte Steel			
L	SIZES	13.5", 15.	5", 17.5", 19'	, 20.5", 13"	W, 15"W				13.5", 15.5	5", 17.5", 19	, 20.5", 13"	W, 15"W				13.5", 15.5", 17	'.5", 19", 20.5"				13.5", 15.5", 17	7.5", 19", 20.5"			
FRAMESE	FRAME	7005 Alur Down Tub	minum with e, New 4-Si	New Edge I de Seat and	l Flared Top I Chain Stay	Tube and	Triple Butte	d Edge	7005 Alun New 4-Sid	ninum with e Seat Stay	New Edge I	Flared Top	Tube and E	Edge Down	Tube,	7005 Aluminur Butted 4-Side	n, Full Triple Bu Seat and Chain	tted Edge II Sha Stays	ped Tubing with	New Double	7005 Aluminui Seat and Chair	m, Double Butted n Stays	Edge II Shaper	d Tubing with Ne	w 4-Side
FR/	FORK	Cromoly R	Rigid 1 1/8"						Cromoly R	igid 1 1/8"						Alloy Rigid 1 1	/8"				Cromoly Rigid	1 1/8"			
	HEADSET	TH-888, 1	1/8", Threa	adless					Double Se	aled, 1 1/8	", Threaded					Double Sealed	0/S, 1 1/8", Th	readless, Alloy			Double Sealed	O/S, 1 1/8", Thr	eadless, Alloy		
	REAR HUB	Alloy Doub	ble Sealed,	36 Hole wit	h QR				Alloy Doub	le Sealed,	36 Hole with	ı QR				Formula, 32 Ho	ole				Formula, 32 Hi	ole			
SET	FRONT HUB	Alloy Doub	ble Sealed,	36 Hole wit	h QR				Alloy Doub	le Sealed,	36 Hole with	ı QR				Formula, 32 Ho	ole				Formula, 32 Hi	ole			
WHEELSET	SPOKES	14 Gauge	Stainless						14 Gauge	Stainless						14 Gauge Stair	nless with Brass	Nipples			14 Gauge Stair	nless with Brass	Nipples		
MH	RIMS	Alex TA-19	9, Double W	'all, 36 Hole	with CNC	Side Walls			Alloy, 36 I	łole with Q	R					Alex DC-19, Do	ouble Wall, 32 H	lole with CNC Si	de Walls		Alex DC-19, Di	ouble Wall, 32 H	ole with CNC Si	de Walls	
	TIRES	Kenda Kw	est, 700 x 3	35c with K-	Shield Punc	ture Protec	tion		Kenda Kwe	est, 700 x 3	5c with K-S	Shield Punct	ture Protect	ion		Kenda Kwick R	oller Sport, 700	x 28c with K-S	nield Puncture P	rotection	Kenda Kwick R	toller Sport, 700	x 28c with K-SI	nield Puncture P	rotection
	SHIFTERS	Shimano I	EF50 EZ-FIF	RE Plus, 8 S	Speed				Shimano E	F50 EZ-FIF	RE Plus, 7 S	peed				Shimano Alivio	, 8 Speed				Shimano EF50	EZ-FIRE Plus, 8	Speed		
	FRONT DERAILLEUR	Shimano I	C-100						Shimano (	051						Shimano Nexa	ve T300				Shimano Nexa	ve T300			
RIVETRAIN	REAR DERAILLEUR	Shimano A	Acera						Shimano A	\cera						Shimano Tiagra	1				Shimano Sora				
Ē	CASSETTE	Shimano I	HG 30, 11-3	32, 8 Speed					Shimano,	14-28, 7 S	oeed					12-24, 8 Spee	d				12-24, 8 Spee	d			
18	CHAIN	HG40							UG50							HG40					HG40				
	CRANKSET	Suntour N	CX410, 48/	38/28 with	Chain Gua	rd			SR Suntou	r NEX, 48/	38/28 with	Chain Guar	d			TruVativ IsoFlov	w C 3.0, 48/38	/28 with Power	Spline and Chain	Guard	TruVativ X-Flow	v C 3.0, 48/38/2	28		
	BOTTOM BRACKET	Sealed Ca	ırtridge						Sealed Ca	rtridge						TruVativ with S	ealed Cartridge	and Power Splir	е		TruVativ with S	ealed Cartridge			
	SEATPOST	Suspensio	ın Post, 27.2	mm x 300i	nm				Suspensio	n Post, 27.2	mm x 300n	nm				Suspension Po	st, 27.2mm x 30	00mm			Suspension Po	st, 27.2mm x 30	Omm		
늘	SADDLE	WTB Com	fort V with I	Love Chann	el and Com	fort Zone			Marin Com	nfort with E	ktra Soft Ba	se				Marin Sport wi	th Integrated LE	D Light			Marin Sport wi	ith Integrated LEI	D Light		
COCKPIT	HANDLEBAR	Double Bu	itted 6061 i	Alloy, 30mn	n Rise				Double Bu	tted 6061 .	Alloy, 50mm	Rise				Double Butted	6061 Alloy, OS	-31.8mm, 25.4m	ım Rise		Double Butted	6061 Alloy, OS-	31.8mm, 25.4m	ım Rise	
00	STEM	Alloy Thre	adless, Adju	istable with	0° to 60°	Rise			Forged All	oy, Threadle	ss with 30°	Rise				Alloy Adjustabl	e with 0° to 60	° Rise, with 31.	8mm Bar Clamp		Alloy Adjustabl	le with 0° to 60°	Rise, with 31.	8mm Bar Clamp	
	GRIPS	Dual Dens	sity						Dual Dens	ity						WTB Street Sm	nart with Drop G	uard End Plugs			WTB Street Sn	nart with Drop G	uard End Plugs		
~	BRAKES	Forged All	loy Linear P	ull with Fro	nt Power Mi	odulator			Forged All	oy Linear P	ull with Fron	t Power Mo	dulator			Avid Single Dig	jit 3 with Shima	no Front Power	Modulator		Forged Alloy Li	inear Pull with Fr	ont Power Modi	ulator	
OTHER	BRAKE Levers	Shimano v	with Integra	ted Shifters					Shimano v	vith Integra	ed Shifters					Shimano with I	Integrated Shifte	ers			Shimano with	Integrated Shifte	rs		
•	PEDALS	Composite	3						Composite							Composite with	n Alloy Cage				Composite with	h Alloy Cage			
	FRAME SIZE							15"L	13.5"						15L	13.5"					13.5"				
4	HEAD ANGLE	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	71°	71°	71°	71°	71°	71°	71°	71°	71°	71°
	SEAT ANGLE	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°
	TOP TUBE: ACTUAL	20.5"	21.0"	21.7"	22.5"	23.0"	20.5"	21.0"	20.5"	21.0"	21.7"	22.5"	23.0"	20.5"	21.0"	21.5"	21.5"	21.9"	22.1"	22.6"	21.5"	21.5"	21.9"	22.1"	22.6"
≿	TOP TUBE: EFFEC.	21.1"	21.8"	22.6"	23.5"	24.0"	21.1"	21.8"	21.1"	21.8"	22.6"	23.5"	24.0"	21.1"	21.8"	22.5"	22.5"	22.7"	22.8"	23.3"	22.5"	22.5"	22.7"	22.8"	23.3"
Ë	BB HEIGHT	11.7"	11.7"	11.7"	11.7"	11.7"	11.7"	11.7"	11.7°	11.7"	11.7"	11.7"	11.7"	11.7"	11.7"	12.4"	12.4"	12.4"	12.4"	12.4"	12.4"	12.4"	12.4"	12.4"	12.4"
GEOMETRY	STANDOVER	28.1"	29.3"	30.8"	31.8"	33.1"	26.4"	26.7"	28.1"	29.3"	30.8"	31.8"	33.1"	26.4"	26.7"	28.7"	29.9"	31.2"	32.4"	33.7"	28.7"	29.9"	31.2"	32.4"	33.7"
9	WHEEL BASE	40.9"	41.7"	42.6"	43.5"	44.0"	40.9"	41.7"	40.9"	41.7"	42.6"	43.5"	44.0"	40.9"	41.7"	41.3"	41.3"	41.5"	41.8"	42.2"	41.3"	41.3"	41.5"	41.8"	42.2"
	CHAIN STAY	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	16.9"	16.9"	16.9"	16.9"	16.9"	16.9"	16.9"	16.9"	16.9"	16.9"
	SEAT POST	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм
,	HEAD TUBE LENGTH	90мм	102мм	120мм	150мм	180мм	90мм	102мм	90мм	102мм	120мм	150мм	180мм	90мм	102мм	110мм	120мм	140мм	170мм	200мм	110мм	120мм	140мм	170мм	200мм

	MODEL NAME	RED	woo	D					STIN	1SON						COA	ST T	RAIL				
4		Gloss Pew	ter, Gloss R	Red Rock (V	V)				Gloss Slat	e, Gloss An	nethyst					Gloss Mic	a, Gloss Sla	ite Blue				
		13", 15", 1	7", 18.5", 20	)", 13"W, 1	5"W				13", 15", 1	17", 18.5", 21	)", 13"W (A	methyst On	ly), 15"W (	Amethyst O	nly)	13", 15", 1	7", 18.5", 2	0", 13"W (S	Slate Blue O	nly), 15"W (	(Slate Blue	Only)
FRAMESET		7005 Butte	ed Aluminu	m with Edg	e II Top and	Down Tube	es .		7005 Butt	ed Aluminu	m with Edg	e II Top and	l Down Tube	es .		7005 Butt	ed Aluminu	m with Edg	e II Top and	l Down Tube	es .	
FRAI		Spinner Er	Route AC,	63mm with	Lockout an	d Preload A	djustment		Spinner E	nRoute AC,	63mm with	Preload Ad	justment			Spinner E	nRoute AC,	63mm with	Preload Ad	justment		
		TH-888, 1	1/8", Threa	adless					Double Se	aled, 1 1/8	", Threaded					Double Se	aled, 1 1/8	", Threaded				
		Alloy Doub	le Sealed, S	32 Hole wit	h QR				Alloy Doub	ole Sealed,	36 Hole wit	h QR				Alloy Doul	ole Sealed,	36 Hole wit	h QR			
SET		Alloy Doub	ile Sealed, S	32 Hole wit	h QR				Alloy Doub	ole Sealed,	36 Hole wit	h QR				Alloy Doul	ole Sealed,	36 Hole wit	h QR			
WHEELSET		15 Gauge	Stainless						15 Gauge	Stainless						15 Gauge	Stainless					
WHE		Alex TA-19	3, Double W	all, 32 Hole	with CNC	Side Walls			Alloy, 36 I	Hole with Q	R					Alloy, 36	Hole with Q	R				
		Kenda Kro	ssplus, 26"	x 1.95", Di	rt-Street Co	mbo			Kenda Kro	ssplus, 26"	x 1.95", Di	rt-Street Co	mbo			Kenda Kro	ssplus, 26"	x 1.95", Di	irt-Street Co	mbo		
		Shimano A	Alivio, 8 Spe	ed					Shimano I	EF50 EZ-FIF	RE Plus, 7 S	Speed				SRAM ES	P 3.0, 7 Sp	eed				
		Shimano N	lexave T30	0					Shimano (	CO51						Shimano	CO51					
DRIVETRAIN	REAR DERAILLEUR	Shimano A	Alivio						Shimano A	Altus						SRAM 3.0						
		Shimano H	IG 30, 11-3	32, 8 Speed					Shimano,	14-28, 7 S	peed					Shimano,	14-28, 7 S	peed				
JR.I.		HG40							UG50							UG50						
		Suntour NI	CX-420, 48	/38/28 wit	h Alloy Oute	er Chainring			SR Suntou	ır XCC, 48/	38/28 with	Chain Guar	rd			SR Sunto	ır XCC, 48/	38/28 with	Chain Guar	rd		
	BOTTOM BRACKET	Sealed Car	rtridge						Sealed Ca	rtridge						Sealed Ca	rtridge					
		Suspension	n Post, 27.2	mm x 300	mm				Suspensio	n Post, 27.2	mm x 300r	mm				Alloy Micr	o Adjust, 2	7.2mm x 30	0mm			
μ		Marin Com	nfort						Marin Con	nfort						Marin Con	nfort					
COCKPIT		Double Bu	tted 6061 /	Alloy, 50mr	n Rise, Com	fort			Double Bu	itted 6061	Alloy, 50mn	n Rise, Com	ıfort			Double Bu	itted 6061	Alloy, 50mm	n Rise, Com	ıfort		
ງງ		Alloy Threa	adless, Adju	ıstable with	0° to 60°	Rise			Forged All	loy, Adjustal	ble with 0°	to 60° Rise	В			Forged All	loy, Threadle	ess with 30	° Rise			
		Dual Densi	ity						Dual Dens	ity						Marin Con	nfort Dual C	ensity (				
~		Forged Alli	oy with Line	ear Spring					Forged All	loy Linear P	ull with From	nt Power Mo	odulator			Forged All	loy Linear P	ull with Fro	nt Power Mo	odulator		
OTHER	BRAKE Levers	Forged Alli	oy 3 Finger						Shimano v	with Integra	ted Shifters					Forged All	loy 3 Finger					
		Composite	with Alloy	Cage		100			Composite	9						Composite						
	FRAME SIZE	13"	15"	17"	18.5"	20"	13"L	15"L	13"	15"	17"	18.5"	20"	13"L	15"L	13"	15"	17"	18.5"	20"	13"L	15"L
4		70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°
4	SEAT ANGLE	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°
		20.5"	21.0"	21.7"	22.5"	23.0"	20.5"	21.0"	20.5"	21.0"	21.7"	22.5"	23.0"	20.5"	21.0"	20.5"	21.0"	21.7"	22.5"	23.0"	20.5"	21.0"
≿		21.1"	21.8"	22.6"	23.5"	24.0"	21.1"	21.8"	21.1"	21.8"	22.6"	23.5"	24.0"	21.1"	21.8"	21.1"	21.8"	22.6"	23.5"	24.0"	21.1"	21.8"
		11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"	11.4"
GEOMETRY	STANDOVER	28.9"	30.2"	31.8"	33.2"	34.1"	26.9"	27.2"	28.9"	30.2"	31.8"	33.2"	34.1"	26.9"	27.2"	28.9"	30.2"	31.8"	33.2"	34.1"	26.9"	27.2"
9		40.9"	41.7"	42.6"	43.5"	44.0"	40.9"	41.7"	40.9"	41.7"	42.6"	43.5"	44.0"	40.9"	41.7"	40.9"	41.7"	42.6"	43.5"	44.0"	40.9"	41.7"
		17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"	17.3"
٠		27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм
4	HEAD TUBE LENGTH	120мм	140мм	175мм	215мм	225мм	120мм	140мм	120мм	140мм	175мм	215мм	225мм	120мм	140мм	120мм	140мм	175мм	215мм	225мм	120мм	140mn



B2 CRUISERS COMPONENTS AND GEOMETRY

_							
	MODEL NAME	DRAKES BEACH	3 SPD	DRAKES BEACH		HEARTS DESIRE 3 SPD WOMEN'S	HEARTS DESIRE WOMEN'S
4		Gloss Titanium		Matte Coal		Gloss Vapor	Gloss Pearl
SE		17", 15"W		17", 15"W		15"W	15"W
FRAMESET		7005 Aluminum with a "European" BB	Shell	7005 Aluminum with a "European" BB	Shell	7005 Aluminum Women's Frame with a "European" BB Shell	7005 Aluminum Women's Frame with a "European" BB Shell
FR		Cromoly Rigid		Cromoly Rigid		Cromoly Rigid	Cromoly Rigid
		Double Sealed, 1", Threaded		Double Sealed, 1", Threaded		Double Sealed, 1", Threaded	Double Sealed, 1", Threaded
		Shimano Nexus, 3 speed Internal Gear	with Coaster Brake, 36 Hole	Coaster Brake, 36 Hole		Shimano Nexus, 3 speed Internal Gear with Coaster Brake, 36 Hole	Coaster Brake, 36 Hole
SET		Alloy Sealed, 36 Hole		Alloy Sealed, 36 Hole		Alloy Sealed, 36 Hole	Alloy Sealed, 36 Hole
WHEELSEI		14 Gauge Black Stainless with Brass N	ipples	14 Gauge Black Stainless with Brass Ni	pples	14 Gauge Stainless with Brass Nipples	14 Gauge Stainless with Brass Nipples
M		Alloy, 36 Hole		Alloy, 36 Hole		Alloy, 36 Hole	Alloy, 36 Hole
		Kenda Flame, 26" x 2.125"		Kenda Flame, 26" x 2.125"		Kenda Flame, 26" x 2.125"	Kenda Flame, 26" x 2.125"
		Shimano Nexus, 3 Speed Revo Shifter		NA		Shimano Nexus, 3 Speed Revo Shifter	NA
	FRONT Derailleur	NA		NA		NA	NA .
DRIVETRAIN	REAR Derailleur	NA		NA		NA	NA
i ≧		22T Coa		18T Coq		22T Cog	18T Coa
		KMC		KMC		KMC	KMC
		Alloy Cruiser, 42T x 170mm		Alloy Cruiser, 42T x 170mm		Alloy Cruiser, 42T x 170mm	Alloy Cruiser, 42T x 170mm
	BOTTOM BRACKET	Sealed Semi-Cartridge		Sealed Semi-Cartridge		Sealed Semi-cartridge	Sealed Semi-Cartridge
		Alloy Micro Adjust, 27.2mm x 350mm		Alloy Micro Adjust, 27.2mm x 350mm		Alloy Micro Adjust, 27.2mm x 300mm	Alloy Micro Adjust, 27.2mm x 300mm
		Lounge Chair Comfort		Lounge Chair Comfort		Lounge Chair Comfort	Lounge Chair Comfort
COCKPIT		Alloy Long Horn		Alloy Long Horn		Alloy Long Horn	Alloy Long Horn
2		Alloy		Alloy		Alloy	Alloy
		Marin Comfort Dual Density		Marin Comfort Dual Density		Marin Comfort Dual Density	Marin Comfort Dual Density
~		Rear Coaster Brake		Rear Coaster Brake		Rear Coaster Brake	Rear Coaster Brake
OTHER	BRAKE Levers	NA		NA		NA	NA
		Slipper/Flip Flop Compatible Composite		Slipper/Flip Flop Compatible Composite		Slipper/Flip Flop Compatible Composite	Slipper/Flip Flop Compatible Composite
4		Front and Rear Fenders, Alloy Kick Star	ıd	Front and Rear Fenders, Alloy Kick Stan	d	Front and Rear Fenders, Alloy Kick Stand	Front and Rear Fenders, Alloy Kick Stand
1	FRAME SIZE	17"	15"W	17"	15"W	15"W	15"W
4		69°	69°	69°	69°	69°	69°
		71°	71°	71°	71°	71°	71°
TRY		23.3"	22.2"	23.3"	22.2"	22.2"	22.2**
GEOMETRY		11.5"	11.5"	11.5"	11.5"	11.5"	11.5"
GE (		29.9"	26.3"	29.9"	26.3"	26.3"	26.3"
		43.9"	43.1"	43.9"	43.1"	43.1"	43.1"
-		27.2мм	27.2мм	27.2мм	27.2мм	27.2мм	27.2мм
,							

SPECIFICATIONS DISCLAIMER: Measurements are accurate at time of catalog production. Specifications are subject to change without notice.

### 85 KIDS COMPONENTS AND GEOMETRY

MODEL NAME	WILDCAT TRAIL 24"	BAYVIEW TRAIL 24"	BAYVIEW TRAIL 24" GIRL'S	HIDDEN GANYON 20"
COLOR	Matte Gunmetal	Gloss Brushed Polish, Gloss Steel	Gloss Pink	Matte Smoke
SIZES	24" Wheel	24" Wheel	24" Wheel	20" Wheel
FRAMES	7005 Aluminum, 24" Wheel, Edge II Top and Edge Plus II Down Tube, A-XC XL Tri-Burner Seat and Chain Stays, Disc Specific	7005 Double Butted Aluminum with Edge II Top and Down Tubes	7005 Double Butted Aluminum with Edge II Top and Down Tubes	7005 Double Butted Aluminum with Edge II Top and Down Tubes
FORK	Marzocchi MZ III, 100mm of Travel, with Preload Adjustment	Spinner Grind 1, 70mm, 24"	Spinner Grind 1, 70mm, 24"	Spinner Grind 2, 50mm, 20"
HEADSET	Ritchey LB, 1 1/8" Threadless	Ritchey LB, 1 1/8" Threadless	Ritchey LB, 1 1/8" Threadless	Ritchey LB, 1 1/8" Threadless
REAR HUB	Shimano, 32 Hole Disc	Alloy Double Sealed, 32 Hole with QR	Alloy Double Sealed, 32 Hole with QR	Alloy Double Sealed, 32 Hole
FRONT HUB	Shimano, 32 Hole Disc	Alloy Double Sealed, 32 Hole with QR	Alloy Double Sealed, 32 Hole with QR	Alloy Double Sealed, 32 Hole
FRONT HUB Spokes Rims	14 Gauge Stainless with Brass Nipples	14 Gauge Stainless	14 Gauge Stainless	14 Gauge
RIMS	Alex ACE20, Double Wall, 32 Hole	Alloy, 32 Hole	Alloy, 32 Hole	Alloy, 32 Hole
TIRES	Kenda Kinetics, 24" x 2.35", Knobby	Kenda, 24" x 1.95", All Condition	Kenda, 24" x 1.95", All Condition	Kenda, 20" x 2.1", Dirt-Street Combo
SHIFTERS	Shimano Alivio 8 Speed	Shimano EF50 EZ-FIRE Plus, 7 Speed	Shimano EF50 EZ-FIRE Plus, 7 Speed	SRAM MRX
FRONT Derailleur	Shimano Alivio	Shimano CO5O	Shimano CO5O	Shimano
REAR DERAILLEUR Cassette	Shimano Acera	Shimano Altus	Shimano Altus	Shimano TY-22
CASSETTE	11-32, 8 Speed	Shimano, 14-28, 7 Speed	Shimano, 14-28, 7 Speed	13-28, 7 Speed
CHAIN	HG40	HG50	HG50	UG50
CRANKSET	TruVativ Ruktion, 32/22, 165mm with Rock Guard	TruVativ X-Flow 3.0, 42/34/24	TruVativ X-Flow 3.0, 42/34/24	Alloy MTB, 42/32 with Chain Guard
BOTTOM BRACKET	TruVativ Howitzer XR	TruVativ with Sealed Cartridge	TruVativ with Sealed Cartridge	Sealed
SEATPOST	Comp Alloy Micro Adjust, 30.9mm x 350mm	Alloy Micro Adjust, 27.2mm x 300mm	Alloy Micro Adjust, 27.2mm x 300mm	Alloy Micro Adjust, 27.2mm x 300mm
SADDLE	Marin AXC	Kids 24"	Kids 24"	Kids 20"
HANDLEBAR	Double Butted 6061 Alloy, OS-31.8mm, 38mm Rise	Double Butted 6061 Alloy, 30mm Rise	Double Butted 6061 Alloy, 30mm Rise	Alloy MTB
STEM	Forged Alloy, Threadless A-XC, with 31.8mm Bar Clamp	Forged Alloy, Threadless with 40° Rise	Forged Alloy, Threadless with 40° Rise	Forged Alloy, Threadless with 40° Rise
GRIPS	WTB Weirwolf with Drop Guard End Plugs	Marin Dual Density	Marin Dual Density	Kids MTB
BRAKE	Hayes MX-2 HD Mechanical Disc with V6 Rotors	Forged Alloy Linear Pull	Forged Alloy Linear Pull	Forged Alloy Linear Pull
BRAKE LEVERS	Forged Alloy Kid's 3 Finger	Shimano with Integrated Shifters	Shimano with Integrated Shifters	Composite Body with Alloy Levers
PEDALS	Composite	Composite	Composite	Composite
EXTRAS	NA	NA	NA	NA
FRAME SIZE		11"	11"	10"
HEAD ANGLE	70°	70°	70°	70°
SEAT ANGLE	73°	73°	73°	73°
TOP TUBE: ACTUAL	18.5"	18.5"	16.5"	16.5"
TOP TUBE: ACTUAL  BB HEIGHT  STANDOVER	10.8"	11.0"	11.0"	9.0"
STANDOVER	26.0"	26.3"	24.9"	22.6"
WHEEL BASE	37.4"	37.3"	37.3"	34.3"
SEAT POST	30.9мм	27.2мм	27.2мм	27.2мм

MODEL NAME	HIDDEN CANYON 20" GIRL'S	Muir Beach 20"	MUIR BEACH 20" GIRL'S	MBX 250 20" EXPERT
COLOR	Matte Vapor	Gloss Red Rock	Gloss Pink	Gloss Mica
SIZES	20" Wheel	20" Wheel	20" Wheel	13
FRAMES	7005 Double Butted Aluminum with Edge II Top and Down Tubes	7005 Aluminum, Boy's 20" Wheel Single Speed Cruiser Frame	7005 Aluminum, Girl's 20" Wheel Single Speed Cruiser Frame	7005 Aluminum with Edge Top and Down Tubes
FORK	Spinner Grind 2, 50mm, 20"	Cromoly Rigid"	Cromoly Rigid	Taper Cut Oversize
HEADSET	Ritchey LB, 1 1/8" Threadless	Double Sealed, 1", Threaded	Double Sealed, 1", Threaded	1 1/8" Threadless
REAR HUB	Alloy Double Sealed, 32 Hole	Coaster Brake, 36 Hole	Coaster Brake, 36 Hole	Alloy Sealed, 36 Hole
FRONT HUB	Alloy Double Sealed, 32 Hole	Alloy Sealed, 36 Hole	Alloy Sealed, 36 Hole	Alloy Double Sealed, 36 Hole
SPOKES	14 Gauge	14 Gauge Stainless with Brass Nipples	14 Gauge Stainless with Brass Nipples	14 Gauge Stainless
RIMS	Alloy, 32 Hole	Alloy, 36 Hole	Alloy, 36 Hole	Alex DM-24 Alloy, Double Wall, 36 Hole
TIRES	Kenda, 20" x 2.1", Dirt-Street Combo	Kenda Flame, 20" x 2.125"	Kenda Flame, 20" x 2.125"	Kenda Kinetics 20"x 2.1"
SHIFTERS	SRAM MRX	NA	NA NA	NA NA
FRONT Derailleur	Shimano	NA	NA	NA
REAR Derailleur	Shimano TY-22	NA	NA	NA
CASSETTE	13-28, 7 Speed	18T Cog	18T Cog	16 Tooth, 1/2" x 1/8"
CHAIN	UG50	KMC	KMC	KMC, 1/2" x 1/8"
CRANKSET	Alloy MTB, 42/32 with Chain Guard	Alloy, 44T x 152mm	Alloy, 44T x 152mm	Cro-mo 3 Piece, 165mm, 44 Tooth
BOTTOM BRACKET	Sealed	Sealed Semi-Cartridge	Sealed Semi-Cartridge	Sealed Cartridge BB
SEATPOST	Alloy Micro Adjust, 27.2mm x 300mm	Alloy Micro Adjust, 27.2mm x 300mm	Alloy Micro Adjust, 27.2mm x 300mm	Alloy Micro Adjust 1"
SADDLE	Kids 20"	Kid's Lounge Chair Comfort	Kid's Lounge Chair Comfort	BMX Race
5 HANDLEBAR	Alloy MTB	Alloy Long Horn	Alloy Long Horn	Cro-mo 25.5" Wide, 7" Tall
STEM	Forged Alloy, Threadless with 40° Rise	Alloy	Alloy	Alloy Threadless, 4 Bolt
GRIPS	Kids MTB	Marin Comfort Dual Density	Marin Comfort Dual Density	Marin BMX
BRAKE	Forged Alloy Linear Pull	Rear Coaster Brake	Rear Coaster Brake	Forged Alloy Linear Pull Rear
BRAKE LEVERS	Composite Body with Alloy Levers	NA	NA	Forged Alloy 3 Finger
PEDALS	Composite	Slipper/Flip Flop Compatible Composite	Slipper/Flip Flop Compatible Composite	Alloy BMX
EXTRAS	NA	Front and Rear Fenders, Alloy Kick Stand	Front and Rear Fenders, Alloy Kick Stand	NA
FRAME SIZE		13"	10"	13"
HEAD ANGLE	70°	70°	70°	74°
SEAT ANGLE	73°	71°	71°	71°
TOP TUBE: ACTUAL	16.5"	17.9"	17.1"	19.3"
BB HEIGHT	9.0"	10.0"	10.0"	11.3"
STANDOVER	20.6"	24.8"	21.5"	23.2"
WHEEL BASE	34.3"	34.8"	34.4"	36.3"
SEAT POST	27.2мм	27.2мм	27.2мм	25.4мм

91 KIDS CONT'D

COMPONENTS AND GEOMETRY

	MBX 150 20" JUNIOR	MBX-50 16"	
COLUK	OL W	Maria Occasion	TINY TRAIL 16"
01750	Gloss Vapor	Matte Granite	*
	13	16" Wheel	16" Wheel
	7005 Aluminum with Edge Top and Down Tubes	7005 Aluminum with Edge Top and Down Tubes	7005 Aluminum with Edge Top and Down Tubes
FORK	Taper Cut Oversize	Suspension, 40mm of Travel, 16"	Suspension, 40mm of Travel, 16"
	1 1/8" Threadless	1"	1"
REAR HUB	Coaster Brake, 36 Hole	Coaster Brake, 28 Hole	Coaster Brake, 28 Hole
FRONT HUB	Alloy Double Sealed, 36 Hole	BMX, 28 Hole	BMX, 28 Hole
	14 Gauge Stainless	14 Gauge	14 Gauge
RIMS	Alex X-303 Alloy, with Eyelet, 36 Hole	Alloy, 28 Hole	Alloy, 28 Hole
TIRES	Kenda Kinetics 20"x 2.1"	Kenda BMX, 16" x. 2.125"	Kenda BMX, 16" x. 2.125"
SHIFTERS	NA .	NA NA	NA NA
FRONT	NA .	NA NA	NA NA
DERAILLEUR			
REAR Derailleur Cassette	NA .	NA	NA
CASSETTE	16 Tooth, 1/2" x 1/8"	16T Cog	16T Cog
CHAIN	KMC, 1/2" X 1/8"	KMC	KMC
CRANKSET	Cro-mo 1 Piece, 165mm, 44 Tooth	Steel BMX, 36T x 114mm	Steel BMX, 36T x 114mm
BOTTOM BRACKET	L.B. Bearings	BMX	BMX
	Steel 1"	Steel 1"	Steel 1"
SADDLE	BMX	Kids 16"	Kids 16"
HANDLEBAR	Cro-mo 25.5" Wide, 7" Tall	Alloy BMX	Alloy BMX
	Alloy Threadless, 4 Bolt	BMX with Quill	BMX with Quill
	Marin BMX	Kids BMX	Kids BMX
	Coaster Brake Rear and Hand Brake Rear	Coaster Brake Rear and Hand Brake Rear	Coaster Brake Rear and Hand Brake Rear
	Composite Body and Levers	Composite Body and Levers	Composite Body and Levers
	Composite BMX	Composite	Composite
EXTRAS	NA .	Training Wheels	Training Wheels
FRAME SIZE	11"	7"	7"
HEAD ANGLE	74°	70°	70°
SEAT ANGLE	71°	73°	73°
	16.7"	14.1"	14.1"
TOP TUBE: ACTUAL  BB HEIGHT  STANDOVER	11.3"	9.0"	9.0"
STANDOVER	22.3"	19.3"	18.2"
WHEEL BASE	33.8"	29.3"	29.3"
SEAT POST	25.4mm	25.4MM	29.3 25.4mm











### 2007 MARIN BIKES LIMITED WARRANTY

We take every precaution to insure the longevity, strength and quality of your Marin® bicycle. We are sure that with proper care, your Marin® bicycle will give you many years of riding pleasure. It is important that you are aware that bicycle riding has risks and you can decrease those risks by riding responsibly. Many of our bikes are designed for off-road use. However, it is not to be implied or assumed that our bikes are designed for all types or areas of off-road use. Our mountain bikes are designed for traditional fire road and trail riding, not Extreme use. Our road, city and comfort bikes are designed for traditional paved road riding. By using your Marin® bicycle responsibly and in the appropriate manner for which it was designed, you will have many safe riding experiences. However, Marin® frames and components do have a limited and finite service life. The length of time a frame or part will last is dependent on the construction and materials used in that frame and or component and is also dependent on the maintenance, care, and use or abuse a frame or part is subjected to over its lifetime. With routine inspection and maintenance, as described in your Marin® owner's manual, it is unlikely that parts or frames will fail suddenly. Inspection of fatigue prone parts allows the owner or mechanic to spot fatigue, stress or cracking prior to what could potentially be catastrophic failure. These inspections, like responsible riding, reduce risk. Please note that we do not recommend using child carriers, nor does our warranty cover any bicycle equipped with a child carrier. They can put stresses on your frame that it may not be designed for. They also can be dangerous to your child, as they are not designed to properly protect your child in the event of an accident.

MARIN BIKES LIMITED 2007 FRAME & PARTS WARRANTY
(PLEASE NOTE THAT THIS WARRANTY DOES NOT APPLY TO MARIN BIKES INTERNATIONAL DISTRIBUTORS.)

If you purchased your Marin® bicycle outside the USA or Canada, please contact the Marin Bike's authorized distributor in the country of purchase for its WARRANTY. The following LIMITED WARRANTY is only valid in the United States of America and Canada.

This LIMITED WARRANTY is only offered to Marin Bike Authorized dealers and only applies to the original owner of each new Marin bicycle that is purchased in and remains in Canada, the United States of America, and it's territories. This warranty is only valid, provided the bicycle is purchased from an authorized Marin Bicycle Dealer. The original owner must provide proof of purchase, to Marin Bikes. This warranty applies only to the original owner and is not transferable. All warranty claims must be processed, through the dealer from whom you purchased your Marin bicycle, or an authorized Marin Bicycle Dealer. This warranty is expressly limited to the repair or replacement of a defective frame, fox, or defective part and is the sole remedy of the warranty. Items deemed as warranty will be replaced with; similar model. In the case of a model no longer in stock or production, a credit amount, determined by Marin Bikes towards the purchase of a new item will be given. Subject to the terms, conditions and limitations set forth herein, Marin Bikes, Inc. (a California Corporation) located in Novato, California warrants to the original owner of each new Marin Bicycle:

All Marin® Bikes frames, (Except AXC and QUAD XLT Frames as covered below) shall be free from defects in workmanship and materials for a period of 5 years from the date of purchase by the original owner.

If you are looking for a bike to ride in bike parks or resorts, do jumps or moderate drops, purchase a bike that is appropriate for that type of use. Marin Quake bikes and to a lesser degree, AXC bikes, are better suited to that type of riding. Cross Country bikes are not designed for extreme use and consequently will not be covered under warranty.

Marin® AXC and QUAD XLT bike frames shall be free from defects in workmanship and materials for a period of one year from the date of purchase by the original owner.

The pivot hardware and bearings of Full suspension Marin® frames shall be free from defects in workmanship and materials for a period of 10 years from the date of purchase by the original owner.

Suspension forks, and Rear shocks on suspension bikes are not covered under this warranty. They are covered under the stated warranty of the original manufacturer. Such original manufacturer's warranties are to be processed through the manufacturer or the manufacturer's authorized Warranty Center.

Bicycles with carbon fiber rear stays or forks are not intended to have racks attached to them. Any damage incurred through the installation or use of a rack is not covered in this limited warranty.

Bicycles that are used for Rentals are warrantied for a period of one year from date of purcahse. Resold rental or used bicycles are not covered under the Marin Bikes Limited warranty.

All of our warranties are solely under the condition that the bicycle was operated under normal conditions and use and was properly maintained. The user assumes the risk of any personal injury or damage to the bicycle or other losses if the bicycle is used at any time for stunt or trick riding, jumping, drops, acrobatics, dirt biking or similar activities, Bicycle Motocross, competitive riding, commercial use, with power or motor assistance of any kind, riding with heavy loads, extreme riding or anything other than normal and intended use. Please note: Riding off of buildings, cliffs, bridges, car-sized boulders and other types of large drops do not constitute what we consider normal and intended uses. This warranty does not cover any Marin ® frame or bicycle part that has; deteriorated through usage or wear and tear, or gets corrosion that was caused by climatic conditions. This warranty does not apply to any Marin® frame or bicycle part that has; been damaged or fails as a result of accident, crash, collision, abuse, neglect, misuse, alterations, modifications, improper assembly, repairs improperly performed, Sandblasting, sanding, grinding, wire brushing, filing, welding, brazing, drilled holes, anodizing, repainting, chrome plating, frame tube deformation caused by bike stand clamping, has damage caused by lack of reasonable and proper periodic maintenance, or has damages caused by installation of parts & accessories not originally intended or compatible with the bicycle as sold. This warranty does not apply to paint or finish. This warranty does not apply if the original factory installed decals are removed or original finish has been modified or removed. Marin Bikes Inc. shall not be responsible for incidental or consequential damages. Labor charges for parts changes, frame swaps, or incidental costs such as transportation to and from an authorized dealer for repair or replacement of any defective part or accessory are not covered in the warranty. All Labor charges for warranty service are the responsibility of the bicycle's owner. The use of replacement parts and accessories not conforming to Marin® specifications, or modifications not recommended or approved in writing by Marin® will cause this warranty to be nullified. Please note that sometimes the salt on the roads or in the air can cause internal rust perforation on cro-moly steel frames. This is not covered under this warranty. A broken or bent part or frame does not necessarily indicate a defect in workmanship or materials. Marin Bikes Inc. reserves the right to solely determine what constitutes a defect in workmanship or materials on any Marin® bicycle frame or original equipment bicycle part. Warranty applies only to those bicycles assembled by an authorized Marin Bikes dealer



This warranty gives you specific legal rights, which may vary from state to state. Marin Bikes Inc. does not authorize or permit anyone else, including Marin® dealers, representatives or distributors, to enlarge, to extend, to modify, or to make any other warranties, expressed or implied, for Marin Bikes Inc.

© 2007 MARIN BIKES, INC.

Specifications subject to change without notice. Not all models available in all sizes in all countries.

Marin, Pine Mountain, Eldridge Grade, Bear Valley, Highway One, Mill Valley, Lucas Valley, Fairfax, Muirwoods, Novato, Point Reyes, Pioneer Trail, Bolinas Ridge, Bobcat Trail, Hawk Hill, Palisades Trail, Nail Trail, Indian Fire Trail, Stinson, Redwood. Kentfield, Larkspur, San Rafael, San Anselmo, Sausalito, Venezia, Argenta, Verona, San Marino, Stelvio, Bayview Trail, Hidden Canyon, Drakes Beach, Hearts Desire Beach, East Peak, Rift Zone, Mount Vision, Rock Springs, Wolf Ridge, Attack Trail, Northside Trail, B-17, Wildcat Trail, Rocky Ridge, Quade, Quad-Link, FRS, TARA, Madrone Trail, Coast Trail, Muir Beach, Portofino, Alpine Trail, Treviso, Corte Madera, and Belvedere are repistered trademarks of Marin Bikes, Inc.

Many models come with long arm, V brakes or disc brakes. These brakes are extremely powerful and we recommend that you practice on a flat surface until you are comfortable with the performance of these brakes.

Lightweight handlebars should be inspected before each ride and replaced periodically.

Please wear a helmet while riding, respect and share the trails.

Action Photography: Grant Barta, Warwick Patterson or Rob Broadman

Catalog Design: StudioAspect.com

Catalog Heros: Rob Pauley, Raymond Chiang, Steve Glazer

Please take time to read the Owner's Manual that comes with your bike.

All bikes come fully equipped with CPSC approved reflectors, however, for night time riding, it is the rider's responsibility to use an adequate lighting system that consists of front and rear lights.





IN ADDITION TO THE UNITED STATES, OUR EXTENSIVE ONLY PUT YOU ON A BIKE, BUT TO PUT YOU ON THE RIGHT BIKE. LOCATED INTERNATIONALLY.

ANYWHERE MARIN BIKES ARE SOLD YOU CAN BE SURE THAT THE RETAILER IS AN INDUSTRY EXPERT WHO WILL PUT YOU AT OUR DOMESTIC AND INTERNATIONAL RETAILERS WILL BE EASE AND ASK THE RIGHT QUESTIONS SO THAT YOUR BIKE. HAPPY TO DISCUSS THE WARRANTY POLICIES THAT ARE PURCHASE IS AS SMOOTH AS YOUR RIDE, OUR GOAL IS TO NOT AVAILABLE TO MARIN CUSTOMERS WORLDWIDE.


NETWORK OF RETAILERS AND DISTRIBUTORS ARE ALSO WEWANTYOUTOGETOUT&RIDEWHEREVERYOUAREANDOUR RETAILERS ARE THERE TO MAKE THAT AS EASY AS POSSIBLE FOR YOU.

AUSTRIA	Marin Europe	499119612340	ISRAEL	Pedlim	97226729904	SLOVENIA	Narava d.o.o.	38642802000
CANARY ISLAND	A. Suanze	34928483050	JAPAN	Fun Fancy Co. Ltd.	81727859525	SLOVAK REPUBLIC	Komersia Praha v.o.s.	420244401574
COLOMBIA	BTT de Colombia	5726612456	KOREA	Bumil Trading Co.	8225516992	SOUTH AFRICA	West Rand Cycles	27119554342
COSTA RICA	Xcesso	5062903382	MEXICO	Bike Stop S.A. de C.V.	4422241089	SPAIN	High Quality Brands Dist	34916491462
CYPRUS	Goodtones	35722661517	NOUMEA, NEW CALEDONIA	Riviere Cycles	687274305	SWEDEN	Cykelnetto	4618381340
CROATIA	TCT DOO	38513632944	NORTH NEW ZEALAND	Cycles NZ	6496259979	TRINIDAD	Merlin	8686239184
ZECH REPUBLIC	Komersia Praha v.o.s.	420244401574	SOUTH NEW ZEALAND	Penny Sports Cycles	6433791520	UKRAINE	EuroCycle	380482210647
DENMARK	ByCycle	4546141301	OSLO, NORWAY	Sorensen Sykler	4722192060	UNITED KINGDOM	ATB Sales	441424753566
ECUADOR	Bemep Scc	59322920201	POLAND	Bikershop	48124233262	VENEZUELA	Rep. Tres Continentes	0212 2371509 / 1
ESTONIA	OÜ A.M.K. Velo	3724427919	PORTUGAL	Tecnocycle	351253273985			
FINLAND	Bike Stuff Finland Oy	35832606086	RUSSIA	AlpineTrade	70957881248	FOR A LIST OF MARIN DEALERS VISIT: WWW.MARINBIKES.COM		
GERMANY	Marin Europe	499119612340	SINGAPORE	Treknology Bikes	6564662673			

MARIN BIKES → 265 BEL MARIN KEYS BLVD., NOVATO, CA 94949 T → 415-382-6000



800-222-7557



ITEM NUMBER: ACA-5WCUS-REG . DESCRIPTION: 07 WC PRODUCT GUIDE USA DEALER BIKE CATALOG . PRICE: US \$1.00







