a new era in mountain bikes.













Shimanos new hyperglide 21 speed indexed gear system gives you the ultimate in precise, quick and smooth gear changing even under full pedalling pressure.

SHIMANO 🔛






Hand fillet brazing a hallmark of the Kili Flyer and Kili Flyer Competition



Shimano computer designed Biopace chain rings for greater pedalling efficiency

SHIMANO



Our no-compromise, superbike boasts a Tange Prestige, filletbrazed frame and forks, plus a Shimano Deore XT II competition groupset.

The Kili Flyer Competition offers all the proof you need that experience always tells fast, responsive and beautiful, a bike that is destined for the elite.



From the very earliest days of British mountain biking, Saracen Mountain Bikes have occupied first place in the eyes of serious riders. We got to the top, quite simply, on a reputation for delivering more performance, a better spec., superior design and higher standards of handbuilt quality — at every price level — than any other maker. Mountain Bikes are all we make: our dedication to the concept and the principles of mountain biking is total. And all that shows in every machine we produce.



Putting the final touches to a frame prior to shotblasting, rustproofing, and the electrostaticly applied super tough polyester powder coat finish.



the harder you look, the better they look.

THEFTRAX TRAVERSE TREKKER KILL FLYER CONDUEST KILL FLYER COMPETITION COMPETITION FRAME TANGE MTB DOUBLE BUTTED CRO TANGE MTB DOUBLE BUTTED CRO-WISHBONE DESIGN IN TANGE HAND MADE COMPETITION FRAME HAND MADE IN REYNOLDS 531 HAND MARE COMPETITION FIRST WITH FILLET BRAZED TANGE BRAZED FRAME IN FULL TANGE SEAMLESS MTB DOUBLE BUTTED A.T.B. TUBING FULLY LUGGED MOLY TUBING MOLY TUBING FORM THE HIGH THE PROPERTY OF WITH INVESTMENT CAST LUGS PRESTIGE TUBING MTB CROMOLY REAR TRIANGLE LUGS, SHIMANO VERTICAL DROP WITH SHIMAND VERTICAL DROP OUT TANGE MTB CRO-MOLY UNICROWN HAND MADE FILLET BRAZED FORKS HAND MADE IN REYNOLOS 531 HAND MADE FILLET BRAZED FORKS FORKS TANGE MTB CRO-MOLY UNICROWN TANGE MTB CRO-MOLY UNICROWN IN TANGE SEAMLESS CROMOLY DIRECT DRIVE A.T.B. TUBING; UNICROWN STYLE IN TANGE PRESTIGE TUBING TUBING CHAINSET SHIMANO EXAGE 28.38.48 BLACK SHIMANO MOUNTAIN LX 26. 36. 46. SHIMANO DEORE II 26, 38, 46. SHIMANO DEORE II 26. 36. 46. SHIMAND DEDRE XT II 28. 44. 50. SHIMANO DEORE XT II 26. 36. 46 BLACK FINISH BLACK FINISH BLACK FINISH BLACK FINISH BLACK FINISH BOTTOM BRACKET SHIMAND DEOBE WITH GAITER SHIMANO DEDBE WITH GAITER SHIMANO DEORE WITH GAITER SHIMANO DEORE WITH GAITER SHIMAND DEORE XT WITH GAITER SHIMANO DEORE XT WITH GAITER PEDALS SHIMAND EXAGE XJ MIATMUOM GNAMIHZ SHIMANO MOUNTAIN LX WITH TOE SHIMANO DEORE II COMPETITION SHIMANO DEORE XT WITH TOE SHIMANO DEORE XT COMPETITION CHARTS BUA SPILLS WITH TOP CLIPS AND STRAPS CHARLE BAR SALLS WITH THE CLIPS AND STRAPS SHIMANO D.R. DEORE XT II SHIMANO O.R. DEDRE XT II BLACK HU85 SHIMANO O.R. MOUNTAIN LX SHIMAND O.B. MOUNTAIN LX SHIMANO O.B. DEORE II SHIMAND Q.R. DEDRE II BLACK FINISH FREEWHEEL SHIMANO 7 SPEED HYPERGLIDE SHIMAND 7 SPEED HYPERGLIDE SHIMAND 7 SPEED HYPERGLIDE SHIMAND 7 SPEED HYPERGLIDE SHIMAND 7 SPEED HYPERGLIDE SHIMANO 7 SPEED HYPERGLIDE CASSETTE 13-30 CASSETTE 12.28 CASSETTE 12-28 CASSETTE 12-28 CASSETTE 14-32 CASSETTE 12-28 SHIMANO MOUNTAIN LX FRONT MECH SHIMAND MOUNTAIN LX CHIMAND DEDRE II II 38030 DAMINS SHIMAND DEDRE XT II SHIMANO DEDRE XT II SHIMAND DEOBE XT II 7 SPEED REAR MECH SHIMAND MOUNTAIN LX 7 SPEED SHIMAND MOUNTAIN LX 7 SPEED SHIMAND DEORE II 7 SPEED SRIMAND DEORE II 7 SPEED SHIMANO DEORE XT II 7 SPEED S.I.S. SHORT CAGE S.I.S. SHORT CAGE S.I.S. SHORT CAGE SHIFTLEVERS SHIMAND DEDRE II 7 SPEED S.I.S. SHIMAND MOUNTAIN LX INTEGRAL SHIMAND DEBRE II 7 SPEED S.L.S. SHIMAND DEDRE II 7 SPEED S.I.S. SHIMAND DEORE XT II 7 SPEED SHIMAND DEDRE XT II 7 SPEED \$1.5 SHIMANO DEDRE II NARROW SHIMANO DEORE II NARROW SHIMAND DEORE XT II NARROW SHIMANO DEORE XT II NARROW CHAIN SHIMANO DEORE II NARROW SHIMAND DEORE II NARROW HYPERGLIDE HYPERGLIDE HYPERGLIDE HYPERGLIDE HYPERGLIDE HYPERGLIDE BRAKES SHIMAND EXAGE CANTILEVERS SHIMAND MOUNTAIN LX SHIMAND DEORE II 'U' BRAKES SHIMAND DEORE II CANTILEVERS SHIMAND DEDRE XT II CANTILEVERS SHIMANO DEORE XT II CANTILEVERS BLACK FINISH CANTILEVERS BLACK FINISH WITH BOOSTERS, 2 FINGER LEVERS BLACK FINISH: 2 FINGER LEVERS RIACK FINISH BLACK FINISH, 2 FINGER, LEVER SARACEN DOUBLE SKIN HARD ALESA BLACK ALLOY WITH EYELETS SARACEN DOUBLE SKIN HARD DRAH NIX2 STRUDG NADARAZ SARACEN DOUBLE SKIN HARD SARACEN DOUBLE SKIN HARD RIMS BLACK ANODISED BLACK ANODISED BLACK ANDDISED BLACK ANODISED BLACK ANODISED TIDGA FARMER JOHN REAR TYRES NUTRAX ALL TERRAIN 1.9" TIOGA FARMER JOHN NEPHEW TIOGA FARMER JOHN NEPHEW TIDGA FARMER JOHN BEAR SPECIALISED GROUND CONTROL 1.95 1.95 FARMER JOHN COUSIN FRONT FARMER JOHN COUSIN FRONT SARACEN SUPER BULGE LIGHT BARS SARACEN BIG BULGE ALLOY, SARACEN BIG BULGE ALLOY SARACEN BIG BULGE ALLOY SARACEN BIG BULGE ALLOY LT M MACH 3 ALLBY AERODYNAMIC BLACK FINISH BLACK FINISH BLACK FINISH **ERCOL ALLOY BLACK FINISH** BLACK FINISH **BLACK FINISH** SARACEN CROMOLY PIPE STEM WITH STEM SARACEN CROMOLY PIPE STEM SARACEN CROMOLY PIPE STEM SARACEN CROMOLY PIPE STEM LT.M. FORGED ALLOY WITH WITH PULLEY WITH INTERNAL PULLEY WITH INTERNAL PULLEY WITH INTERNAL PULLEY PULLEY INTERNAL PULLEY SADDLE SARACEN MOUNTAIN WITH SARACEN MOUNTAIN WITH SARACEN MOUNTAIN LEATHER SARACEN MOUNTAIN LEATHER SARACEN MOUNTAIN LEATHER SARACEN MOUNTAIN LEATHER INTEGRAL SPRINGS INTEGRAL SPRINGS WITH INTERNAL SPRINGS SHIMAND DEORE XT II BLACK SEAT POST SARACEN MOUNTAIN MICRO ADJUST SARACEN MOUNTAIN MICRO ADJUST SARACEN MOUNTAIN MICRO ADJUST SHIMAND DEORE XT II BLACK SHIMANO DEORE XT II BLACK 300 mm BLACK HARD ANODISED 300mm BLACK HARD ANODISED 300mm BLACK HARD ANDDISED **PARTY3** SARACEN ROTTLE AND CAGE SARACEN BOTTLE AND CAGE SABACEN BOTTLE AND CASE-SARACEN BOTTLE AND CASE: SARACEN BOTTLE AND CAGE SARACEN BOTTLE AND CAGE GEAR GUARD, CHAIN PROTECTOR GEAR GUARD; CHAIN PROTECTOR COLOUR AEGEAN BLUE, POLYESTER POWDER ULTRA VIOLET POLYESTER POWDER SPEARMINT POLYESTER POWDER DEEP PURPLE POLYESTER POWDER JET BLACK POLYESTER POWDER KINGFISHER POLYESTER POWDER SIZES 151/2 (WITH 24" WHEELS) 161/1", 18", 20", 22" 18" 79" 72" 171/5", 18", 19", 20", 22 18", 20", 22 171/5", 18", 19", 20", 22" 161/1, 18", 20", 22" 161/1" 18" SEAT TUBE LENGTH 20" 22" 18" 20" 22" 18" 20" 22" 19" 20" 22 18" 20" 22' 19" 20" 22 (5) HEAD TUBE ANGLE 710 710 710 719 710 710 71° 719 710 710 710 710 710 710 710 710 710 710 710 710 710 710 710 710 (DEGREE) SEAT TUBE ANGLE 740 740 740 740 73° 74° 73° 740 75° 750 740 72° 75° 75° 74° 740 739 74° 74° 740 720 77 740 740 (DEGREE) CHAIN STAY LENGTH 17% 16% 16% FORK BAKE 1.95 1.85 175 1.95 1.75 199

(0 (S) DENOTES SLOPING TOP TUBE DESIGN

II) ANGLES GIVEN ARE THOSE BASED ON A NOTIONAL STRAIGHT TOP TUBE

FRAME SIZES ARE MEASURED FROM CENTRE OF BOTTOM BRACKET TO CENTRE POINT OF TOP TUBE ALONG THE SEAT TUBE

Saraces Cycles policy is one of continuous improvement therefore specifications may be changed, without prior notice

Saracen Cycles warrants the replacement of original components of Saracen Mountain Bikes due to defects in material and/or world adop according to the following conditions and limitations. The frame and tank are warranted for a period of 2 years. The components other than the frame and fork are warranted for a period of I year. (Libbur and transportation changes are not included. The warranty as initiated to the uniquial year) process and any of purchase or required to validate this warranty. Normal wear, accostent, above, respect, manprager assemble, suproper manmenances by other than an authorized dealer or one of parts or devices not consistent with the case respectable for the lackyck as and as not covered by this warranty. In an authorized dealer of the lackyck as an account of the annual transport of the lackyck as an account of the annual transport of the lackyck as an annual transport of the lackyck as

e has been steel in any of these wors. am Elikes although tough are not indeproctable, excessively rough ase may result in famage to your machine and yourself. Take care when riding your hake and have it serviced regulary at your Saraces



S T





Right across the Saracen

range, the '89 spec. is our

indexed gear systems and

brakes (which are mounted,

where they should be, on the

internal cabling for rear

seat-stay). Most Shimano

components are in a black

finish supplied exclusively to

Saracen. Our brilliant, Ultra-

smooth, super-tough polyester

powder coat frame finishes

are unique to Saracen too.

Saracen wheels, with their

muick-release hubs black-

anodised rims and stainless

steel spokes, are all hand-

built for perfect balance.

The unmistakably thoroughbred

'feel' of a Saracen mountain

bike, its responsiveness, its

sure-footed agility, are the

result of many factors -

frame geometry, a direct

drive fork design, handlebar

stems size matched to the

and pride with which every

machine is built. But that's

something which can't be

So experience it - soon.

described, only experienced

frame...and to the care

21-speed Hyperglide

best yet. It includes Shimano

SARACEN CYCLES LIMITED SARACEN HOUSE HARRIOTT DRIVE HEATHCOTE INDUSTRIAL ESTATE WARWICK CV34 615 TEL (0926) 338427