



Expanded Custom Color Palette

If you are contemplating a custom painted Klein bike, consider one of Klein's expanded color offerings for 2001, such as *Night Storm* or our signature *Race Red*. Or choose another color from the 2001 palette that suits your taste. We also offer the opportunity to personalize your top tube with your name, your team or club name. Serious Klein enthusiasts can include Gary Klein's signature. A Klein expert painter will deboss the names onto your frame by hand. When you receive the finished frame or fuselage, you will find this craftsman's signature on the bottom bracket/seat tube

joint. Your Klein Dealer will help you complete the custom order form and send it to our Chehalis factory. Your Klein Dealer can also help you refine your fit by selecting a stem rise and length that best suits your riding style. Within a month, your personalized Klein will be delivered to your dealer, and you'll be riding a Klein that's as unique as you are. Visit your Klein Dealer for more details or go to www.kleinbikes.com to design a custom bike online.

Custom Paint is only available for the models pictured below. The program does not include custom painted Manitou MTB forks.

Available with Custom Colors



Adroit Pro Fuselage with Manitou Mars Elite Fork



Attitude Race Frame




Quantum Pro Fuselage with stem



Quantum Race Frameset



Adept Pro Frame



◀ Adept Pro

Engineered for pro-level riding where rough terrain is encountered at high speeds, the Adept Pro is light, yet tough. Its solid, responsive construction and new X-type frame make it a singletrack dream—it's fast, precise and offers ultimate trail control.

Frame A Gradient X-type frame and K-link driven aluminum swingarm minimize weight while efficiently transferring energy to the rear wheel for better acceleration. The Adept Pro comes in a Plum Crazy finish.

Wheel System Rolf Propel wheels feature a reinforced ceramic sidewall coating for better braking at faster speeds.

Suspension Klein's K-link driven swingarm system combines with a Fox Float-RC rear air shock for 2.75" of travel with lock-out. A Manitou Mars Elite suspension fork offers 80mm of travel, also with lock-out.

Components Shimano's XT/XTR 9-speed drivetrain provides the ultimate in precise shifting. The Adept Pro is also compatible with disc brake packages.

Contact Points Bontrager RE-1 clipless pedals, a Bontrager Race Lite stem/handlebar combo and a leather Bontrager Race Lite saddle add control and comfort.





◀ Adept Race

Engineered for extremely technical off road riding, the Adept Race offers lightweight component and wheel upgrades.

Frame A Gradient X-type frame and K-link driven aluminum swingarm minimize weight while efficiently transferring energy to the rear wheel for better acceleration. The Adept Race comes in a *Big Sky Blue* finish.

Wheel System Rolf Dolomite wheels feature a precision cartridge bearing front hub and butted spokes for strength and durability where it's needed most.

Suspension Klein's K-link driven swingarm system combines with a Fox Float-R rear air shock that provides 2.75" of adjustable travel. A Manitou SX-R suspension fork adds 80mm of travel for easier climbing.

Components Shimano's LX/XT drivetrain offers quick and precise shifting to handle changing trail conditions. The Adept Race is also compatible with disc brake packages.

Contact Points Shimano M515 clipless pedals, a Bontrager Comp stem/Superstock handlebar combo and a Bontrager FS2000 saddle add control and comfort.

The Adept Race is also available in a disc brake version. See page 21 for more information.

◀ Adept Comp

Stiffer than other dual suspension short travel bikes, the Adept Comp offers better climbing and traction on steep ascents or descents. The Adept Comp is equipped with solid components and wheels that allow for smooth shifting, fast climbing and improved trail-handling performance.

Frame A Gradient X-type frame and K-link driven aluminum swingarm minimize weight while efficiently transferring energy to the rear wheel for better acceleration. The Adept Comp comes in a *Jamaican Gold* finish.

Wheel System Rolf Satellite wheels utilize Rolf's revolutionary paired spoke technology to create a wheel that is stronger, laterally stiffer and lighter than traditional mountain bike wheels.

Suspension Klein's K-link driven swingarm system combines with a Fox Float Air rear shock, providing 2.75" of travel. A Manitou SX front suspension fork also contributes trail-holding traction.

Components The wide ratio Shimano Deore LX drivetrain has lower gearing for climbing steeper trail sections. The Adept Comp is also compatible with disc brake packages.

Contact Points Shimano M515 clipless pedals, a Bontrager Sport stem/Cruiser handlebar combo and a Bontrager FS2000 saddle add control and comfort.





◀ Mantra Carbon

Engineered for extreme trail conditions and high speeds, the Mantra Carbon comfortably negotiates obstacles and rough terrain. It features a Hexcel Carbon honeycomb composite boom for weight savings and increased strength. At less than 27 pounds, the Mantra Carbon is one of the lightest full suspension bikes available.

Frame Klein's Hexcel Carbon Honeycomb composite boom further reduces frame weight and saves the rider's energy on longer ascents. The Mantra Carbon comes in a *Sedona Orange/Black* finish.

Wheel System Rolf Dolomite wheels feature a precision cartridge bearing front hub and butted spokes.

Suspension Klein's Spot-On Pivot design, a Manitou SX-R suspension fork with 80mm of travel and a Fox Float rear shock create one of the lightest, most efficient full suspension systems.

Components The durable Shimano LX/XT shift and brake system offers pro-level performance at the lightest weight attainable. The Mantra Carbon is also compatible with disc brake packages.

Contact Points Shimano M515 clipless pedals, Bontrager Sport stem, Cruiser handlebar and Bontrager FS2000 saddle add control and comfort.

Adroit Race

Engineered for cross-country racing and singletrack performance, the Adroit Race is the ultimate hardtail. Its top-of-the-line component groupings and lightest possible weight make it quick-handling and fast accelerating. Its exceptional steering offers superior control on high velocity descents.

Frame Klein full Gradient aluminum with internal cable routing is light, strong and refined in appearance. Klein's AirHeadset offers even lighter weight with better steering control. The Adroit Race comes in a *Plum Crazy* finish.

Wheel System Rolf Propel wheels feature reinforced ceramic sidewall coatings for better braking at faster speeds.

Suspension The Manitou Mars Elite fork with AirHeadset includes an Anti-bob lock-out lever to stabilize motion during steep climbs.

Components Full Shimano race proven XT drivetrain and Shimano's XTR durable rear derailleur offer flawless shifting performance in changing trail conditions. The Adroit Race is also compatible with disc brake packages.

Contact Points Bontrager RE-1 clipless pedals, a Klein MC3™ stem/Bontrager Race Modified handlebar combo and a Bontrager Race Lite saddle add control and comfort.



◀ Attitude Race

Designed for cross-country and singletrack racing, the Attitude Race includes upgraded shifting and brake systems that save weight and increase control.

Frame Klein full Gradient aluminum with internal cable routing is light, strong and refined in appearance. The Attitude Race comes in an *Aztec Gold* finish.

Wheel System Rolf Urraco elite-level wheels feature a lower spoke count, lightweight rims and a tough but lightweight precision cartridge bearing hubset, making these wheels virtually indestructible, yet fast.

Suspension The Manitou Mars fork with 80mm of travel features tunable external damping control, allowing the rider to adjust to trail conditions and riding preferences.

Components Full Shimano race proven XT drivetrain and Shimano's XTR durable rear derailleur offer flawless shifting performance in changing trail conditions. The Attitude Race is also compatible with disc brake packages.

Contact Points Bontrager RE-1 clipless pedals, a Bontrager Comp stem/Race Modified handlebar combo and a Bontrager Race Lite saddle add control and comfort.





◀ Attitude Comp

Designed for racing and fast trail riding, the Klein Attitude Comp is perfect for the off road rider who wants a quick-handling, exhilarating ride.

Frame Klein full Gradient aluminum with internal cable routing is light, strong and refined in appearance. The Attitude Comp comes in an *Approaching Storm Grey* finish.

Wheel System Rolf Dolomite expert-level wheels feature butted paired spokes that add strength where it's needed most.

Suspension The Manitou SX-R fork features 80mm of travel with dual damping adjustability for rough trails with demanding technical sections.

Components Shimano's LX/XT Rapidfire drivetrain is user friendly, precise and reliable. The Attitude Comp is also compatible with disc brake packages.

Contact Points Shimano M515 clipless pedals, a Bontrager Comp stem/Superstock handlebar combo and a Bontrager FS2000 saddle add control and comfort.

The Attitude Comp is also available in a disc brake version. See page 21 for more information.

◀ Attitude

Engineered for cross-country and singletrack riding, the Attitude is a lightweight, precision machine perfect for the off road rider who wants a solid, reliable ride.

Frame Klein full Gradient aluminum with internal cable routing is light, strong and refined in appearance. The Attitude comes in a *Big Sky Blue* finish.

Wheel System Rolf Satellite wheels provide 50% more pulling spoke power for more efficient energy distribution.

Suspension The Manitou SX fork features more than 80mm of travel to smooth out technical trail sections.

Components Shimano's Deore LX shift and drive system is user friendly, precise and reliable. The Attitude is also compatible with disc brake packages.

Contact Points Shimano M515 clipless pedals, a Bontrager Sport stem/Cruiser handlebar combo and a Bontrager FS2000 saddle add control and comfort.



Klein Disc Bikes

For demanding downhill trails and harsh weather conditions, the Adept Race Disc and Attitude Comp Disc are available with Hayes front and rear full hydraulic disc brake systems. Hayes disc brakes are lightweight, yet strong enough to resist warping under the heat of frequent braking. Whether muddy or dry, Hayes disc brakes provide responsive performance and stand up to extreme wear and tear. Both models also feature Rolf Dolomite wheels, with special asymmetric rims that address the loads disc braking systems create.



Adept Race Disc



Attitude Comp Disc



Klein Accessories

Choose from Klein's racing accessories to add comfort and style to your riding. Visit your local Klein dealer or visit www.kleinbikes.com/accessories for the complete offering of Klein accessories.



Classic Jersey



Classic Shorts



Classic Socks



Team Helmet


Command Geometry

Gary applied Klein's new Command Geometry to the 2001 road bike line to improve rider fit and performance. He originally designed the Quantum geometry primarily for criterium racing, allowing for pedal clearance on tight turns. Command Geometry lowers the bottom bracket, moving the rider's center of gravity closer to the ground. Streamlined pedals help maintain the cornering clearance that's crucial in a criterium race. Riders also benefit from an adjusted steering geometry, which helps keep the handling balanced across the expanded fit range. The result is a Quantum that offers a more comfortable and stable ride at higher speeds.

Greater Stability at Higher Speeds Command Geometry lowers the bottom bracket to bring the rider's center of gravity closer to the ground. This improves rider control at higher speeds. You'll discover that the new Quantum is not only better mannered, it can also significantly reduce your time on a century ride or road race.

Broader Fit Range The 2001 Quantum series Command Geometry is now available in sizes 49, 52, 54, 56, 58 and 61cm. These sizes are tailored to Gary's Direct Fit formula (the linear distance between the center of the crank to the handlebar position) to offer the best fit across the size range. Now whether you are 5'3" or 6'6", you can experience the same quick handling and performance that only a Klein provides.

Better Steering Like the Quantum Pro, we have upgraded the Quantum and Quantum Race to include an oversized alloy steer tube headset. The result is stiffer, more responsive steering. Our refined frame designs offer superior command and handling every time you ride a Klein.



Range of Fit	Size	Rider Height
	49cm	5'3" - 5'6"
	52cm	5'5" - 5'8"
	54cm	5'8" - 5'11"
	56cm	5'10" - 6'1"
	58cm	6'0" - 6'3"
	61cm	6'3" - 6'6"

The new Command Geometry offers the Quantum's stiff, comfortable handling in an even wider range of sizes for 2001.



Lower standover offers better fit across a range of sizes.

Oversized alloy steer tube headset offers stiffer, more responsive steering.

Lower bottom bracket improves control at higher speeds.

◀ Quantum Pro

Engineered for the professional racer, the Quantum Pro is the lightest road bike fuselage available. It offers premium performance with frame rigidity and drivetrain efficiency that will satisfy even the biggest and most powerful riders. Offering an incredibly silky ride, this bike accelerates, climbs and handles like no other bike in the world.

Frame Klein full Gradient aluminum provides a lightweight, strong and responsive frame platform. The Quantum Pro comes in a *Plum Crazy* finish.

Wheel System Rolf's new Sestriere wheels are ultra-lightweight and stiff. They come with a 20/24 spoke pattern and a low profile section rim to ensure ultra-competitive climbing.

Fork Klein's proprietary Aeros Carbon Fork features an oversized aluminum steer tube and precise bearings for extremely light, yet accurate steering control.

Components Shimano's Dura Ace STI group is the lightest component group on the market.

Contact Points A Klein MC3 road stem/Icon Sterling handlebar combo and a Titanium-railed San Marco Era saddle ensure control and comfort.





◀ **Quantum Race**

Engineered for the elite road racer, the Quantum Race features upgraded drivetrain and braking components for weight savings and increased performance. The Quantum Race is designed for road racing, club rides and century rides.

Frame Klein full Gradient aluminum provides a lightweight, strong and responsive frame platform. The Quantum Race comes in a *Big Sky Blue* finish.

Wheel System Rolf Vector Pro wheels offer superior climbing power and strength with minimal maintenance required.

Chainstays Sculpted, Gradient chainstays make it a superior climber.

Components Shimano's Ultegra STI group provides precise shifting and braking performance.

Contact Points An Icon Graphite road stem/handlebar combo and a leather San Marco Era saddle ensure control and comfort.

Quantum

Engineered for the rider who wants a lightweight, strong, responsive road machine, the Quantum is quick, nimble and race ready. It's also extremely comfortable even on rough roads and on long rides.

Frame Klein full Gradient aluminum provides a lightweight, strong and responsive frame platform. The Quantum comes in a *Silver Cloud* finish.

Wheel System Rolf Vector Comp's proprietary paired spokes reduce weight and air resistance without sacrificing strength or durability.

Fork The AirRail carbon fork is even lighter with the new 1 $\frac{1}{8}$ " alloy steer tube.


Components The Shimano 105 STI is a user-friendly shifting system available in both double and triple chain rings for extended range.

Contact Points An Icon Graphite road stem/Onyx handlebar combi and a leather San Marco New Millennium saddle ensure control and comfort.




Frame Geometries


	Size	Typical Rider Height	Seat Tube		Top Tube		Bottom Bracket		Effective Top Tube		Chainstay Length (in./cm)	Wheelbase (in./cm)	Fork Rake (in./mm)	Fork Travel (mm)	Seat Tube Angle	Head Tube Angle	Trail (in./cm)
			Center to Top (in./cm)	Top (in./cm)	Standover (in./cm)	Length (in./cm)	Length (in./cm)	Length (in./cm)	Length (in./cm)								
			A	B	C	D	E	F	G	H	I						
Adept Pro Adept Race Adept Comp	S	5'4" - 5'9"	15.6/39.5	27.6/70.1	12.0/30.4	22.6/57.5	16.3/41.5	41.2/104.7	1.5/38	80.0	73.5°	70.8°	3.0/7.7				
	M	5'8" - 5'11"	17.5/44.5	27.9/70.8	12.0/30.4	23.4/59.6	16.3/41.5	41.8/106.3	1.5/38	80.0	73.5°	71.3°	2.9/7.3				
	L	5'9" - 6'2"	19.3/49.0	28.6/72.7	12.0/30.4	24.1/61.2	16.3/41.5	42.5/107.9	1.5/38	80.0	73.5°	71.4°	2.9/7.3				
	XL	6'1" - 6'6"	21.1/53.5	29.5/75.0	12.0/30.4	24.7/62.8	16.3/41.5	43.1/109.6	1.5/38	80.0	73.5°	71.4°	2.9/7.3				
Mantra Carbon	S	5'5" - 5'9"	17.5/44.4	28.6/72.6	12.2/31.0	22.6/57.3	16.4/41.7	41.0/104.2	1.5/38	80.0	73.2°	71.2°	2.9/7.4				
	M	5'7" - 5'11"	17.6/44.8	29.1/73.8	12.4/31.5	23.4/59.4	16.4/41.7	41.8/106.2	1.5/38	80.0	73.2°	71.7°	2.8/7.1				
	L	5'9" - 6'0"	19.3/48.9	30.6/77.8	12.6/31.9	24.0/61.0	16.4/41.7	42.4/107.6	1.5/38	80.0	73.2°	71.8°	2.8/7.0				
	XL	6'1" - 6'4"	21.0/53.3	31.1/79.1	12.7/32.3	24.6/62.6	16.4/41.7	43.1/109.5	1.5/38	80.0	73.2°	71.8°	2.8/7.0				
Adroit Pro FS Adroit Race	XS	5'3" - 5'7"	14.0/35.6	26.3/66.9	11.3/28.7	21.7/55.0	16.4/41.7	39.9/101.4	1.5/38	80.0	73.2°	70.7°	3.0/7.7				
	S	5'6" - 5'9"	15.7/40.0	27.8/70.7	11.6/29.5	22.6/57.4	16.4/41.7	40.8/103.7	1.5/38	80.0	72.8°	70.8°	3.0/7.7				
	M	5'8" - 5'11"	17.5/44.5	29.1/73.9	11.8/30.0	23.4/59.5	16.4/41.7	41.5/105.5	1.5/38	80.0	72.8°	71.3°	2.9/7.4				
	L	5'10" - 6'1"	19.3/48.9	30.5/77.5	11.9/30.3	24.1/61.1	16.4/41.7	42.2/107.2	1.5/38	80.0	72.8°	71.4°	2.9/7.3				
	XL	6'1" - 6'5"	21.0/53.3	32.2/81.8	12.0/30.5	24.7/62.7	16.4/41.7	42.9/109.0	1.5/38	80.0	72.8°	71.4°	2.9/7.3				
Attitude Race Attitude Comp Attitude	XS	5'3" - 5'7"	14.0/35.6	26.3/66.9	11.3/28.7	21.7/55.0	16.4/41.7	39.9/101.4	1.5/38	80.0	73.2°	70.7°	3.0/7.7				
	S	5'6" - 5'10"	15.7/40.0	27.7/70.3	11.5/29.2	22.6/57.3	16.4/41.7	40.7/103.5	1.5/38	80.0	73.2°	71.2°	2.9/7.4				
	M	5'8" - 6'0"	17.5/44.5	28.9/73.5	11.7/29.7	23.4/59.4	16.4/41.7	41.4/105.3	1.5/38	80.0	73.2°	71.7°	2.8/7.1				
	L	5'10" - 6'2"	19.2/48.9	30.4/77.2	11.8/30.0	24.0/61.0	16.4/41.7	42.1/106.9	1.5/38	80.0	73.2°	71.8°	2.8/7.0				
	XL	6'2" - 6'6"	21.0/53.3	32.1/81.5	11.9/30.2	24.6/62.6	16.4/41.7	42.8/108.7	1.5/38	80.0	73.2°	71.8°	2.8/7.0				
Quantum Pro	49cm	5'3" - 5'6"	17.5/44.4	27.2/69.1	10.2/26.0	20.6/52.4	16.3/41.4	38.0/96.4	1.6/41	N/A	74.0°	72.5°	2.5/6.4				
	52cm	5'5" - 5'8"	19.5/49.6	28.9/73.4	10.4/26.3	21.3/54.2	16.3/41.4	38.7/98.3	1.6/41	N/A	74.0°	72.7°	2.5/6.3				
	54cm	5'8" - 5'11"	22.1/56.0	30.9/78.6	10.4/26.5	21.9/55.5	16.3/41.4	39.2/99.6	1.6/41	N/A	74.0°	72.8°	2.4/6.2				
	56cm	5'10" - 6'1"	22.8/58.0	32.3/81.9	10.5/26.7	22.3/56.7	16.3/41.4	39.1/99.3	1.4/35	N/A	74.0°	73.9°	2.4/6.2				
	58cm	6'0" - 6'3"	23.6/60.0	32.6/82.8	10.6/26.9	22.8/57.9	16.3/41.4	39.6/100.6	1.4/35	N/A	74.0°	73.9°	2.4/6.2				
	61cm	6'3" - 6'6"	24.8/63.0	33.8/85.8	10.7/27.2	23.5/59.9	16.3/41.4	40.4/102.5	1.7/43	N/A	74.0°	74.0°	2.1/5.3				
	64cm	6'5" - 6'8"	26.0/66.0	35.1/89.2	10.8/27.5	24.3/61.6	16.3/41.4	41.1/104.4	1.7/43	N/A	74.0°	74.0°	2.1/5.3				
Quantum Race Quantum	49cm	5'3" - 5'5"	17.1/43.4	27.3/69.3	10.2/26.0	20.6/52.4	16.3/41.4	38.0/96.4	1.9/47	N/A	74.0°	72.5°	2.3/5.8				
	52cm	5'5" - 5'8"	19.9/50.4	29.2/74.2	10.4/26.3	21.3/54.2	16.3/41.4	38.7/98.3	1.9/47	N/A	74.0°	72.7°	2.2/5.6				
	54cm	5'8" - 5'11"	22.1/56.0	30.9/78.4	10.4/26.5	21.9/55.5	16.3/41.4	39.2/99.6	1.9/47	N/A	74.0°	72.8°	2.2/5.6				
	56cm	5'10" - 6'1"	22.8/58.0	31.7/80.5	10.5/26.7	22.3/56.7	16.3/41.4	39.1/99.3	1.7/43	N/A	74.0°	73.9°	2.1/5.3				
	58cm	6'0" - 6'3"	23.6/60.0	32.5/82.7	10.6/26.9	22.8/57.9	16.3/41.4	39.6/100.6	1.7/43	N/A	74.0°	73.9°	2.1/5.3				
	61cm	6'3" - 6'6"	24.8/63.0	33.8/85.8	10.7/27.2	23.5/59.9	16.3/41.4	40.4/102.5	1.7/43	N/A	74.0°	74.0°	2.1/5.3				
	64cm	6'5" - 6'8"	26.0/66.0	35.1/89.2	10.8/27.5	24.3/61.6	16.3/41.4	41.1/104.4	1.7/43	N/A	74.0°	74.0°	2.1/5.3				




Adept Series frame Line drawings correspond to chart dimensions.



Mantra Series frame Line drawings correspond to chart dimensions.



Attitude and Adroit frame Line drawings correspond to chart dimensions.



Quantum Series frame Line drawings correspond to chart dimensions.

Direct Fit (mm)/Direct Fit Angle (J and K)

	(49)	XS(52)	S(54)	M(56)	L(58)	XL(61)	(64)
Adept Pro	N/A	N/A	801/51.7°	838/51.1°	860/51.3°	907/52.3°	N/A
Adept Race	N/A	N/A	801/51.7°	838/51.1°	860/51.3°	907/52.3°	N/A
Adept Comp	N/A	N/A	801/51.7°	838/51.1°	860/51.3°	907/52.3°	N/A
Mantra Carbon	N/A	N/A	798/51.5°	823/49.6°	842/49.7°	886/50.4°	N/A
Adroit Pro FS	N/A	778/54.4°	805/52.5°	830/50.6°	849/50.7°	894/51.5°	N/A
Adroit Race	N/A	N/A	805/52.5°	830/50.6°	849/50.7°	894/51.5°	N/A
Attitude Race	N/A	778/53.9°	816/53.2°	841/51.4°	861/51.5°	906/52.2°	N/A
Attitude Comp	N/A	771/53.3°	809/52.6°	834/50.8°	854/50.9°	899/51.7°	N/A
Attitude	N/A	778/54.4°	812/53.2°	837/51.5°	857/51.6°	903/52.4°	N/A
Quantum Pro	767/48.8°	788/48.7°	827/48.8°	850/48.1°	877/48.3°	907/49.1°	N/A
Quantum Race	758/49.3°	788/49.0°	819/47.7°	846/47.7°	873/47.9°	903/48.7°	933/49.1°
Quantum	758/49.3°	788/49.0°	819/47.7°	846/47.7°	873/47.9°	903/48.7°	N/A

Direct Fit (J) The distance from the center of the bottom bracket spindle to the rider's hand position.

Direct Fit Angle (K) The angle created by the "Direct Fit" line and the horizontal line of the ground.

Visit your Klein dealer for more information about Klein's Direct Fit or visit our web site at www.kleinbikes.com.

Specifications

	Adept Pro	Adept Race	Adept Race Disc	Adept Comp	Mantra Carbon	Adroit Race	Attitude Race
Sizes	S, M, L, XL	S, M, L, XL	S, M, L, XL	S, M, L, XL	S, M, L, XL	XS, S, M, L, XL	XS, S, M, L, XL
Colors	Plum Crazy	Big Sky Blue	Big Sky Blue	Jamaican Gold	Sedona Orange/Black	Plum Crazy	Aztec Gold
Frame	Klein X-type Gradient Aluminum main, alloy swingarm, K-link activated rear suspension	Klein X-type Gradient Aluminum main, alloy swingarm, K-link activated rear suspension	Klein X-type Gradient Aluminum main, alloy swingarm, K-link activated rear suspension	Klein X-type Gradient Aluminum main, alloy swingarm, K-link activated rear suspension	Klein Hexcel Carbon Honeycomb, Klein Gradient Aluminum Rear	Klein Full Gradient w/AirHeadset internal cable routing	Klein Full Gradient Aluminum, internal cable routing
Fork/Suspension	Manitou Mars Elite 80mm Air TPC damping with Anti-bob	Manitou SX-R 80mm fully adjustable TPC damping	Manitou SX-R 80mm fully adjustable TPC damping	Manitou SX 80mm with TPC damping	Manitou SX-R 80mm fully adjustable TPC damping	Manitou Mars Elite MC3 80mm Air, TPC damping with Anti-bob	Manitou Mars 80mm Air with TPC damping
Headset	Aheadset SAS threadless, alloy	Aheadset SAS threadless, alloy	Aheadset SAS threadless, alloy	Aheadset STR threadless	Aheadset SAS threadless, alloy	Klein AirHeadset precision bearing	Aheadset SAS threadless, alloy
Rear Shock	Fox Float-RC with lock-out lever	Fox Float-R with rebound damping adjuster	Fox Float-R with rebound damping adjuster	Fox Float Air/O1	Cane Creek AD-5 or Fox Float	N/A	N/A
Crankset	Shimano XT Hollowtech 44/32/22	Bontrager Race 44/32/22	Bontrager Race 44/32/22	Bontrager Comp 44/32/22	Bontrager Race 44/32/22	Shimano XT Hollowtech 44/32/22	Shimano XT Hollowtech 44/32/22
Ft./Rr Derailleur	(F) Shimano Deore XT (R) Shimano XTR SGS	(F) Shimano Deore LX (R) Shimano Deore XT SGS	(F) Shimano Deore LX (R) Shimano Deore XT SGS	(F) Shimano Deore (R) Shimano Deore LX SGS	(F) Shimano Deore LX (R) Shimano Deore XT SGS	(F) Shimano Deore XT (R) Shimano XTR SGS	(F) Shimano Deore XT (R) Shimano XTR SGS
Shifters	Shimano Deore XT, dual control	Shimano Deore LX, dual control	Shimano Deore LX	Shimano Deore	Shimano Deore LX, dual control	Shimano Deore XT, dual control	Shimano Deore XT, dual control
Bottom Bracket	Shimano BB-ES70	Shimano BB-UN52	Shimano BB-UN52	Shimano BB-LP27	Shimano BB-UN52	Shimano BB-ES70	Shimano BB-ES70
Chain	Shimano HG-72	Shimano HG-72	Shimano HG-72	SRAM PC-59 Power Chain	Shimano HG-72	Shimano HG-72	Shimano HG-72
Pedals	Bontrager RE-1, clipless	Shimano M515, clipless	Shimano M515, clipless	Shimano M515, clipless	Shimano M515, clipless	Bontrager RE-1, clipless	Bontrager RE-1, clipless
Wheel System	Rolf Prcpel tubeless 20h front/24h rear ASYM rear rim, Ceramic coated	Rolf Dolomite tubeless 20h front/24h rear ASYM rear rim	Rolf Dolomite Disc 24h front/24h rear ASYM disc rims front/rear	Rolf Satellite 20h front/24h rear ASYM rear rim	Rolf Dolomite 20h front/24h rear ASYM rear rim	Rolf Prcpel 20h front/24h rear ASYM rear rim, Ceramic coated	Rolf Urraco 20h front/24h rear ASYM rear rim
Cassette	Shimano Deore XT 12-34, 9-speed	Shimano HG-50 11-32, 9-speed	Shimano HG-50 11-32, 9-speed	SRAM 7.0 11-32, 9-speed	Shimano HG-50 11-32, 9-speed	Shimano Deore XT 12-34, 9-speed	Shimano Deore LX 11-32, 9-speed
Tire	(F) Bontrager Super-X 127tpi, 49/48, tubeless (R) Bontrager Super-X 127tpi, 49/48, tubeless	(F) Bontrager Super-X 49/48, tubeless (R) Bontrager Super-X 49/48, tubeless	(F) Bontrager Super-X 49/48, foldable (R) Bontrager Super-X 49/48, foldable	(F) Bontrager Super-X 49/48, foldable (R) Bontrager Super-X 49/48, foldable	(F) Bontrager Super-X 49/48, foldable (R) Bontrager Super-X 49/48, foldable	(F) Bontrager Super-X 127tpi, 49/48, foldable (R) Bontrager Super-X 127tpi, 49/48, foldable	(F) Bontrager Super-X 127tpi, 49/48, foldable (R) Bontrager Super-X 127tpi, 49/48, foldable
Brakes	(F) Avid SD Mag, linear pull (R) Avid SD Mag, linear pull	(F) Avid SD3, linear pull (R) Avid SD3, linear pull	(F) Hayes Hydraulic Disc (R) Hayes Hydraulic Disc	(F) Shimano 420, V type (R) Shimano 420, V type	(F) Avid SD3, linear pull (R) Avid SD3, linear pull	(F) Avid SD3, linear pull (R) Avid SD3, linear pull	(F) Avid SD5, linear pull (R) Avid SD5, linear pull
Brake Levers	Shimano Deore XT, dual control	Shimano Deore LX, dual control	Hayes Hydraulic w/flip-flop clamps	Linear pull alloy	Shimano Deore LX, dual control	Shimano Deore XT, dual control	Shimano Deore XT, dual control
Handlebars	Bontrager Race Lite	Bontrager Superstock	Bontrager Superstock	Bontrager Cruiser	Bontrager Cruiser	Bontrager Race Modified	Bontrager Race Modified
Stem	Bontrager Race Lite AHS	Bontrager Comp AHS	Bontrager Comp AHS	Bontrager Sport AHS	Bontrager Sport AHS	Klein MC3 alloy	Bontrager Comp AHS
Seatpost	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Sport	Bontrager Sport	Bontrager Race	Bontrager Race
Saddle	Bontrager Race Lite	Bontrager FS2000, CrMo rails	Bontrager FS2000, CrMo rails	Bontrager FS2000, CrMo rails	Bontrager FS2000, CrMo rails	Bontrager Race Lite	Bontrager Race Lite
Grips/Tape	Bontrager Ergo	Bontrager Ergo	Bontrager Ergo	Bontrager Ergo	Bontrager Ergo	Bontrager Ergo	Bontrager Ergo
Weight	25 lbs / 11.4 kg	26.7 lbs / 12.1 kg	27.7 lbs / 12.6 kg	27.3 lbs / 12.4 kg	27.1 lbs / 12.3 kg	24.0 lbs / 10.9 kg	24.5 lbs / 11.1 kg

Specifications are subject to change without notice.

Klein Bicycle Corporation Limited Warranty

Klein Bicycle Corporation provides each original retail purchaser of the bicycle a lifetime warranty against defects in materials and workmanship in the bicycle frame and rigid fork when the bicycle is purchased from an authorized Klein dealer. Klein Bicycle Corporation likewise warrants all original parts, excluding suspension forks and rear shock absorbers, for a period of one year from the date of purchase. Suspension forks and rear shock absorbers shall be covered under the stated warranty of their original manufacturers. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable. Claims under this warranty must be made through an authorized Klein dealer. Proof of purchase is required. A warranty registration card must be completed and received by Klein Bicycle Corporation before a warranty claim may be processed. This warranty covers bicycles and components purchased outside the United States only if they are purchased through an authorized international Klein distributor or Klein dealer within the country of purchase. The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, installation of parts or accessories not originally intended or compatible with the bicycle as sold, damage or failure due to

Attitude Comp Disc	Attitude Comp	Attitude	Quantum Pro	Quantum Race	Quantum Race Triple	Quantum	Quantum Triple
XS, S, M, L, XL	XS, S, M, L, XL	XS, S, M, L, XL	49, 52, 54, 56, 58, 61cm	49, 52, 54, 56, 58, 61, 64cm	49, 52, 54, 56, 58, 61, 64cm	49, 52, 54, 56, 58, 61, 64cm	49, 52, 54, 56, 58, 61, 64cm
Approaching Storm Gray	Approaching Storm Gray	Big Sky Blue	Plum Crazy	Big Sky Blue	Big Sky Blue	Silver Cloud	Silver Cloud
Klein Full Gradient Aluminum, internal cable routing	Klein Full Gradient Aluminum, internal cable routing	Klein Full Gradient Aluminum, internal cable routing	Klein Full Gradient w/AirHeadset New Command Geometry	Klein Full Gradient Aluminum New Command Geometry	Klein Full Gradient Aluminum New Command Geometry	Klein Full Gradient Aluminum New Command Geometry	Klein Full Gradient Aluminum New Command Geometry
Manitou SX-R 80mm fully adjustable TPC damping	Manitou SX-R 80mm fully adjustable TPC damping	Manitou SX 80mm with TPC damping	Klein Aeros Carbon w/AirHeadset with alloy steerer	AirRail epoxy bonded Carbon with 1 1/8 in alloy steerer	AirRail epoxy bonded Carbon with 1 1/8 in alloy steerer	AirRail epoxy bonded Carbon with 1 1/8 in alloy steerer	AirRail epoxy bonded Carbon with 1 1/8 in alloy steerer
Aheadset SAS threadless, alloy	Aheadset SAS threadless, alloy	Aheadset STR threadless	Klein AirHeadset precision bearing	Cane Creek S2 Aheadset	Cane Creek S2 Aheadset	Cane Creek S2 Aheadset	Cane Creek S2 Aheadset
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Bontrager Race 44/32/22	Bontrager Race 44/32/22	Bontrager Comp 44/32/22	Shimano Dura Ace Hollowtech 53/39	Shimano Ultegra Hollowtech 53/39	Shimano Ultegra T Hollowtech 52/42/30	Shimano 105 Hollowtech 53/39	Shimano 105T Hollowtech 52/42/30
(F) Shimano Deore LX (R) Shimano Deore XT SGS	(F) Shimano Deore LX (R) Shimano Deore XT SGS	(F) Shimano Deore LX (R) Shimano Deore LX SGS	(F) Shimano Dura Ace (R) Shimano Dura Ace	(F) Shimano Ultegra (R) Shimano Ultegra	(F) Shimano Ultegra, triple (R) Shimano Ultegra GS	(F) Shimano 105 (R) Shimano 105	(F) Shimano 105, triple (R) Shimano 105 GS
Shimano Deore LX	Shimano Deore LX, dual control	Shimano Deore	Shimano Dura Ace STI	Shimano Ultegra STI	Shimano Ultegra STI	Shimano 105 STI	Shimano 105 STI
Shimano BB-UN52	Shimano BB-UN52	Shimano BB-LP27	Shimano Ultegra	Shimano Ultegra	Shimano Ultegra	Shimano 105	Shimano 105
Shimano HG-72	Shimano HG-72	SRAM PC-59 Power Chain	Shimano Dura Ace	Shimano HG-72	Shimano HG-72	Shimano HG-72	Shimano HG-72
Shimano M515, clipless	Shimano M515, clipless	Shimano M515, clipless	N/A	N/A	N/A	N/A	N/A
Rolf Dolomite Disc 24h front/24h rear ASYM disc rims front/rear	Rolf Dolomite 20h front/24h rear ASYM rear rim	Rolf Satellite 20h front/24h rear ASYM rear rim	Rolf Sestriere 20h front/24h rear	Rolf Vector Pro 14h front/16h rear	Rolf Vector Pro 14h front/16h rear	Rolf Vector Comp 18h front/20h rear	Rolf Vector Comp 18h front/20h rear
Shimano HG-50 11-32, 9-speed	Shimano HG-50 11-32, 9-speed	SRAM 7.0 11-32, 9-speed	Shimano Dura Ace 12-23, 9-speed	Shimano Ultegra 12-25, 9-speed	Shimano Ultegra 12-25, 9-speed	Shimano HG-70 12-25, 9-speed	Shimano HG-70 12-25, 9-speed
(F) Bontrager Super-X 49/48, foldable (R) Bontrager Super-X 49/48, foldable	(F) Bontrager Super-X 49/48, foldable (R) Bontrager Super-X 49/48, foldable	(F) Bontrager Super-X 49/48, foldable (R) Bontrager Super-X 49/48, foldable	Michelin Axial Pro foldable	Michelin Axial Pro foldable	Michelin Axial Pro foldable	Michelin Axial Pro foldable	Michelin Axial Pro foldable
(F) Hayes Hydraulic Disc (R) Hayes Hydraulic Disc	(F) Avid SD3, linear pull (R) Avid SD3, linear pull	(F) Shimano 420, V type (R) Shimano 420, V type	(F) Shimano Dura Ace (R) Shimano Dura Ace	(F) Shimano Ultegra (R) Shimano Ultegra	(F) Shimano Ultegra (R) Shimano Ultegra	(F) Shimano 105 (R) Shimano 105	(F) Shimano 105 (R) Shimano 105
Hayes Hydraulic w/flip-flop clamps	Shimano Deore LX, dual control	Linear pull alloy	Shimano Dura Ace STI	Shimano Ultegra STI	Shimano Ultegra STI	Shimano 105 STI	Shimano 105 STI
Bontrager Superstock	Bontrager Superstock	Bontrager Cruiser	Icon Sterling	Icon Graphite	Icon Graphite	Icon Onyx	Icon Onyx
Bontrager Comp AHS	Bontrager Comp AHS	Bontrager Sport AHS	Klein MC3 road	Icon Graphite AHS	Icon Graphite AHS	Icon Graphite AHS	Icon Graphite AHS
Bontrager Sport	Bontrager Sport	Bontrager Sport	Thomson Elite	Icon Graphite	Icon Graphite	Icon Graphite	Icon Graphite
Bontrager FS2000, Cr/Mo rails	Bontrager FS2000, Cr/Mo rails	Bontrager FS2000, Cr/Mo rails	Selle San Marco Era, Ti/leather	Selle San Marco Era, Cr/Mo/leather	Selle San Marco Era, Cr/Mo/leather	Selle San Marco New Millennium, Cr/Mo/leather	Selle San Marco New Millennium, Cr/Mo/leather
Bontrager Ergo	Bontrager Ergo	Bontrager Ergo	Icon Powercork	Icon Powercork	Icon Powercork	Icon Powercork	Icon Powercork
26.0 lbs / 11.8 kg	26.0 lbs / 11.4 kg	26.3 lbs / 11.9 kg	17.2 lbs / 7.8 kg	17.9 lbs / 8.2 kg	18.4 lbs / 8.4 kg	18.8 lbs / 8.5 kg	19.3 lbs / 8.8 kg

accident, misuse, abuse or neglect or modification of the frame, fork or components. Klein Bicycle Corporation shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not affect the statutory rights of the consumer.