


SARACEN

HANDBUILT IN ENGLAND







THE PURSUIT OF EXCELLENCE

Since the sport was first invented and the mountain biking boom began, Saracen has consistently exceeded the expectations of successive generations of recreational and competition riders.

Even by these exacting standards, 1992 is set to be an outstanding year. Our mountain bikes have always been race-proven but now, for the first time, we'll be sponsoring our own team of four, top-flight professionals to compete in national mountain bike events. Make no mistake, we're not entering to make up the numbers. **We've produced a range of bikes so supremely light and strong they belong in the fray.**

By the end of the season, the sight of a

triumphant Saracen team overcoming the most gruelling conditions with consummate ease is certain to be a familiar one. Conquering the elements is a tradition at Saracen. **Ever since the old altitude record for cycling was shattered on Kilimanjaro using a Saracen, we've been scaling new heights.** Epic journeys across some of the most hostile terrain on earth, such as the Sahara Desert, the Peruvian Andes and Arctic Glaciers have provided both a test of character for our riders and the most rigorous trials imaginable for our machines.

Challenges like these are the acid test for a mountain bike and the lessons we learn on long distance endurance trips or on the race

circuit - as well as through a regular dialogue with our development riders, experts and customers - give us an invaluable, professional insight into designing mountain bikes equipped to perform heroics anywhere.

Since the choice of most riders is ultimately determined by budget, **the new range also represents exceptional value-for-money**, at every price level, making us as competitive on price as we are on the trail.

Mountain bikes are our life. We make nothing but. And never has the success of this total dedication to the concept and principles of the sport been more apparent than in 1992.

New Innovations for 1992

Mountain bike technology is in a constant state of innovation and development and, in 1992, Suntour's new lighter, stronger range has incorporated such state-of-the-art features as:

- * The arrival of a new line of components created by mountain bike guru Tom Ritchey, including Bars, Stem, Head Sets, Forks and Tyres. One single, most significant innovation in 1992, The far lighter, stronger designs, many of which are produced to the most stringent world champion-level series standards, substantially improve every aspect of riding and handling performance.

- * Strong, lightweight alloy competition bar sets are now fitted as standard on all off-road competition bikes.

- * True Temper AVM lightweight elliptical profile frames and True Temper CCR Ultra II heat treated, lightweight Crossoly frames, which are manufactured using the ultimate in lightweight, heat treated iron well-American made tubing, are new this year.

- * All Suntour forks with True Temper frames come complete with a new investment cast lightweight rear dropout and feature a 73mm bottom bracket and suspension chainstays and seatstays for improved front clearance.

- * The introduction of Shimano Deore DX Top shifters which have been upgraded for more positive, precise and user friendly gear shifting.

- * The new Shimano cartridge bottom bracket set is designed for life and maintenance-free.

- * Also new from Shimano for 1992 is the loss of the iron 24 speed XT Group Set. A new generation of lightweight, strength and durability in off-road components.

- * Our Hybird boxes feature a new gear shifting system with dual grip gear control for maximum convenience on terrain, plus Avocet Cross Tyres with an inverted tread pattern for a smooth ride and low-rolling resistance in trail, but sufficient grip for recreational off-road use.

- * Stronger, lighter carbon fibre rim sets have been introduced on the Fullax and Traverse off-road sport models.

- * The 1992 version of the exceptionally advanced Magura Hydraulik braking system is in evidence on four of our off-road competition bikes.

- * Factory-fitted Fox 3600 II suspension forks with increased adjustment and factory suspension Shimano Diptech options are available as options.





Hand-finishing of the frame - from fitting a full complement of neat brace-ons to finishing the frame ready for painting - is typical of the attention to detail we lavish on our bikes before they leave the factory.



The final inspection of Saracen's famous resilient polyester powder coat, which is electrostatically applied over a chromate rust-proofing primer and baked at a 180°C to guard against damage and provide a durable knock-resistant finish that doesn't flake if scratched.



The mechanic responsible for the bike's progress, from start to finish, double-checks the hand-finishing before the frame number and builder's name are stamped on the quality assurance cards which accompany every bike Saracen produces.

THE LIGHTER, STRONGER SARACENS FOR 1992

Cycle material technology is evolving at a spectacular pace. Ideas that weren't even dreamed of a few years ago are now commonplace and many of the best components ever built have long since been adopted by Saracen.

Even so, we're not resting on our laurels. The worldwide search for new innovations to refine and perfect our machines continues unabated. For 1992, we've taken the pick of the lighter, stronger components from the sport's leading manufacturers - such as Tange, Ritchey, Shimano and True Temper - to produce a range of thoroughbred mountain bikes with a strength to weight ratio phenomenally better than last year.

The difference in performance between the old, cumbersome recreational heavyweights and our new, more competitive lightweight designs is devastating. Just being on the trail on a bike that is resilient and responsive, but is also so streamlined and astonishingly light is an exhilarating riding experience. As anyone who has off-road tested a 1992 Saracen will testify.

Always at the leading edge of development, we are the very first people to use this unique composition of components and our latest refinements reflect an ongoing commitment to producing a range of mountain bikes manufactured to uncompromising standards.

Saracen. Engineered for performance.

GLOSSARY OF TERMS

Some of you may be unfamiliar with the mountain bike terminology found in our brochure, especially in the more detailed, individual descriptions of the Saracen range. In order to help you understand the information and select a bike that will maximize your enjoyment of the sport, we have produced the following glossary of terms.

TANGE: The cycle industry's leading manufacturer of racing component parts.

TANGE: Japan's leading manufacturer of cycle tubing. **RITCHIEY:** America's leading innovative designer and producer of light-weight performance components. **TRUE TEMPER:** America's leading manufacturer of cycle tubing specializing in heat-treated and lightweight tubing. **MAGURA:** Europe's foremost producer of hydraulic braking systems for motorcycles and cycles. **ROCKSHOX:** America's trend leader in front suspension systems. **CAMPAGNOLO:** The Italian company whose components have more Tour de France victories than any other have now turned their attention to the mountain bike market.

OVERBESI FRAME TUBING: Bigger diameter tubes with decreased wall thickness combines strength with lightweight. **CHROMOLY:** A measure of expensive aluminum chrome and molybdenum which when combined with steel considerably increases its strength to weight ratio. **DOUBLE BUTTED:** A means of lightening the tube by reducing wall thickness in the centre of the tube without reducing strength. **ELLIPTICAL PROFILE TUBING:** Dressing the tube at both ends creating a greater contact area at main stress points. **QUAD PROFILE TUBING:** A new shape in aluminum tubing, borrowed from motor bike technology. **ELEVATED CHAINSTAY:** Elevating the chainstay enables a shorter triangle for competition use resulting in greater head clearance and increased rear wheel traction. **HEAT TREATED:** A process of heating and quenching steel which impresses the molecular structure enabling a thin-walled tube to be both lighter and stronger. **TOP SHIFTERS:** S.I.S gear shifting on top of the handlebars giving quick and precise gear changes. **UPRIGHT SHIFTERS:** A twist-action gear shift mechanism allowing both hands to remain on the handle bars ideal for hybrid/bicycle and urban situations.

DROP SET: Co-branded gear, chainset and cranking system by the same manufacturer. **N.C.S.:** World Champion Series components by Ritchey designed for ultimate lightweight competition performance. **KEVLAIR:** A synthetic material with the strength properties of steel but without its weight, developed for NASA's Space Programme, used in cycle-type well boats which reduce weight and enables the tyre to be folded.

OFF ROAD SPORTS RANGE

A range of six, super bikes designed for serious but budget-conscious riders. Competitive specifications and retail price make them real value-for-money, with plenty to offer for both the recent convert and the experienced mountain biker.

SAHARA

The best entry-level bike around. Shimano componentry, using the 200 GS Group Set, Tange cromoly double butted frame and hand-built rustless spoked wheels combine to give you a machine perfect for recreational and sport use. The ideal introduction, offering a taste of mountain biking at a realistic price.

"A tidy package with the named components and lighter parts giving it a quality feel that can be missing on budget bikes."

Mountain Biker, April 1992

SAF

OUTSTANDING FEATURES

Shimano 500 LX/200 GS group set
Tange cromoly double butted frame
Oversize 1.125" Tioga headset
Shimano cartridge B.B. set
Saracens famous tough polyester powder coat finish
Hand Built Quality
Tioga Wonder Dawg tyres
Hand built 36 x 14G rustless spoked wheels

RIDER BENEFITS

Good quality Shimano componentry for Off Road use
Lightness and rigidity at a competitive price
Strengthened main stress areas and smooth steering
Sealed for life, maintenance free
Extremely durable knock resistant finish that doesn't flake if scratched
Ensures perfect componentry set up, double checked before leaving the factory, resulting in the lowest warranty claims in the industry
Branded quality tyres at a competitive price
Built tighter and stronger than machine built wheels, resulting in increased rider performance



SAHARA ELITE



The full oversize frame in Tange cromoly double butted frame tubing combined with upgraded Shimano Deore DX top shifters, which put the gear shifters right where you need them, and the Shimano Deore DX 2 finger brake levers for smooth, reliable, powerful braking will appeal to the rider who's looking for a better-than-average entry-level machine.

Shimano Deore DX Top Shifters

OUTSTANDING FEATURES

- Shimano Deore DX/300 LX group set
- Full oversize Tange cromoly double butted frame
- Shimano Deore DX top shifters
- Shimano Deore DX 2 finger brake levers
- Shimano cartridge BB set
- Comfort system gel saddle
- Sarsacore famous tough polyester powder coat finish
- Hand Built Quality
- Tioga Wonder Dawg tires
- Hand built 36 x 14G rustless spoked wheels

RIDER BENEFITS

- Good quality Shimano componentry for Off Road use
- High strength combined with lightness and rigidity
- Upgraded positive and precise gear shifting, with friction option
- Precise braking control
- Sealed for life, maintenance free
- Excellent rider comfort
- Extremely durable knock resistant finish that doesn't flake if scratched
- Ensures perfect componentry set up, double checked before leaving the factory, resulting in the lowest warranty claims in the industry
- Branded quality tires at a competitive price
- Built tighter and stronger than machine built wheels, resulting in increased rider performance





Zoom Lite Stem

TUFFTRAX

The bike that has left countless imitators following in its tyre tracks. 1992's strict 'back-to-basics' policy shows significant savings in weight, across the componentry. Full oversize Tange cromoly elliptical profile and double butted frame tubing as well as Zoom lite stem with lite alloy bars and Ritchey Vantage sport rims all add strength, but not weight. Ritchey megabite hard drive tyres with 2.1" width for superb climbing traction round off a bike that shares the riding characteristics of more expensive models.

OUTSTANDING FEATURES

Shimano Deore DX/400 LX group set
Full oversize Tange cromoly elliptical profile double butted frame
Shimano Deore DX top shifters
Shimano Deore DX 2 finger brake levers
Shimano cartridge B.B. set
Zoom lite stem with lite alloy bars
Ritchey Vantage sport rims
Ritchey Megabite hard drive tyres
Comfort system leather gel saddle
Gentex famous tough polyester powder coat finish
Hand Built Quality

RIDER BENEFITS

Good quality Shimano componentry for Off Road use
High strength combined with lightness and increased rigidity at tube joints
Upgraded positive and precise gear shifting, with friction option
Precise braking control
Sealed for life - maintenance free
Maximum strength with minimum weight (515 grams)
Lightweight performance rim with twin side cavities for extra rigidity (495 grams)
Performance tyre with new 2.1" width for better traction (630 grams)
Excellent rider comfort
Extremely durable knock resistant finish that doesn't flake if scratched
Ensures perfect componentry setup, double checked before leaving the factory, resulting in the lowest warranty claims in the industry
Built tighter and stronger than machine built wheels, resulting in increased rider performance



TUFFTRAX ELITE



Shares the Zoom lite stem and lite alloy bars, Ritchey Vantage sport rims and megabite hard drive tyres in common with the Tufftrax. The Tange elliptical frame takes most of the credit for this bike's impressive strength to weight ratio, extra rigidity and reinforcing at major stress points.

Upgraded Shimano Deore LX/DX Group Set is also lighter, wears longer and delivers the performance power to defy the elements, the terrain and even gravity.

Shimano's New Cartridge Bottom Bracket Set

OUTSTANDING FEATURES RIDER BENEFITS

Shimano Deore DX/Deore LX group set

Good quality Deore componentry for DH/Road use

Full oversize Tange crumby elliptical profile double butted frame

High strength combined with lightness and increased rigidity at tube joints

Shimano Deore DX top shifters

Upgraded positive and precise gear shifting, with friction option

Shimano Deore DX 2 finger brake levers

Precise braking control

Shimano Deore DX cartridge B.B. set

Sealed for life - maintenance free

Zoom lite stem with lite alloy bars

Maximum strength with minimum weight (5.15 grams)

Ritchey Vantage sport rims

Lightweight performance rim with twin side cavities for extra rigidity (495 grams)

Ritchey Megabite hard drive tyres

Performance tire with new 2.1" width for better traction (630 grams)

Comfort system leather gel saddle

Excellent rider comfort

Saracen's famous tough polyester powder coat finish

Extremely durable knock resistant finish that doesn't flake if scratched

Hand Built Quality

Ensures perfect componentry setup, double checked before leaving the factory, resulting in the lowest warranty claims in the industry

Hand built 36 x 14G stainless steel spoked wheels

Built lighter and stronger than machine built wheels, resulting in increased rider performance





New Investment Cast Lightweight Rear Dropout

TRAVERSE

A machine built around the exceptionally light American-made, full oversize True Temper AVR elliptical profile double butted frame tubing. Features Ritchey megabitel hard drive Kevlar tyres for maximum traction and by incorporating Kevlar, a synthetic material with the strength properties of steel developed for NASA's space programme, reduces tyre weight for significantly improved climbing and thrilling downhill performance.

OUTSTANDING FEATURES	RIDER BENEFITS
Shimano Deore DX group set	Good quality Deore componentry for Off Road use
Full oversize True Temper lightweight elliptical profile double butted frame	All the design advantage of the Tufftrax Elite frame, only lighter and more rigid, by the use of the American made True Temper frame tubing.
Shimano Deore DX top shifters	Upgraded positive and precise gear shifting, with friction option
Shimano Deore DX 2 finger brake levers	Precise braking control
Shimano Deore DX cartridge BB, set	Sealed for life - maintenance free
Zoom lite stem with lite alloy bars	Maximum strength with minimum weight (515 grams)
Ritchey vantage expert rims	Lightweight performance rim with a double skinned V cross section for increased rigidity (450 grams)
Ritchey Megabitel hard drive Kevlar tyres	Performance tyre with new 2.1" width for better traction, incorporating Kevlar for weight reduction and strength (575 grams)
Comfort system leather gel saddle	Excellent rider comfort
Soracross famous tough polyester powder coat finish	Extremely durable knock resistant finish that doesn't flake if scratched
Hand Built Quality	Ensures perfect componentry setup, double checked before leaving the factory, resulting in the lowest warranty claims in the industry
Hand built 32 x 14G stainless steel spoked wheels	Built tighter and stronger than machine built wheels, resulting in increased rider performance



TRAVERSE ELITE



Elliptical Profile Double Butted Frame

OUTSTANDING FEATURES

Full oversize True Temper lightweight elliptical profile double butted frame
Shimano Deore XT group set
Shimano Deore XT top shifters
Shimano Deore XT 2 finger brake levers
Shimano Deore XT cartridge B.B. set
Zoom lite stem with the alloy bars
Ritchey Vantage expert rims
Ritchey Megabite hard drive Kevlar tyres
Comfort system leather gel saddle
Saracens famous tough polyester powder coat finish
Hand Built Quality
Hand built 32 x 14G stainless steel spokes wheels

RIDER BENEFITS

Excellent quality Deore XT componentry for extensive Off Road use
All the design advantage of the Tufftrax Elite frame, only lighter and more rigid, by the use of the American made True Temper frame tubing
Upgraded positive and precise gear shifting, with friction option
Precise braking control
Sealed for life - maintenance free
Maximum strength with minimum weight (515 grams)
Lightweight performance rim with a double skinned V cross section for increased rigidity (450 grams)
Performance tyre with new 2.1" width for better traction, incorporating Kevlar for weight reduction and strength (575 grams)
Excellent rider comfort
Extremely durable knock resistant finish that doesn't flake / scratch
Ensures perfect componentry setup, double checked before leaving the factory, resulting in the lowest warranty claims in the industry
But lighter and stronger than machine cut wheels, resulting in increased rider performance



COMPETITION



Throwing down the gauntlet at the major national mountain bike events in 1992 will be Saracen's new team of four top-flight professional riders.

The team blends ambition and experience with Steve Douce, seven-times National Cyclo-Cross Champion, Jon Walshaw, one of the country's leading Road and Track riders and Commonwealth Games Medallist, Debbie Thompson winner of the 1991 Ladies Expert Series and Mick Ives, as Rider Manager, winner of 30 Open Mountain Bike Events in 1991 and probably the most experienced Racing Cyclist competing in the UK today. All four team members are World Championship competitors.

It's the aim of the team to be ruthless in the pursuit of top honours. Their participation as serious contenders underlines Saracen's

success in producing an exceptional range of lighter and stronger machines for 1992, as well as our commitment to the development of the sport.

The machines the Saracen professional Team will be riding are standard production models selected from our range of seven off-road bikes, which all come complete with special features for competition use.

Upgraded, to save serious bikers having to add componentry themselves, each bike is equipped to the highest specification and needs no extra modification prior to racing.

In this range, options which can be ordered from your dealer include factory-fitted Rockshox II suspension forks with indexed adjustment and factory-supplied Shimano clipless pedals.

KILI RACER



The looks and attributes of a competition bike, but far more affordable than most in this class. Hardware includes elevated chainstay design frame for better mud clearance and a shorter rear triangle to increase climbing agility and protect against chainsuck and chainbounce. The ski bend bar ends, which allows the rider to use the alternative hand positions essential for speed climbing, and the Ritchey Force lite cromoly stem are only usually found in bikes costing much more.

Ritchey Force Lite Cromoly Stem


OUTSTANDING FEATURES

- Shimano Deore DX/Deore LX group set
- Full oversize Tange cromoly elliptical profile double butted frame
- Elevated chainstay design frame
- Shimano Deore DX top shifters
- Shimano Deore DX 2 finger brake levers
- Shimano Deore DX cartridge B.B. set
- Ritchey Force Lite cromoly stem
- Ritchey Force Lite alloy bars
- Ski bend alloy bar ends
- Ritchey Vantage competition rims
- Ritchey Megabite Z-max tyres
- Saracen competition saddle
- Saracens famous tough polyester powder coat finish
- Hand Built Quality

RIDER BENEFITS

- Good quality Deore componentry for Competition use
- High strength combined with lightness and increased rigidity at tube joints
- Increased mud clearance, shorter rear triangle for enhanced climbing, eliminates chain suck and chainbounce
- Upgraded positive and precise gear shifting, with friction option
- Precise braking control
- Sealed for life - maintenance free
- Strong lightweight competition stem (340 grams)
- Strong lightweight competition bars (180 grams)
- Giving alternative hand position especially useful for climbing
- Lightweight competition rim with double skinned V cross section for increased rigidity (415 grams)
- Latest Ritchey competition tyres for ultimate Off Road traction (580 grams)
- New lightweight competition saddle
- Extremely durable knock resistant finish that doesn't flake if scratched
- Ensures perfect componentry setup, double checked before leaving the factory, resulting in the lowest warranty claims in the industry
- Built lighter and stronger than machine built wheels, resulting in increased rider performance





Onza Alloy Bar Ends

KILI PRO

Built to exacting standards with the inclusion of upgraded components such as a Shimano Deore DX Group Set, Onza alloy bar ends and most significantly, the Magura Hydraulic braking system, which gives you better braking control and increased stopping power available via a lighter, energy-saving finger action. The Kili Pro is recognised as one of the best equipped, value-for-money bikes around.

OUTSTANDING FEATURES

Full oversize True Temper A.V.R. lightweight elliptical profile double butted frame
Elevated chainstay design frame
Shimano Deore DX top shifters
Shimano Deore DX cartridge B.B. set
Magura Hydraulic braking system
Ritchey Force lite cromoly stem
Ritchey Force lite alloy bars
Onza alloy bar ends
Ritchey Vantage competition rims
Ritchey Megablast Z-max tyres
Saracen competition saddle
Saracens famous tough polyester powder coat finish
Hand built Quality Hand built 32 x 14-16 G double butted stainless steel spoked wheels

RIDER BENEFITS

Good quality Deore componentry for competition use
All the design advantages of the Kili Racer frame, only lighter and more rigid, by the use of the American made True Temper frame tubing
Increased mud clearance, shorter rear triangle for enhanced climbing, eliminates chain suck and chain bounce
Upgraded positive and precise gear shifting, with friction option
Sealed for life - maintenance free
Ultimate stopping power with light finger action, resulting in less rider fatigue and increased braking control
Strong lightweight competition stem (340 grams)
Strong lightweight competition bars (180 grams)
Giving alternative hand position especially useful for climbing
Lightweight competition rim with a double skinned V cross section for increased rigidity (415 grams)
Latest Ritchey competition tyres for ultimate Off Road traction (590 grams)
New lightweight competition saddle
Extremely durable knock resistant finish that doesn't fade if scratched
Ensures perfect componentry setup, double checked before leaving the factory, resulting in the lowest warranty claims in the industry
Built tighter and stronger than machine built wheels, resulting in decreased revolving weight and increased rider performance



KILI FLYER



Few of its rivals are as well established or as well developed. No stranger to competition circles, it's elevated chainstay design improves performance and it comes complete with a full oversize True Temper AVR lightweight elliptical profile double butted frame which is lighter and more rigid than standard designs. For the ultimate in off-road traction in any conditions we've added Ritchey Megabite Z-max WCS Kevlar tyres, the WCS Kevlar version of Ritchey's latest competition tyre. Frequent users will benefit from the quality of the Shimano Deore XT Group Set.

Thrives on adrenalin.

Magura Hydraulic Braking System

OUTSTANDING FEATURES RIDER BENEFITS

Shimano Deore XT group set

Excellent quality Deore XT componentry for extensive competition use

Elevated chainstay design frame

All the design advantages of the Kili Racer frame, only lighter and more rigid, by the use of the American made True Temper frame tubing.

Shimano Deore XT top shifters

Increased mud clearance, shorter rear triangle for enhanced climbing, eliminates chain suck and chain bounce

Shimano Deore XT cartridge BB set

Upgraded positive and precise gear shifting, with friction option

Sealed for life - maintenance free

Sealed for life - maintenance free

Magura Hydraulic braking system

Ultimate stopping power with light finger action, resulting in less rider fatigue and increased braking control

Ritchey Force Competition Lite cromoly stem

Lightest and strongest competition stem available, constructed from heat treated thin wall cromoly, weighs only 290 grams

Ritchey Prolite alloy bars

Lightweight, good shock absorption, durable construction, weighs only 140 grams

Oenza alloy bar ends

Giving alternative hand position especially useful for climbing

Ritchey Vantage Pro W.C.S. rims

Ultra light-weight competition rim with double skinned V cross section for increased rigidity, weighs only 395 grams

Ritchey Megabite Z-max W.C.S. Kevlar tyres

Lightweight World Champion Series Kevlar version of Ritchey's latest competition tyre for ultimate Off Road traction, weighs only 550 grams

Saracen competition saddle

New lightweight competition saddle

Saracens famous tough polyester powder coat finish

Extremely durable knock resistant finish that doesn't flake if scratched

Hand Built Quality

Ensures perfect componentry setup, double checked before leaving the factory, resulting in the lowest warranty claims in the Industry





Tange New Lite Strut Fork

KILI XTR

One of the best equipped bikes on the market. Push it to the limit. Its full size True Temper OX Ultra II cromoly double butted frame is the ultimate in lightweight heat treated, thin wall American-made tubing. Precise front end handling is courtesy of the Tange new lite Strut fork. The Shimano Deore XTR Group Set, new from Shimano for 1992, offers top of the range 24-speed gearing and is included to give the rider more options and greater flexibility. Ritchey Force Racing K. WCS Kevlar tyres, the world's lightest full width MTB tyre, together with Ritchey Vantage Pro WCS rims, the ultra lightweight competition rim.

OUTSTANDING FEATURES RIDER BENEFITS

Shimano Deore XTR group set Shimano's new for 1992 top of the line component group

Full version True Temper OX Ultra II heat treated cromoly double butted frame	All the design benefit of the Kili Racer frame, only made with the ultimate lightweight, heat treated, thin wall American made True Temper tubing
Tange new lite strut fork	Lightweight construction. Increased mud clearance
Elevated chain stay design	Increased mud clearance, shorter rear triangle for enhanced climbing, eliminates chain suck and chain bounce
Shimano XTR cartridge B.B. set	Sealed for life - maintenance free
Shimano S.P.D. clipless pedal	Ultimate solution for positive pedalling action
Shimano 8-speed new trigger shift	Positive 8-speed shifting
Ritchey Force competition lite cromoly stem	Lightest and strongest competition stem available, constructed from heat treated thin wall cromoly and weighs only 290 grams
Ritchey Prolite W.C.S. alloy bars	World Championship Series version, lightweight, good shock absorption, durable butted construction, weighs only 123 grams
Onza alloy bar ends	Giving alternative hand position especially useful for climbing
Ritchey Vantage Pro W.C.S. rims	Ultra lightweight competition rim with double skinned V cross section for increased rigidity, weighs only 395 grams
Ritchey Force racing K.W.C.S. Kevlar tyres	World Champion Series Kevlar version making it the Worlds lightest full width M.T.B. tyre at only 465 grams
Saracen competition titanium saddle	Ultra lightweight competition saddle with titanium rails, weighs only 200 grams
Saracens famous tough polyester powder coat finish	Extremely durable knock resistant finish that doesn't flake if scratched
Hand Built Quality	Ensures perfect componentry setup, double checked before leaving the factory, resulting in the lowest warranty claims in the Industry
Hand built 32 x 14-16 G double butted stainless steel spoked wheels	Built lighter and stronger than machine built wheels, resulting in decreased revolving weight and increased rider performance

Hand built 32 x 14-16 G double butted stainless steel spoked wheels

Built lighter and stronger than machine built wheels, resulting in decreased revolving weight and increased rider performance



KILI ULTRA



OUTSTANDING FEATURES RIDER BENEFITS

Campagnolo record O.R. group set

Campagnolo new for 1992 top of the line component group set

Full oversize True Temper OX Ultra II heat treated cromoly double butted frame

All the design benefit of the Kili Racer frame, only made with the ultimate lightweight, heat treated, thin wall American made True Temper tubing.

Tange new Lite strut fork

Lightweight construction, Increased mud clearance

Elevated chain stay design

Increased mud clearance, shorter rear triangle for enhanced climbing, eliminates chain suck and chain bounce

Campagnolo record cartridge B.B. set

Sealed for life - maintenance free

Campagnolo look system clipless pedals

Ultimate solution for positive pedaling action

Campagnolo record 8 - speed new top shifters

Positive and precise gear shifting action

Ritchey Force competition Lite cromoly stem

Lightest and strongest competition stem available, constructed from heat treated thin wall cromoly, weighs only 290 grams

Ritchey Proline W.C.S. alloy bars

World Champion Series version, lightweight, good shock absorption, durable butted construction, weighs only 123 grams

Oraa alloy bar ends

Giving alternative hand position especially useful for climbing

Campagnolo Stetho rims

Top line Campagnolo double skinned competition rim

Ritchey Force racing K.W.C.S. Kevlar tyres

World Champion Series Kevlar version making it the Worlds lightest full width M.T.B. tyre at only 465 grams

Saracen competition titanium saddle

Ultra lightweight competition saddle with titanium rails, weighs only 200 grams

Saracens famous tough polyester powder coat finish


Extremely durable knock resistant finish that doesn't flake if scratched

Hand Built Quality

Ensures perfect componentry setup, double checked before leaving the factory, resulting in the lowest warranty claims in the industry

Saracen Competition Titanium Saddle





Aluminum Quad Profile Tubing

CONQUEST

Alloy construction machines are lighter than their cromoly counterparts. The full oversize 7005 series is a quad profile tube construction combined with ultra lightweight heat treated aluminium, for an extremely stiff lightweight frame. A Magura Hydraulic braking system is incorporated to stop you with authority and the light finger action means fatigue is never a factor. Max Switch Cromoly Super Lite forks complete the details of a bike that is one of the most responsive in its class.

OUTSTANDING FEATURES	RIDER BENEFITS
Shimano Deore DX group set	Good quality Deore componentry for Competition use
Full oversize 7005 series heat treated aluminium quad profile tubing	Quad profile tube construction combined with ultra lightweight, heat treated aluminium, resulting in an extremely stiff lightweight frame
Elevated chainstay design	Increased mud clearance, shorter rear triangle for enhanced climbing, eliminates chain suck and chain bounce
Shimano Deore DX top shifters	Upgraded positive and precise gear shifting, with friction option
Shimano Deore DX cartridge B.B. set	Sealed for life - maintenance free
Magura hydraulic braking system	Ultimate stopping power with light finger action, resulting in less rider fatigue and increased braking control
Ritchey Force competition lite cromoly stem	Lightest and strongest competition stem available, constructed from heat treated thin wall cromoly, weighs only 290 grams
Ritchey Prolite alloy bars	Lightweight, good shock absorption, durable construction, weighs only 140 grams
Oruza alloy bar ends	Giving alternative hand position especially useful for climbing
Ritchey Vantage Pro W.C.S. rims	Ultra lightweight competition rim with double skinned V cross section for increased rigidity, weighs only 395 grams
Ritchey Megalite Z-Max W.C.S. Kevlar tyres	Lightweight World Champion Series Kevlar version of Ritchey's latest competition tyre, for ultimate Off Road traction weighs only 550 grams
Sanacan competition saddle	New lightweight competition saddle
Saracens famous tough polyester powder coat finish	Extremely durable knock resistant finish that doesn't flake if scratched
Hand Built Quality	Ensures perfect componentry setup, double checked before leaving the factory, resulting in the lowest warranty claims in the industry
Hand built 32 x 14-16 G double butted stainless steel spoked wheels	Built tighter and stronger than machine built wheels, resulting in decreased revolving weight and increased rider performance

Aluminum Quad Profile Tubing



CONQUEST

ELITE



Features an upgraded Shimano Deore XT Group Set combined with a full range of Ritchey WCS components, including Vantage Pro WCS ultra lightweight competition rims with double skinned V cross section for increased rigidity and Ritchey Megabite Z-Max WCS Kevlar tyres for incomparable off-road traction, making it a bike that relishes the challenge of off-road riding.

OUTSTANDING FEATURES RIDER BENEFITS

- Shimano Deore XT group set
Excellent quality Deore XT componentry for extensive Competition use
- Full oversize 7005 series heat treated aluminium quad profile tubing
Quad profile tube construction combined with ultra lightweight, heat treated aluminium, resulting in an extremely stiff lightweight frame
- Elevated chainstay design frame
Increased mud clearance, shorter rear triangle for enhanced climbing, eliminates chain suck and chain bounce
- Shimano Deore XT top shifters
Upgraded positive and precise gear shifting, with friction option
- Sealed for life - maintenance free
- Shimano Deore XT cartridge B.B. set
Ultimate stopping power with light finger action, resulting in less rider fatigue and increased braking control
- Magura hydraulic braking system
Lightest and strongest competition stem available, constructed from heat treated thin wall cromoly, weighs only 290 grams
- Ritchey Force competition lite cromoly stem
World Championship Series version lightweight, good shock absorption, durable butted construction, weighs only 123 grams
- Ritchey ProLite alloy bars
Giving alternative hand position especially useful for climbing
- Onza alloy bar ends
- Ritchey Vantage Pro W.C.S. rims
Ultra lightweight competition rim with double skinned V cross section for increased rigidity, weighs only 395 grams
- Ritchey Megabite Z-Max W.C.S. Kevlar tyres
Lightweight World Champion Series Kevlar version of Ritchey's latest competition tyre, for ultimate Off Road traction weighs only 550 grams
- Saracen competition titanium saddle
Ultra lightweight competition saddle with titanium rails, weighs only 200 grams
- Saracens famous tough polyester powder coat finish
Extremely durable knock resistant finish that doesn't flake if scratched
- Hand Built Quality
Ensures perfect componentry setup, double checked before leaving the factory, resulting in the lowest warranty claims in the industry

Max Switch Cromoly Super Lite Forks



HYBRIDS

A relatively new breed of versatile transport with all the advantages of a road bike and enough mountain bike pedigree to keep its off-road integrity. Ideal multi-purpose urban machine for those who spend more time on the tarmac commuting than in the mud competing.

CROSSTRAX

The hybrid for a rider who needs a lightweight, comfortable bike for transport as much as recreation. The Gripshift has been refined for 1992 with a new gear shifting system for simple and smooth operation. Avocet cross tyres with inverted tread patterns offer a smoother ride with low rolling resistance round town and good grip for off-road riding. The wishbone-style Tange Infinity Cromoly frame's narrower tubing reduces weight. Carrier bosses are supplied, front and back, for touring. Allen key seat bolt fitted to meet the greater security demands of urban areas.

OUTSTANDING FEATURES: RIDER BENEFITS

Shimano new 200 CX group set	New for 1992 good quality components for Hybrid bikes
Wishbone style standard size Tange Infinity cromoly double butted frame	Lightened design Hybrid frame, for more response on road use, but with full Off Road capabilities (downards for 1.75" knobbies)
Gripshift new gear shifting system	Refined for 1992, very simple smooth operation ideal for hybrid bikes
Shimano cartridge BB set	Session for life - maintenance free
Alessa alloy rims	Lightweight and strong rims
Avocet cross tyres	Inverted tread pattern gives a smooth ride, with low rolling resistance on the road, and good grip for recreational Off Road riding
Comfort system gel saddle	Excellent rider comfort
Soracross famous tough polyester powder coat finish	Extremely durable knock resistant finish that doesn't flake or scratch
Hand Built Quality	Ensures perfect componentry set-up, quality checked before leaving the factory, resulting in the lowest warranty costs in the industry
Hand built 26 x 1.4G rustless steel spokes wheels	Built tighter and stronger than machine built wheels, resulting in increased rider performance



FASTRAX



All-purpose practical hybrid designed to excel in all types of cycling. The Shimano 30-40-50 chain set with round rings combined with a Shimano Deore DX 7 speed 12-28 rear wheel cassette offers higher gearing for energy efficient pedalling on the road. New for 1992 is the high quality Shimano 500 CX Group Set, developed specifically for Hybrids. All round top quality components unite for a bike that's light and lively but sturdy enough for multi-sport off-road use.

Gripshift - New Gear Shifting System

OUTSTANDING FEATURES RIDER BENEFITS

Shimano new 500 CX group set

New for 1992 good quality components for Hybrid bikes

Wishbone style standard size Tange Infinity cromoly double butted frame

Lightened design Hybrid frame, for more response on road use, but with full Off Road capabilities clearance for 1.75" knobbies

Gripshift new gear shifting system

Refined for 1992, very simple smooth operation ideal for hybrid bikes

Shimano 30-40-50 chain set with round rings

New higher gearing for on road use

Shimano cartridge B.B. set

Sealed for life - maintenance free

Ritchey Vantage cross rims

Ritchey Vantage Sport rim weighs 450 grams

Avoidet cross tires

Inverted tread pattern gives a smooth ride, with low rolling resistance on the road, and good grip for recreational off road riding

Comfort system gel saddle

Excellent rider comfort

Sonscens famous tough polyester powder coat finish

Extremely durable knock resistant finish that doesn't flake if scratched

Hand Built Quality

Ensures perfect componentry setup, visually checked before leaving the factory, resulting in the lowest warranty claims in the industry

Hand built 36 x 14G rustless steel spoked wheels

Built lighter and stronger than machine built wheels, resulting in increased rider performance



SPECIFICATION

	SAHARA	SAHARA ELITE	TUFFTRAX	TUFFTRAX ELITE	TRaverse	TRaverse ELITE
WEIGHT	13.5 kg (29.79 lbs)	12.6 kg (28.0 lbs)	13.1 kg (29.0 lbs)	12.8 kg (28.29 lbs)	12.25 kg (26.96 lbs)	12.8 kg (28.29 lbs)
COLOUR	Red or Tantric	Black	Mosaic Blue	Mosaic Orange	Mosaic Purple	Mosaic Black
SIZES	14.5" 16" 18" 20" 22"	14.5" 16" 18" 20" 22"	18" 20" 22"	18" 20" 22"	18.5" 21.5" 23"	18.5" 21.5" 23.5"
FRAME						
FRAMESET	Targa MTB, chrome-molybdenum Innenrahmen; oversize head-tube (30) oversize frame tubes (3)	Targa MTB, chrome-molybdenum Innenrahmen; oversize head-tube (30) oversize frame tubes (3)	Targa MTB, chromo-profile, cross-brace Innenrahmen; oversize head-tube (30) oversize frame tubes (3)	Targa MTB, chromo-profile, cross-brace Innenrahmen; oversize head-tube (30) oversize frame tubes (3)	Trek Tempest A.R.C. aluminum profile, cross-brace; double-walled oversize frame tubes (3)	Trek Tempest A.R.C. aluminum profile, cross-brace; double-walled oversize frame tubes (3)
FORK	Max Drive cross-brace	Max Drive cross-brace	Max Drive cross-brace	Max Drive cross-brace	Super Max (31.5) cross-brace	Super Max (31.5) cross-brace
HEADSET	Targa Avenger 1.120° crimped	Targa Avenger 1.125° crimped	Targa Avenger 1.120° crimped	Targa Avenger 1.120° crimped	Trek Logo 1.120° crimped	Trek Logo 1.125° crimped
HEAD TUBE ANGLE	71 degrees	71 degrees	71 degrees	71 degrees	71 degrees	71 degrees
SEAT TUBE ANGLE	74 degrees	74 degrees	74 degrees	74 degrees	74 degrees	74 degrees
CHAINSTAY LENGTH	425 mm (17")	425 mm (16.73")	425 mm (16.73")	425 mm (16.73")	425 mm (16.73")	425 mm (16.73")
TOP TUBE LENGTH	660 mm (25.98")	660 mm (25.85")	660 mm (25.88")	660 mm (25.88")	645 mm (25.49")	645 mm (25.48")
FORK RAKE	45 mm (1.77")	45 mm (1.77")	45 mm (1.77")	45 mm (1.77")	45 mm (1.77")	45 mm (1.77")
B.B. HEIGHT	289 mm (11.24")	289 mm (11.24")	289 mm (11.24")	285 mm (11.24")	295 mm (11.83")	289 mm (11.83")
WHEELBASE	1094 mm (42.53")	1046 mm (41.18")	1047 mm (41.22")	1047 mm (41.22")	1096 mm (42.34")	1090 mm (42.34")
DRIVE TRAIN						
CHAINSET	Shimano 100 4x8 48/39/27/17	Shimano 100 4x8 46/39/27/17	Shimano 400 3x8 46/39/27	Shimano Deore LX 24/46/48 mount logo	Shimano Deore LX 24/46/48 mount logo	Shimano Deore 41/34/36/46 mount logo
B.B. SET	Shimano Etagé CS-20 cartridge	Shimano Etagé CS-20 cartridge	Shimano Etagé CS-20 cartridge	Shimano Deore LX 46/48/50	Shimano Deore CS-UN 60 cartridge	Shimano Deore ST-UN 70 cartridge
CHAIN	Shimano 2000 GS	Shimano 330 LX	Shimano 400 LX	Shimano Deore	Shimano Deore LX	Shimano Deore XT
PEDALS	Shimano Kage	Shimano Profile with Shimano ATB line logo & stripes	Shimano Profile with Shimano ATB line logo & stripes	Shimano Line Profile with Shimano ATB line logo & stripes	Victor Line Pedals (230 grams per pair) with Shimano ATB line logo & stripes	Victor Line Pedals (230 grams per pair) with Shimano ATB line logo & stripes
GEAR SYSTEM						
F/R DERÄILLEURS	Shimano 200 GS 11	Shimano 300 LX	Shimano 400 LX	Shimano Deore LX	Shimano Deore LX	Shimano Deore XT
SHIFT LEVERS	Shimano 200 GS 11 front	Shimano Deore CS-UN top shift	Shimano Deore CS top shift	Shimano Deore CS top shift	Shimano Deore CS top shift	Shimano Deore XT top shift
BRAKES	Shimano Etagé low-profile	Shimano Etagé low-profile	Shimano Deore low-profile	Shimano Deore low-profile	Shimano Deore low-profile	Shimano Deore XT low-profile
LEVERS	Shimano Etagé 3-finger	Shimano Deore 2-finger	Shimano Deore 2-finger	Shimano Deore 2-finger	Shimano Deore 2-finger	Shimano Deore XT 2-finger
WHEELS						
RIMS	Kreuz Alu	Shimano Hard-Shell anodized alloy	Kreuz Vantage Sport (400 grams)	Kreuz Vantage Sport (400 grams)	Kreuz Vantage Expert (450 grams)	Kreuz Vantage Expert (450 grams)
HUBS	Shimano Etagé quick-release	Shimano Etagé quick-release	Shimano Etagé quick-release	Shimano Deore LX quick-release	Shimano Deore DE quick-release 32 hole	Shimano Deore XT quick-release 32 hole
SPOKES	14G spokes	14G spokes	14G spokes	14G spokes	14G spokes	14G spokes
CASSETTE	Shimano 500 LX 7-speed 13-28	Shimano 500 LX 7-speed 13-28	Shimano 500 LX 7-speed 13-28	Shimano Deore 10/7-speed 12-28	Shimano Deore 10/7-speed 12-28	Shimano Deore 11/7-speed 12-28
TYRES	Targa Wunder Dual 26 x 1.9"	Targa Wunder Dual 26 x 1.9"	Targa Magenta Hard Drive 26 x 2.1" (450 grams)	Targa Magenta Hard Drive 26 x 2.1" (450 grams)	Targa Magenta Hard Drive Kevlar 26 x 2.1" (575 grams)	Targa Magenta Hard Drive Kevlar 26 x 2.1" (575 grams)
BAR SYSTEM						
GRIPS	Targa Ergo	Targa Ergo	Targa Ergo	Targa Ergo	Targa Ergo	Targa Ergo
SADDLE	Sacanet Comfort Saddle	Sacanet Comfort System Saddle	Sacanet Comfort Saddle Gel Leather	Sacanet Comfort System Gel Leather	Sacanet Comfort System Gel Leather	Sacanet Comfort System Gel Leather
SEATPOST	Sacanet crimped height adjust	Sacanet crimped height adjust	Sacanet crimped height adjust (260 grams)	Sacanet crimped height adjust (260 grams)	Sacanet crimped height adjust (260 grams)	Sacanet crimped height adjust (260 grams)

Note:

1. (S) denotes sloping top tube design

2. Angles given are those based on a standard straight top tube (17.5" / 18" size)

3. Frame sizes are measured from centre of bottom bracket to centre point of top tube along the seat tube.

4. Weight will vary according to size.

KILI RACER	KILI PRO	KILI FLYER	KILI XTR	KILI ULTRA	CONQUEST	CONQUEST ELITE	CROSSTRAX	FASTRAX
13.15 Kilo (28.96 lbs) Red	12.7 Kilo (27.95 lbs) Metallic Black	12.6 Kilo (27.75 lbs) Metallic Purple	12.6 Kilo (26.5 lbs) Titanium	13.75 Kilo (29.55 lbs) Metallic Green	13.35 Kilo (29.5 lbs) Metallic Silver	13.25 Kilo (29.66 lbs) Metallic Granite	12.25 Kilo (26.99 lbs) Grey	12.25 Kilo (26.99 lbs) Metallic Gold
15.5° 17.5° 19.5°	15.5° 17.5° 19.5°	15.5° 17.5° 19.5°	15.5° 17.5° 19.5°	15.5° 17.5° 19.5°	15.5° 17.5° 19.5°	15.5° 17.5° 19.5°	16° 18° 20° 22°	16° 18° 20° 22°
Tango elliptical profile cranks double butted oversized frame tubes elevated chainstay design (S)	True Temper ANV elliptical profile cranks double butted oversized frame tubes elevated chainstay design (S)	True Temper AVR elliptical profile cranks double butted oversized frame tubes elevated chainstay design (S)	True Temper DX Ultra heat treated elliptical profile cranks double butted oversized frame tubes elevated chainstay design (S)	True Temper CR ultra heat treated elliptical profile cranks double butted oversized frame tubes elevated chainstay design (S)	7005 series heat treated aluminum quad profile tubing elevated chainstay design (S)	7005 series heat treated aluminum quad profile tubing elevated chainstay design (S)	Shimano style frame in Tango affinity geometry oversized double butted frame tubes	Shimano style frame in Tango affinity geometry oversized double butted frame tubes
Max Drive cranksite super lite	Super Max Drive cranksite super lite	Super Max Drive cranksite super lite	Max Strut cranksite super lite	Max Strut cranksite super lite	Max Switch cranksite super lite	Max Switch cranksite super lite	Hybrid style cranksite in 100mm distance Shimano Super 1°	Hybrid style cranksite in 100mm distance Shimano Super 1°
Ritchey Logic comp L 1.125" axle	Ritchey Logic comp 1.125" axle	Ritchey Logic comp 1.125" axle	Rivewave RTR 1.125" oversize	Camagnolo Record 1.125" oversize	Ritchey Logic comp 1.125" axle	Ritchey Logic comp 1.125" axle		
71 degrees	71 degrees	71 degrees	71 degrees	71 degrees	71 degrees	71 degrees	73 degrees	73 degrees
73 degrees	74 degrees	74 degrees	74 degrees	74 degrees	73 degrees	73 degrees	73 degrees	73 degrees
419 mm (16.5")	419 mm (16.5")	419 mm (16.5")	419 mm (16.5")	419 mm (16.5")	419 mm (16.5")	419 mm (16.5")	425 mm (16.75")	425 mm (16.75")
660 mm (22.87")	545 mm (21.45")	545 mm (21.45")	545 mm (21.45")	545 mm (21.45")	540 mm (21.29")	540 mm (21.29")	660 mm (22.87")	660 mm (22.87")
45 mm (1.77")	45 mm (1.77")	45 mm (1.77")	45 mm (1.77")	45 mm (1.77")	44 mm (1.73")	44 mm (1.73")	45 mm (1.77")	45 mm (1.77")
295 mm (11.61")	295 mm (11.61")	295 mm (11.61")	295 mm (11.61")	295 mm (11.61")	296 mm (11.67")	296 mm (11.67")	296 mm (11.61")	296 mm (11.61")
1050 mm (41.34")	1044 mm (41.1")	1044 mm (41.1")	1044 mm (41.1")	1044 mm (41.1")	1074 mm (42.28")	1074 mm (42.28")	1073 mm (42.24")	1073 mm (42.24")
Shimano Deore DX 24-36-46 round rings	Shimano Deore DX 24-36-46 round rings	Shimano Deore XT 24-36-48 round rings	Shimano XTR 26-34-48 round rings	Camagnolo Record 20-30-42 micro round rings	Shimano Deore DX 24-36-46 round rings	Shimano Deore XT 24-36-46 round rings	Shimano 200 13-26-36-46-52-57	Shimano 500 CX 30-40-50 round rings
Shimano Deore DX UN 50 cartridge	Shimano Deore DX UN 50 cartridge	Shimano Deore XT UN 50 cartridge	Shimano XTR UN 50 cartridge	Camagnolo Record cartridge	Shimano Deore DX UN 50 cartridge	Shimano Deore XT UN 50 cartridge	Shimano Edge 0130 cartridge	Shimano Edge CS21 cartridge
Shimano Deore DX	Shimano Deore DX	Shimano Deore XT	Shimano XTR	Camagnolo Record	Shimano Deore DX	Shimano Deore XT	Shimano 200 CS	Shimano 500 CS
Victor Super Lite system (260 grams per pair) with Sramacan ATB toe clips & straps	Victor Super Lite system (260 grams per pair) with Sramacan ATB toe clips & straps	Victor Super Lite system (260 grams per pair) with Sramacan ATB toe clips & straps	Shimano S-RD-M732 cassettes	Camagnolo Centaur cassettes	Victor Super Lite system (260 grams per pair) with Sramacan ATB toe clips & straps	Victor Super Lite system (260 grams per pair) with Sramacan ATB toe clips & straps	Victor Deore with Sramacan hybrid toe clips & straps	Victor low profile with Sramacan hybrid toe clips & straps
Shimano Deore LX	Shimano Deore DX	Shimano XT	Shimano XTR	Camagnolo Record	Shimano Deore DX	Shimano Deore XT	Shimano 200 CS	Shimano 500 CX
Shimano Deore DX Top Shift	Shimano Deore DX Top Shift	Shimano XT Top Shift	Shimano XTR Trigger Shift	Camagnolo Record Top Shift	Shimano Deore DX Top Shift	Shimano Deore XT Top Shift	Shimano 200	Shimano 500
Shimano Deore low profile	Magura hydraulic brakes with quick release	Magura hydraulic brakes with quick release	Shimano XTR low profile	Camagnolo Record	Magura hydraulic brakes with quick release	Magura hydraulic brakes with quick release	Shimano 200 CX low profile	Shimano Deore low profile
Shimano Deore DX 2 finger	Magura hydraulic 2 finger	Magura hydraulic 2 finger	Shimano XTR 2 finger	Camagnolo Record 2 finger	Magura hydraulic 2 finger	Magura hydraulic 2 finger	Shimano Deore 2 finger	Shimano Deore DX 2 finger
Ritchey Vantage comp (4.15 grams)	Ritchey Vantage comp (4.15 grams)	Ritchey Vantage Pro W.C.S. (395 grams)	Ritchey Vantage Pro W.C.S. (395 grams)	Camagnolo Shiro	Ritchey Vantage Pro W.C.S. (395 grams)	Ritchey Vantage Pro W.C.S. (395 grams)	Ritchey Vantage DX 200 (391 grams)	Ritchey Vantage DX 200 (391 grams)
Shimano Deore DX quick release	Shimano Deore DX quick release	Shimano Deore XT quick release 32 hole	Shimano XTR quick release 32 hole	Camagnolo Record quick release 32 hole	Shimano Deore DX quick release 32 hole	Shimano Deore XT quick release 32 hole	Shimano Deore quick release	Shimano Deore quick release
14G stainless	14-16G double butted stainless	14-16G double butted stainless	14-16G double butted stainless	14-16G double butted stainless	14-16G double butted stainless	14-16G double butted stainless	14G polished	14G stainless
Shimano Deore DX 7 speed 12-28	Shimano Deore DX 7 speed 12-28	Shimano Deore XT 7 speed 12-28	Shimano XTR 8 speed 12-28 Super Xtr	Camagnolo Record 8-speed 11-23 Close Ratio	Shimano Deore DX 7 speed 12-28	Shimano Deore XT 7 speed 12-28	Shimano Deore DX 7 speed 12-28	Shimano Deore DX 7 speed 12-28
Ritchey Megabike Z Max 26 x 2.1" (550 grams)	Ritchey Megabike Z Max 26" x 2.1" (550 grams)	Ritchey Megabike Z Max W.C.S. Kevlar bead 26 x 2.1" (550 grams)	Ritchey Force Racing K W.C.S. Kevlar bead 26 x 2.1" (465 grams)	Ritchey Force Racing K W.C.S. Kevlar bead 26 x 2.1" (465 grams)	Ritchey Megabike Z Max W.C.S. Kevlar bead 26 x 2.1" (550 grams)	Ritchey Megabike Z Max W.C.S. Kevlar bead 26 x 2.1" (550 grams)	Power Cross 26 x 1.9"	Power Cross 26 x 1.9"
Ritchey Force Re (180 grams) with Dura bar ends	Ritchey Force Re (180 grams) with Dura bar ends	Ritchey Prole alloy (140 grams) with Dura bar ends	Ritchey Prole W.C.S. alloy (123 grams) with Dura bar ends	Ritchey Prole W.C.S. alloy (123 grams) with Dura bar ends	Ritchey Prole Re (140 grams) with Dura bar ends	Ritchey Prole W.C.S. alloy (123 grams) with Dura bar ends	Spokes Re (180 grams)	Sramacan Re (180 grams)
Ritchey Force Re cranks (340 grams)	Ritchey Force Re cranks (340 grams)	Ritchey Force competition Re cranks (290 grams)	Ritchey Force comp Re cranks (290 grams)	Ritchey Force comp Re cranks (290 grams)	Ritchey Force competition Re cranks (290 grams)	Ritchey Force comp Re cranks (290 grams)	Sramacan cranks hybrid	Sramacan cranks hybrid
Grab on	Grab on	Grab on	Grab on	Grab on	Grab on	Grab on	Grab on	Grab on
Sramacan comp leather	Sramacan comp leather	Sramacan comp leather	Sramacan comp titanium leather (200 grams)	Sramacan comp titanium leather (200 grams)	Sramacan comp leather	Sramacan comp titanium leather (200 grams)	Sramacan comfort leather (200 grams)	Sramacan comfort leather (200 grams)
Sramacan alloy super lite micro adjust (260 grams)	Sramacan alloy super lite micro adjust (260 grams)	Sramacan alloy super lite micro adjust (260 grams)	Sramacan alloy super lite micro adjust (260 grams)	Sramacan alloy super lite micro adjust (260 grams)	Sramacan alloy super lite micro adjust (260 grams)	Sramacan alloy super lite micro adjust (260 grams)	Sramacan micro adjust (260 grams)	Sramacan micro adjust (260 grams)

WARRANTY

Saracen Cycles has an excellent non return record due to 100% of all our components being assembled in our workshops prior to delivery to the retailer. This permits us to offer you the following comprehensive Warranty.

Saracen Cycles Ltd warrants the replacement of original components of Saracen Mountain Bikes due to defects in material and/or workmanship according to the following conditions and limitations. The frame and fork are warranted for a period of 5 years (in the case of suspension forks, 2 years). The original components, other than the frame and fork, are warranted for a period of 1 year (labor and transportation charges are not included). The warranty is limited to the original retail purchaser only and proof of purchase is required to validate this warranty.

The Warranty does not cover damage or failure due to abuse, neglect, accident, improper assembly, maintenance or commercial hiring, normal wear and tear or installation of parts or accessories not originally intended or incompatible with the bicycle as sold.

Saracen Cycles Ltd shall not be responsible for incidental or consequential damage or loss. The user assumes the risk for any and all personal injury or damage of the bicycle, or other losses if Saracen bicycles are used at any time in any competitive event (including bicycle racing, dirt biking, freestyle or similar activities or training for such activities).

Claims must be made through an authorised dealer.

Saracen Cycles' policy is one of continuous improvement; therefore specifications may be changed, without prior notice.

Mountain bikes although tough are not indestructible. Excessively rough use may result in damage to your machine or you - take care and always wear an approved helmet. Optimum riding performance depends on having your bike serviced regularly at your Saracen dealer.

YOUR LOCAL SARACEN DEALER



Pictured at our Warwickshire headquarters is the 1992 Saracen workforce. From the accounts department to the salesmen, technical staff and mechanics, every member of the entire team has had a significant role in the production of this year's exceptional mountain bike range.

SARACEN

Saracen Cycles Limited
Saracen House
Hamlet Drive
Heathcote Industrial Estate
Warwick CV34 8TS England
Tel (0926) 338427
Fax (0926) 451428